

# /Inritsu

Overall quality management and control system



THE STATE

KSA9003A

# The production line in

New improvements are seen by

# QUIC



IoT leading to the production plant of the future



# the palm of your hand.

maximizing use of production data

nit1 ProdName1 03g Width = 1g 03g 110g:Upper nit1 ProdName1

**CA** 3

SHELDOD BL 30500	100 s O
00906 18 0000 IS-I I	IDH: 0
G0906 @ 0000 /940	103.0 *
90906 M 0000 /939	9100
G0906 11 0000 1938	98 v 🖝
00906 /1 0000 /931	108 e 🖝
00906 11 0000 1936	3Bu e
0.0906 /1 0000 /935	+ 15DI



# Information sharing through visualization to realize production plant potential





# Couric CA Overall quality management and control system

# QUICCA 3



Displays the status of production from the past to the present <b>QUICCA Web</b>	р6
Displays key detailed information required by each processor <b>QUICCA Monitor</b>	р7
Leads to improved productivity Production progress monitor	р8
Understands production efficiency OEE Monitor	р9
Pre-shipment analysis to prevent contaminants from slipping through <b>X-ray Inspection System Quality Analysis Tool</b>	p10

# **QUICCA Web**

— Basic screen —

# Displays the status of production from the past to the present

Summary display of conveyor on/off, product count, OK/NG count, etc. Production management information can be checked simultaneously at multiple points throughout the plant.



• Specify the date and production line for quick search.

# Provides various reports as reliable evidence for auditing and handling consumer complaints.

-				and dealers in the	_		_	
		- Pinter of			Party and party in	-	-	
	the true	·	14.65	Providence -	ing Married	-		1
	And in case	prompts and	-		Table & Decise (	-	494	1.00
		\$1.000 (A. Art)	-	- Andrews	an al more			
	216-2212-000		-	1.7 plane			1,04	
		10000-00	-	1 Caller	100.01000			
	0010	Annal of	100	( Collect		-0	- 1	
		1417-1-10	-	Autom	100 P. 4174			-
		Carton in	-2-	- Andrew	and street a	-3		
	Photo		-	- Andrews	APR 0. 1998	-11		
	and the second	and the	2	A state	The strength		-3	
		F		1. Automatica and	and all strength			
	and the second	And in case		Contraction of the local division of the loc	and a strength	- 21		
	And in case	-	-	1 Automation 1	and the second			
	Aug 410-0-10		-	1 market	100 0. 100.0			
				Contraction of the local division of the loc	- Alasia	- 21		- 1
		Arra/10-10-100	-	- Andrews	an station		100	
	414,747,787,788	product into	-	- Automation		- 10		
	11111	provent the	-	- Automa	100.01000	-		
	444.00° - 146	proved the	-	- Autom	144 (1468)	184	+	
		Barren - 100	-	1.5484	110102			. 1
	And States of Long	10000	- 1994	1. August	100 0.000	- 10	124	2
	TAXABLE INT	same a lar	-2-	Contraction of the local division of the loc	Tank and	-31	- 10	1
			-2-	Contract of the local division of the local	100-02+			12
		Autoritation and	-	1. marketer	Lange of Long	-	- 14	
21		Andrew and	- 2-	Lindow .	1000 001	-21	-221	-9
		analytic dat	-	- Andrew	100.0	-		
23	and the lot	distant and		- Automatical	Take and	- 22	-121	
1	1000	10000	-	- Augusta	1 44 1 4 4 4			-1
1	100 M 100 M		100	1 - Andread	1000.001	- 14		
	-	Annal at	-	1.1.000	144.0 441	174		-
	212,20,27,121	ALTERNA 1998	1.000	10-selate	[ 100 B] B-1 [	- 10		
	\$14.00.00 - 110	A	-	1.7 million		-	-	-
	474,5175 - 111	10000-04			[mon[ma]]			
						_		
					-	_		
				_				
		-						
						-		
							_	

Production results summary



Inspection system statistical reports

Individual data



QUICCA Monitor

Displaying optimal detailed information for each processor

With QUICCA Monitor, individual users can customize the display with information they require, enabling quick confirmation of status as well as fast and accurate judgments.



The pre-set display screen layout enables easy setting.

## Displays in the workplace, meeting rooms, offices or other locations

Because the plant chief, quality manager and others can check production management information from anywhere in the plant, it enables fast judgments. Also, individual data and statistics data can even be checked from the office, which makes it easier to apply in various measures.

It enables a variety of uses for information, which can be readily shared by displaying on large screens in meeting rooms and offices.



Analysis

Production progress monitor Production progress graphs facilitates understanding of momentary stoppages and production delays, enabling fast response.

Easily understood graph display whereby it is possible to check the state of progress at a glance. Predicted production figures and expected time of completion are also displayed.



Produces reports easily and quickly, enabling effective measures. Report forms are produced to leave a record.



**Daily report (production status)** Possible to check production trends and occurrence of momentary stoppages through graphs and charts



Weekly report (operating ratio) Possible to check daily operating ratio changes. Able to discern a fall in operating ratio on a certain day of the week.



Monthly report (yield rate)

Possible to check monthly yield rate by product type. Enables priority measures for product types with a poor yield rate



# **OEE Monitor**

Displays operating ratio, performance and quality indicators as well as the overall equipment effectiveness (OEE).

By quantifying production efficiency it becomes possible to make objective judgments, even with limited experience. It is thereby possible to focus measures on production lines where performance has fallen.





	and the local diversion of	10.0	38.11 884	1.000	216.04.12	10		statut anna		-	1 14 17 14		1	-	30.0.0
-			spection marks	to be water							methan		definence.	Einet .	
1.04		1 10		And and a second se				100	1	141	1.1	Long re			- 10
	he -	1		10.000	76278	8 · · ·		Parity In.				Patrice			14
			- Summery of			10000000000					OLE IN	mailion.	INT. MORT		
	Association (				Par spectra to										
	-				New performance		1.0	18						-	
	pents.		OIE l'gradier	11411	Taxa series	100			- 2-						
			ULL PPINOD	240 1992		COLUMN TWO IS NOT									
								a /							
								1.1							
								a.,							
								1.	4.4		107	- 24		44	
								477	-					**	
												-statistics			
								in the second se					_		
		1	* .					jand.				-	_		-
			· · · ·						013			-	_	Petine	- 1
	-			N. 718 1446	***				013			-	•	Petros	- ×
	198 128			N. 718 1446	·				013	40		-	•	44	
	198 128		144.00	1.00	20. 10				013		• A	E Dresk	ner:		
	-		habita	e 200 jaas - Sto - Feirra	20. 10				1		• A	E Dresk	ner:		
	-	N	Padador Padador ODES	e ges jaat - die - Felore M	10 + 5					40	• A	E Dreak	trant at	44	*10
	4 101	N	Andrew Color	e gan jaat - Ma - Patron M	10 40			CEL		45	• A	E Dreak ar		40 800	112
			National Action	e ges jaat - die - Felore M	na en	40 40 50 10 10				40	• A	E Dreak	trant at	44	*10
		14		e gen jaar alle Mi Netersetelle Netersetelle Netersetelle	utt + 5 Notesentt U No			CEI	*	45	- A	E book e <sup>1</sup> Rip		40 22 3	1 22
		14 14 15 15 16		a por para				001	-	45	100 100 100 100 100 100 100 100 100 100	E Dreath art RLD			12
		10 10 10 10 10 10 10 10 10 10 10 10 10 1	a de la companya de l	A DE AN				CEI	*	45	- A	E book e <sup>1</sup> Rip		40 22 3	1 22
		1000					14	001 100 100 100 100 100 100 100 100 100		45 68 0	20 2 20 4	E break 47 81.0 90 90	• •	1 2 3 1	a 1 2 2
		10000		a po pag		40.18 U.M. 8 U.L. U.L. U.L. U.L. U.L. U.L. U.L.	14	001	-	45	100 100 100 100 100 100 100 100 100 100	E Dreath art RLD			12
		10000					1	001 100 100 100 100 100 100 100 100 100		45 68 0	2 2 2 3 3 1 2 2	10 00 00 00 00 00 00 00 00 00 00 00 00 0	• •	1 2 3 1 2 2	1 2 1 1 1 1
		10 10 10 10 10 10 10 10 10 10 10 10 10 1			Backellace	445 445 100 100 100 100 100 100 100 100 100	1	CEI CEI CEI CEI CEI CEI CEI CEI CEI CEI	* *	45 68 0	2 2 3 3 2 2	E David C David RLD NLD NLD NLD NLD NLD NLD NLD NLD NLD N	. E	2 2 3 <sup>1</sup>	11 12 12 12 12
		10000					1		-	45 68 0	2 2 2 3 3 1 2 2	10 00 00 00 00 00 00 00 00 00 00 00 00 0	. E	1 2 3 1 2 2	au 1 2 2
i.e						410 410 410 410 410 410 410 410 410 410	1			45 68 0	2 2 2 3 3 1 2 2	10 00 00 00 00 00 00 00 00 00 00 00 00 0	. E	1 2 3 1 2 2	1 2 1 1 1 1
				A Delever			1	CEL CEL Transmit Transmit Transmit Celevant Cele	· · · · · · · · · · · · · · · · · · ·	2 3 2 2 2 2	£ 2 2 3 3 3 3	10 000 000 000 000 000 000 000 000 000		2 2 3 1 2 2 2	2 a 2 1 2 2 2
						410 40.00 100 100 100 100 100 100 100 100 100	1		· · · · · · · · · · · · · · · · · · ·	2 3 2 2 2 2	· 2 2 3 3 2 2 1	1000000 1000000 1000000 1000000 1000000 1000000		1 2 3 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	au 1 2 2

OEE daily report

**OEE weekly report** 

X-ray Inspection System Quality Analysis Tool

Analysis

Quality

Quality check can be performed with the simple procedure before shipment, preventing contaminants from slipping into the finished product.

## Various functions to reduce the outflow of contaminants

- The image of defective product is automatically extracted for final check prior to shipment.
- Detects and notifies the risk of contaminant outflow through the setting of various conditions such as detection limit
- Displays transmitted image before and after the defective products, allowing for a visual check for small contaminants within the limits



Specify the date and production line for the NG image.

Lookout functions Ensures that the PC used by QUICCA for inspection systems and quality recording is functioning normally



# Reduces risk of production line stoppage

- Monitors errors and alarms of all inspection systems and gives a warning if any of these conditions continues for a certain period.
- Monitors operations which would lead to breakdown of inspection system and gives a warning.



Reduces outflow of defective goods

- Gives a warning when changes are made to limit values during production.
- Gives a warning if a major NG occurs which would lead to inspection system abnormality.



# Reduces wastage of materials

- Monitors the incidence of NG and counts of continuous NG and gives a warning in relation to a pre-set threshold if that threshold is approached.
- Detects reduction in production performance based on OEE analysis and gives a warning.

# **Construction of plant network**

QUICCA is a system providing diverse functions using inspection system connected to a network for visualization of production status, production and quality analysis. Installation is simple and inexpensive. QUICCA uses each piece of inspection system to gather information specific to the company in real time, thereby enabling detailed quality analysis which is difficult to manage with enterprise resource planning (ERP) and manufacturing execution systems (MES). Even if ERP and MES are already in place, the introduction of QUICCA can achieve a higher degree of quality assurance.



# System requirements

Item	Notes	Form supplied
PC (PC, server)	PC for QUICCA installation	Please arrange
LAN cable	Category 5e or higher. Gigabyte and Ethernet compatible products recommended.	for purchase and installation.
LAN switch (switching hub)	Required when connecting multiple equipment. Gigabyte and Ethernet compatible products recommended.	
Cable installation and wiring work	Required for connecting PC, LAN switch, etc.	
HDD for back-up (NAS, USB-HDD)	Required when performing data back-up.	
External HDD for expansion* (NAS, USB-HDD)	Required when PC HDD capacity is insufficient. USB3.0 connection compatible products recommended.	
KSA9003A QUICCA	Includes QUICCA license. Separate connection licenses are required according to the number of machines connected.	Sold by Anritsu
Ethernet unit	Required depending on equipment to be connected.	
Equipment	X-ray inspection system, metal detector, Checkweigher, automatic combination weigher	

\*HDD (hard disk) is a consumable product. Subscription to manufacturer long-term warranty and on-site maintenance is recommended.

# **Specifications**

## QUICCA

Maximum number of	99
connectable machines *	
Maximum recording	3000 products/min (all lines)
capacity*	1,500 items/min (when only X-ray inspection system is connected for recording of transmitted images)
	When only X-ray inspection system is connected for recording of transmitted images, storage capacity for
	the X-ray machine is calculated as double.
Maximum number of	Depends on free disk space on PC. Maximum 4 million data/day
recordable data	1 million to 4 million data/1 GB (Individual data, Statistics data, History data)
	10,000 to 30,000 data/1 GB (image data)
	Data can be saved on multiple hard drives such as NAS

\* The maximum number of connectable machines and video cameras, and maximum recording capacity vary depending on specifications of PC and network configuration.

## Computer operating environment

Server	
OS	Windows 7/SP1 (Professional/Ultimate/Enterprise) (64bit)
	Windows Server 2012/R2 (Standard/Datacenter/Essentials/Foundation)
	Windows 10 (Pro/Enterprise)
	Windows Server 2016 (Standard/Datacenter/Essentials)
CPU	Intel <sup>®</sup> Core i3 Processor 2.80 GHz or higher
Memory	8 GB or higher
HDD	1 GB or more free disk space for installation in addition to that required for data saving
Display	1024 × 768 or higher
LAN	Ethernet (100BASE-TX, 1000BASE-T)
Required browser	Google Chrome, Microsoft Internet Explorer

Higher performance is required for optimal use

### Client

OS	Windows 7/SP1 (Professional/Ultimate/Enterprise) (32bit/64bit)
	Windows 10 (Pro/Enterprise)
CPU	Intel <sup>®</sup> Core i3 Processor 2.80 GHz or higher
Memory	4 GB or higher
HDD	Depends on functions used. 100 MB or more available capacity for installation
Display	1024 × 768 or higher
LAN	Ethernet (100BASE-TX, 1000BASE-T) or wireless LAN connection
Required browser	Google Chrome

Intel, and Intel Core are trademarks of Intel Corporation in the U.S. and/or other countries.

Microsoft, Windows, and Windows Server are registered trademarks of microsoft Corporation in the United States and/or other countries. Other company names, product names, and service names are the trademarks or registered trademarks of their respective companies.

# **Anritsu** envision : ensure

# ANRITSU INFIVIS CO., LTD.

 
 International Sales Department

 5-1-1 Onna, Atsugi-shi, Kanagawa-Prf., 243-0032, JAPAN

 TEL: +81-46-296-6699

 FAX: +81-46-296-6786
 https://www.anritsu.com/infivis

### Anritsu Industrial Solutions (Shanghai) Co., Ltd. 3F, No.55, Lane 1505, Zuchongzhi Road, Zhangjiang Hi-tech Park, Pudong New Area, Shanghai 201203, P.R.China

TEL: +86-21-5046-3066 FAX: +86-21-5046-3068

## ANRITSU INFIVIS (THAILAND) CO., LTD.

700/678 Moo 1, Amata Nakorn Industrial Estate, T. Pangthong A. Pangthong Chonburi Province Thailand 20160 TEL: +66 38-447180 FAX: +66 38-447182

ANRITSU INFIVIS LTD.

200 Capability Green Luton LU1 3LU, United Kingdom TEL: +44(0)1582-433227 FAX: +44(0)1582-731303

## ANRITSU INFIVIS INC.

1001 Cambridge Drive. Elk Grove Village, IL 60007-2453, U.S.A. TEL: +1-847-419-9729 FAX: +1-847-537-8266

CAT. NO. K3256-A-1

ISO14001 CERTIFICATE No. JQA-EM0210 ISO 9001 CERTIFICATE No.JQA-0316

© ANRITSU INFIVIS CO., LTD. 2018

- Some products shown in this catalog may not be available in your country or region. Contact our sales representatives for details.
- To ensure proper operation, read the Operation Manual before using the machine.
- In addition to daily inspection, a full maintenance inspection should be completed annually.
- Specifications are subject to change without notice. No part of this catalog may be reproduced without our permission.

Printed on Recycled Paper 2018-5 3.5 (ddc) Printed in Japan