

**MU196020A
PAM4 PPG
MU196040A
PAM4 ED
MU196040B
PAM4 ED
Operation Manual**

14th Edition

- For safety and warning information, please read this manual before attempting to use the equipment.
- Additional safety and warning information is provided within the MP1900A Signal Quality Analyzer-R Operation Manual. Please also refer to it before using the equipment.
- Keep this manual with the equipment.

ANRITSU CORPORATION

Safety Symbols

To prevent the risk of personal injury or loss related to equipment malfunction, Anritsu Corporation uses the following safety symbols to indicate safety-related information. Ensure that you clearly understand the meanings of the symbols BEFORE using the equipment. Some or all of the following symbols may be used on all Anritsu equipment. In addition, there may be other labels attached to products that are not shown in the diagrams in this manual.

Symbols used in manual



DANGER

This indicates a very dangerous procedure that could result in serious injury or death if not performed properly.



WARNING

This indicates a hazardous procedure that could result in serious injury or death if not performed properly.



CAUTION

This indicates a hazardous procedure or danger that could result in light-to-severe injury, or loss related to equipment malfunction, if proper precautions are not taken.

Safety Symbols Used on Equipment and in Manual

The following safety symbols are used inside or on the equipment near operation locations to provide information about safety items and operation precautions. Ensure that you clearly understand the meanings of the symbols and take the necessary precautions BEFORE using the equipment.



This indicates a prohibited operation. The prohibited operation is indicated symbolically in or near the barred circle.



This indicates an obligatory safety precaution. The obligatory operation is indicated symbolically in or near the circle.



This indicates a warning or caution. The contents are indicated symbolically in or near the triangle.



This indicates a note. The contents are described in the box.



These indicate that the marked part should be recycled.

MU196020A PAM4 PPG

MU196040A PAM4 ED

MU196040B PAM4 ED

Operation Manual

1 December 2018 (First Edition)

8 December 2022 (14th Edition)

Copyright © 2018-2022, ANRITSU CORPORATION.

All rights reserved. No part of this manual may be reproduced without the prior written permission of the publisher.

The operational instructions of this manual may be changed without prior notice.

Printed in Japan

Equipment Certificate

Anritsu Corporation certifies that this equipment was tested before shipment using calibrated measuring instruments with direct traceability to public testing organizations recognized by national research laboratories, including the National Institute of Advanced Industrial Science and Technology, and the National Institute of Information and Communications Technology, and was found to meet the published specifications.

Anritsu Warranty

Anritsu Corporation will repair this equipment free-of-charge if a malfunction occurs within one year after shipment due to a manufacturing fault, and software bug fixes will be performed in accordance with the separate Software End-User License Agreement, provide, however, that Anritsu Corporation will deem this warranty void when:

- The fault is outside the scope of the warranty conditions separately described in the operation manual.
- The fault is due to mishandling, misuse, or unauthorized modification or repair of the equipment by the customer.
- The fault is due to severe usage clearly exceeding normal usage.
- The fault is due to improper or insufficient maintenance by the customer.
- The fault is due to natural disaster, including fire, wind or flood, earthquake, lightning strike, or volcanic ash, etc.
- The fault is due to damage caused by acts of destruction, including civil disturbance, riot, or war, etc.
- The fault is due to explosion, accident, or breakdown of any other machinery, facility, or plant, etc.
- The fault is due to use of non-specified peripheral or applied equipment or parts, or consumables, etc.
- The fault is due to use of a non-specified power supply or in a non-specified installation location.
- The fault is due to use in unusual environments^(Note).
- The fault is due to activities or ingress of living organisms, such as insects, spiders, fungus, pollen, or seeds.

In addition, this warranty is valid only for the original equipment purchaser. It is not transferable if the equipment is resold.

Anritsu Corporation shall assume no liability for damage or financial loss of the customer due to the use of or a failure to use this equipment, unless the damage or loss is caused due to Anritsu Corporation's intentional or gross negligence.

Note:

For the purpose of this Warranty, "unusual environments" means use:

- In places of direct sunlight
- In dusty places
- Outdoors
- In liquids, such as water, oil, or organic solvents, and medical fluids, or places where these liquids may adhere
- In salty air or in place chemically active gases (sulfur dioxide, hydrogen sulfide, chlorine, ammonia, nitrogen dioxide, or hydrogen chloride etc.) are present
- In places where high-intensity static electric charges or electromagnetic fields are present
- In places where abnormal power voltages (high or low) or instantaneous power failures occur
- In places where condensation occurs
- In the presence of lubricating oil mists
- In places at an altitude of more than 2,000 m
- In the presence of frequent vibration or mechanical shock, such as in cars, ships, or airplanes

Anritsu Corporation Contact

In the event of this equipment malfunctions, please contact an Anritsu Service and Sales office. Contact information can be found on the last page of the printed version of this manual, and is available in a separate file on the PDF version.

Notes On Export Management

- We assume no responsibility if this product is re-exported and used without our approval since it may not comply with the safety standards, etc., of specific countries.
- This product and its manuals may require an Export License/Approval by the Government of the product's country of origin for re-export from your country.

Before re-exporting the product or manuals, please contact us to confirm whether they are export-controlled items or not.

For more details, visit

<https://www.anritsu.com/support/export-procedures>.

When you dispose of the products or manuals subject to export control, they must be physically destroyed or shredded so as not to be unlawfully used for military purpose.

Crossed-out Wheeled Bin Symbol

Equipment marked with the Crossed-out Wheeled Bin Symbol complies with council directive 2012/19/EU (the “WEEE Directive”) in European Union.



For Products placed on the EU market after August 13, 2005, please contact your local Anritsu representative at the end of the product's useful life to arrange disposal in accordance with your initial contract and the local law.

Software End-User License Agreement (EULA)

Please carefully read and accept this Software End-User License Agreement (hereafter this EULA) before using (includes executing, copying, installing, registering, etc.) this Software (includes programs, databases, scenarios, etc., used to operate, set, etc., Anritsu electronic equipment, etc.). By using this Software, you shall be deemed to have agreed to be bound by the terms of this EULA, and Anritsu Corporation (hereafter Anritsu) hereby grants you the right to use this Software with the Anritsu specified equipment (hereafter Equipment) for the purposes set out in this EULA.

Article 1. Grant of License and Limitations

1. You may not sell, transfer, rent, lease, lend, disclose, sublicense, or otherwise distribute this Software to third parties, whether or not paid therefor.
2. You may make one copy of this Software for backup purposes only.
3. You are not permitted to reverse engineer, disassemble, decompile, modify or create derivative works of this Software.
4. This EULA allows you to install one copy of this Software on one piece of Equipment.

Article 2. Disclaimers

To the extent not prohibited by law, in no event shall Anritsu be liable for direct, or any incidental, special, indirect or consequential damages whatsoever, including, without limitation, damages for loss of profits, loss of data, business interruption or any other commercial damages or losses, and damages claimed by third parties, arising out of or related to your use or inability to use this Software, unless the damages are caused due to Anritsu's intentional or gross negligence.

Article 3. Limitation of Liability

1. If a fault (bug) is discovered in this Software, making this Software unable to operate as described in the operation manual or specifications even though you have used this Software as described in the manual, Anritsu shall at its own discretion, fix the bug, or replace the software, or suggest a workaround, free-of-charge, provided, however, that the faults caused by the

following items and any of your lost or damaged data whatsoever shall be excluded from repair and the warranty.

- i) If this Software is deemed to be used for purposes not described in the operation manual or specifications.
 - ii) If this Software has been used in conjunction with other non-Anritsu-approved software.
 - iii) If this Software or the Equipment has been modified, repaired, or otherwise altered without Anritsu's prior approval.
 - iv) For any other reasons out of Anritsu's direct control and responsibility, such as but not limited to, natural disasters, software virus infections, or any devices other than this Equipment, etc.
2. Expenses incurred for transport, hotel, daily allowance, etc., for on-site repairs or replacement by Anritsu engineers necessitated by the above faults shall be borne by you.
 3. The warranty period for faults listed in Section 1 of this Article shall be either 6 months from the date of purchase of this Software or 30 days after the date of repair or replacement, whichever is longer.

Article 4. Export Restrictions

You shall not use or otherwise export or re-export directly or indirectly this Software except as authorized by the laws and regulations of Japan and the United States, etc. In particular, this Software shall not be exported or re-exported (a) into any Japan or US embargoed countries or (b) to anyone restricted by the Japanese export control regulations, or the US Treasury Department's list of Specially Designated Nationals or the US Department of Commerce Denied Persons List or Entity List. In using this Software, you warrant that you are not located in any such embargoed countries or on any such lists. You also agree that you will not use or otherwise export or re-export this Software for any purposes prohibited by the Japanese and US laws and regulations, including, without limitation, the development, design and manufacture or production of missiles or nuclear, chemical or biological weapons of mass destruction, and conventional weapons.

Article 5. Change of Terms

Anritsu may change without your approval the terms of this EULA if the changes are for the benefit of general customers, or are reasonable in light of the purpose of this EULA and circumstances of the changes. At the time of change, Anritsu will inform you of those changes and its effective date, as a general rule 45 days, in advance on its website, or in writing or by e-mail.

Article 6. Termination

1. Anritsu may terminate this EULA immediately if you violate any conditions described herein. This EULA shall also be terminated immediately by Anritsu if there is any good reason that it is deemed difficult to continue this EULA, such as your violation of Anritsu copyrights, patents, etc. or any laws and ordinances, or if it turns out

that you belong to an antisocial organization or has a socially inappropriate relationship with members of such organization.

2. You and Anritsu may terminate this EULA by a written notice to the other party 30 days in advance.

Article 7. Damages

If Anritsu suffers any damages or loss, financial or otherwise, due to your violation of the terms of this EULA, Anritsu shall have the right to seek proportional damages from you.

Article 8. Responsibility after Termination

Upon termination of this EULA in accordance with Article 6, you shall cease all uses of this Software immediately and shall as directed by Anritsu either destroy or return this Software and any backup copies, full or partial, to Anritsu.

Article 9. Negotiation for Dispute Resolution

If matters of interpretational dispute or items not covered under this EULA arise, they shall be resolved by negotiations in good faith between you and Anritsu.

Article 10. Governing Law and Court of Jurisdiction

This EULA shall be governed by and interpreted in accordance with the laws of Japan without regard to the principles of the conflict of laws thereof, and any disputes arising from or in relation to this EULA that cannot be resolved by negotiation described in Article 9 shall be subject to and be settled by the exclusive agreed jurisdiction of the Tokyo District Court of Japan.

Revision History:

February 29th, 2020

December 17th, 2021

CE Conformity Marking

Anritsu affixes the CE conformity marking on the following products in accordance with the Decision 768/2008/EC to indicate that they conform to the EMC, LVD and RoHS directive of the European Union (EU).

CE marking



1. Product Model

Plug-in Units: MU196020A PAM4 PPG
MU196040B PAM4 ED

2. Applied Directive and Standards

When the MU196020A PAM4 PPG and MU196040B PAM4 ED are installed in the MP1900A, the applied directive and standards of this unit conform to those of the MP1900A main frame.

PS: About main frame

Please contact Anritsu for the latest information on the main frame types that MU196020A and MU196040B can be used with.

UKCA Marking

Anritsu affixes the UKCA marking on the following products in accordance with the guidance to indicate that they conform to the EMC, LVD, and RoHS regulations in the United Kingdom.

UKCA marking



1. Product Model

Plug-in Units: MU196020A PAM4 PPG
MU196040B PAM4 ED

2. Applied Regulations and Standards

When the MU196020A PAM4 PPG and MU196040B PAM4 ED are installed in the MP1900A, the applied directive and standards of this unit conform to those of the MP1900A main frame.

PS: About main frame

Please contact Anritsu for the latest information on the main frame types that MU196020A and MU196040B can be used with.

RCM Conformity Marking

Anritsu affixes the RCM mark on the following products in accordance with the regulation to indicate that they conform to the EMC framework of Australia/New Zealand.

RCM marking



1. Product Model

Plug-in Units: MU196020A PAM4 PPG
 MU196040A PAM4 ED
 MU196040B PAM4 ED

2. Applied Directive and Standards

When the MU196020A PAM4 PPG, MU196040A PAM4 ED and MU196040B PAM4 ED are installed in the MP1900A, the applied directive and standards of this unit conform to those of the MP1900A main frame.

PS: About main frame

Please contact Anritsu for the latest information on the main frame types that MU196020A, MU196040A and MU196040B can be used with.

About This Manual

A testing system combining an MP1900A Signal Quality Analyzer-R, module(s), and control software is called a Signal Quality Analyzer-R Series. The operation manuals of the Signal Quality Analyzer-R Series consist of separate documents for the MP1900A, module(s), and control software, as shown below.

Configuration of Signal Quality Analyzer-R Series Operation

☐ indicates this document.

MP1900A Signal Quality Analyzer-R Operation Manual

Describes the basic operations, panel details, and maintenance of the MP1900A, as well as the steps from module installation to the start of use.

Module Operation Manual

MU195020A 21G/32G bit/s SI PPG MU195040A 21G/32G bit/s SI ED MU195050A Noise Generator Operation Manual

Describes the panel details, how to operate, performance test, maintenance, and troubleshooting of the module to be installed on the MP1900A.

MU196020A PAM4 PPG MU196040A PAM4 ED MU196040B PAM4 ED Operation Manual

Describes the panel details, performance test, maintenance, and troubleshooting of the MU196020A, MU196040A, and MU196040B.

MU181000A 12.5GHz Synthesizer MU181000B 12.5GHz 4 port Synthesizer Operation Manual

Describes the panel details, how to operate, performance test, maintenance, and troubleshooting of the MU181000A and MU181000B.

MU181500B Jitter Modulation Source Operation Manual

Describes the panel details, how to operate, performance test and maintenance of the MU181500B.

MU183020A 28G/32G bit/s PPG MU183021A 28G/32G bit/s 4ch PPG Operation Manual

Describes the panel details, performance test, maintenance, and troubleshooting of the MU183020A and MU183021A.

MU183040A 28G/32G bit/s ED MU183041A 28G/32G bit/s 4ch ED MU183040B 28G/32G bit/s High Sensitivity ED MU183041B 28G/32G bit/s 4ch High Sensitivity ED Operation Manual

Describes the panel details, how to operate, performance test, maintenance, and troubleshooting of the MU183040A, MU183041A, MU183040B, and MU183041B.

Configuration of Signal Quality Analyzer-R Series Operation Manuals (Cont'd)

☐ indicates this document.

☐ MX190000A Signal Quality Analyzer-R Control Software Operation Manual

Describes the operation of the software that controls the Signal Quality Analyzer-R Series.

☐ Extended Application Operation Manual

Describes the operation of the extended application for the Signal Quality Analyzer-R Series.

☐ MX183000A High-Speed Serial Data Test Software Operation Manual

Describes the setup and operating procedure of MX183000A.

Table of Contents

About This Manual..... I

Chapter 1 Overview 1-1

- 1.1 Product Overview 1-2
- 1.2 Product Configuration 1-4
- 1.3 Specifications..... 1-10

Chapter 2 Before Use 2-1

- 2.1 Installation to MP1900A..... 2-2
- 2.2 How to Operate Application 2-2
- 2.3 Preventing Damage 2-3

Chapter 3 Panel Layout and Connectors 3-1

- 3.1 Panel Layout 3-2
- 3.2 Inter-Module Connection 3-5

Chapter 4 Usage Examples..... 4-1

- 4.1 Evaluating Optical Components in 400GbE Transceiver 4-2
- 4.2 Evaluating Devices for 400GbE Transceiver..... 4-5

Chapter 5 Performance Test..... 5-1

- 5.1 Timing of Performance Tests..... 5-2
- 5.2 Devices Required for Performance Tests..... 5-3
- 5.3 Performance Test Items 5-5

Chapter 6 Maintenance 6-1

- 6.1 Daily Maintenance 6-2
- 6.2 Cautions on Storage 6-2
- 6.3 Transportation..... 6-3
- 6.4 Calibration..... 6-3

1

2

3

4

5

6

7

Appendix

Index

Chapter 7 Troubleshooting 7-1

7.1 Problems That Occur When Replacing Modules.....7-2

7.2 Problems That Occur During Output Waveform
Observation7-3

7.3 Problems That Occur During Error Rate Measurement7-4

7.4 Synchronization Failures7-5

Appendix A Pseudo-Random Pattern A-1

Appendix B List of Default Settings B-1

**Appendix C Performance Test Record Sheet
..... C-1**

IndexIndex-1

Chapter 1 Overview

This chapter describes the overview of the following modules.

- MU196020A PAM4 PPG (hereafter, MU196020A)
- MU196040A PAM4 ED (hereafter, MU196040A)
- MU196040B PAM4 ED (hereafter, MU196040B)

1.1	Product Overview	1-2
1.2	Product Configuration	1-4
1.2.1	Standard configuration	1-4
1.2.2	Options	1-6
1.2.3	Optional accessories	1-8
1.3	Specifications	1-10
1.3.1	Specifications for MU196020A	1-10
1.3.2	Specifications for MU196040A	1-46
1.3.3	Specifications for MU196040B	1-61

1.1 Product Overview

The MU196020A, MU196040A, and MU196040B (hereinafter “MP1900A modules”) are plug-in modules that can be built into the MP1900A Signal Quality Analyzer-R. MP1900A supports error measurement with PRBS patterns, DATA patterns and various PAM4 test patterns at the following bit rates or baud rates:

- MU196020A: Max. 64.2 Gbit/s or 64.2 Gbaud
- MU196040A: Max. 32.1 Gbit/s or 32.1 Gbaud
- MU196040B: Max. 64.2 Gbit/s or 58.2 Gbaud

Combination of MU196020A and MU195050A Noise Generator (hereinafter, MU195050A) supports generation of data which common mode noise, differential mode noise and white noise are applied to and which is optimal for signal integrity evaluation of up to 32.1 Gbaud. Various option configurations are available for the MP1900A modules. This module is therefore useful for research, development, and production of various types of digital communication equipment, modules, and devices.

The features of the MP1900A modules are as follows:

MU196020A features

- Capable of generating one channel of NRZ or PAM4 signal at up to 64.2 Gbit/s or 64.2 Gbaud. (MU196020A-003)
- Capable of independently adjusting the amplitude of each eye of PAM4 signal.
- Capable of generating signals of PRBS pattern, DATA pattern and various PAM4 patterns.
- Capable of signal integrity evaluation using 4TAP Emphasis (MU196020A-x11)
- Capable of adding intersymbol interference (ISI) using 4TAP Emphasis. (MU196020A-x40)
- Capable of generating patterns and inserting errors, which support RS-FEC(544,514) and RS-FEC(528,514). (MU196020A-z42)
- Capable of synchronizing operations among channels using multiple MU196020As that are installed in MP1900A.

This function allows generating synchronous data supported by the application that requires Multi Channel. (MU196020A-x50)

MU196040A features

- Supporting symbol measurement of one channel of PAM4 signal at up to 32.1 Gbaud using the built-in PAM4 Decoder circuit.
- Capable of measuring signals of PRBS pattern, DATA pattern and various PAM4 patterns.

- Long user-programmable patterns (256 Mbits, 256 Msymbol)
- Capable of evaluating serial communication by selecting MU196040A-001 that has one data input channel each for NRZ (32.1 Gbit/s) and PAM4 (32.1 Gbaud).
- Having the input sensitivity (typical values) of NRZ 23 mV (32.1 Gbit/s, Eye Height) and PAM4 23 mV (32.1 Gbaud, Eye Height, per eye) and optimal for signal evaluation.
- Capable of clock recovery on 25.5 to 32.1 Gbaud signals by installing MU196040A-x22.
- Capable of evaluating PAM4 signals by Symbol Error Rate (SER) by installing MU196040A-x41.

MU196040B features

- Supporting symbol measurement of one channel of PAM4 signal at up to 58.2 Gbaud using the built-in PAM4 Decoder circuit.
- Capable of measuring signals of PRBS pattern, DATA pattern and various PAM4 patterns.
- Long user-programmable patterns (256 Mbits, 256 Msymbols)
- Capable of capturing the data pattern of up to 8 Mbits or 4 Msymbols.
- Capable of capturing the data pattern, in which RS-FEC Symbol Error(s) occurred, and counting FEC Symbol Errors.
- Capable of evaluating serial communication by selecting MU196040B-002 or y12 that has one data input channel each for NRZ (64.2 Gbit/s) and PAM4 (58.2 Gbaud).
- Having the input sensitivity (typical values) of NRZ 23 mV (32.1 Gbit/s, Eye Height) and PAM4 23 mV (32.1 Gbaud, Eye Height, per eye) and optimal for signal evaluation.
- Capable of using the Equalizer function by installing the MU196040B-x11.
- Capable of clock recovery on 2.4 to 29.0 Gbaud signals by installing MU196040B-x21.
- Capable of clock recovery on 2.4 to 32.1 Gbaud signals by installing MU196040B-x22.
- Capable of clock recovery on 51.0 to 58.2 Gbaud signals by installing MU196040B-x23.
- Capable of evaluating PAM4 signals by Symbol Error Rate (SER) by installing MU196040B-z41.
- Capable of measuring Uncorrectable Codewords and FEC symbol errors in RS-FEC Scrambled Idle pattern by installing the MU196040B-w42.

1.2 Product Configuration

1.2.1 Standard configuration

Table 1.2.1-1 and Table 1.2.1-2 below show the standard configurations of the three MP1900A modules respectively.

Table 1.2.1-1 Standard Configuration of MU196020A

Item	Model Name	Product Name	Q'ty	Remarks
Mainframe	MU196020A	PAM4 PPG	1	
Accessories	J1632A	Terminator	4	Clock Output, Aux Output × 2, Gating Output
	V210	Terminator	2	Data Output × 2
	J1341A	Open	2	Ext Clock Input, AUX Input
	J1359A	Coaxial Adaptor (K-P.K-J, SMA)	1	Clock Output
	J1717A	Coaxial Adaptor (SMA-P, SMA-J)	5	Ext Clock Input, Aux Output × 2, Gating Output, AUX Input

Table 1.2.1-2 Standard Configuration of MU196040A

Item	Model Name	Product Name	Q'ty	Remarks
Mainframe	MU196040A	PAM4 ED	1	
Accessories	J1632A	Terminator	2	Aux Output × 2
	J1341A	Open	2	Ext Clock Input, AUX Input
	J1359A	Coaxial Adaptor (K-P.K-J, SMA)	1	Ext Clock Input
	J1717A	Coaxial Adaptor (SMA-P, SMA-J)	3	Aux Output × 2, AUX Input
	When the MU196040A-001 is installed:			
	J1341A	Open	2	Data Input × 2
	J1359A	Coaxial Adaptor (K-P.K-J, SMA)	2	Data Input × 2

Table 1.2.1-3 Standard Configuration of MU196040B

Item	Model Name	Product Name	Q'ty	Remarks
Mainframe	MU196040B	PAM4 ED	1	
Accessories	V210	Terminator	2	Data Input × 2
	J1341A	Open	2	Ext Clock Input, AUX Input
	J1359A	Coaxial Adaptor (K-P.K-J, SMA)	1	Ext Clock Input
	J1632A	Terminator	2	Aux Output × 2
	J1717A	Coaxial Adaptor (SMA-P, SMA-J)	3	Aux Output × 2, AUX Input
	41V-6	Precision Fixed Attenuator	2	Data Input × 2


1.2.2 Options

Table 1.2.2-1 and Table 1.2.2-2 show the options for the MP1900A modules. All options are sold separately.

Notes:

- Option name format is as follows:

MU196020A-x x x



- For how to install software options, refer to 2.4 "Adding Plug-In Module Options" in the *MX190000A Signal Quality Analyzer-R Control Software Operation Manual*.

Table 1.2.2-1 Options of MU196020A

Model Name	Product Name	Remarks
MU196020A-001	32G baud	*1
MU196020A-002	58G baud	*1
MU196020A-003	64G baud	*1
MU196020A-y12	32G to 58G baud Extension Retrofit	*2, *3
MU196020A-y13	32G to 64G baud Extension Retrofit	*2, *3
MU196020A-y23	58G to 64G baud Extension Retrofit	*2, *4
MU196020A-x11	4Tap Emphasis	*5
MU196020A-x30	Data Delay	*5
MU196020A-z40	Adjustable ISI	*6, *7, *8
MU196020A-z42	FEC Pattern Generation	*6, *8
MU196020A-x50	Inter-Module Synchronization	*5, *9, *10
MU196020A-z60	PCIe6 LEQ	*6, *7, *11

*1: Factory-installed hardware option. Select one from among them.

*2: Hardware retrofit options, which can be selected after shipping from our factory. (y = 1 or 2)

- *3: It can be retrofitted when the Option 001 is installed.
- *4: It can be retrofitted when the Option 002 or y12 is installed.
- *5: x = 0, 1, or 2
- *6: z = 0, 1, 2, or 3
- *7: It can be retrofitted when the Option x11 is installed.
- *8: Options 040, 142, 140, 142, 240, and 242 work with version 3.01.07 and later of the MX190000A.
Options 340 and 342 work with version 5.00.90 and later of the MX190000A.
- *9: It can be retrofitted when the Option x30 is installed.
- *10: It works with version 3.01.07 and later of the MX190000A.
- *11: It works with version 9.00.00 and later of the MX190000A.

Table 1.2.2-2 Options of MU196040A

Model Name	Product Name	Remarks
MU196040A-001	32.1G baud Decoder	*1
MU196040A-x22	25.5G to 32.1G baud Clock Recovery	*2, *3
MU196040A-x41	SER Measurement	*2, *4

- *1: Factory-installed hardware option
- *2: x = 0, 1, or 2
- *3: Hardware option
- *4: Software option

Table 1.2.2-3 Options of MU196040B

Model Name	Product Name	Remarks
MU196040B-001	32G baud	*1
MU196040B-002	58G baud	*1
MU196040B-x11	Equalizer	*2
MU196040B-y12	32G to 58G baud Extension	*3, *4
MU196040B-x21	29G baud Clock Recovery	*2, *5, *6, *7
MU196040B-x22	32G baud Clock Recovery	*2, *5, *6, *7
MU196040B-x23	58G baud Clock Recovery Extension	*2, *8
MU196040B-y24	32G baud Clock Recovery Extension	*3, *5, *9
MU196040B-z41	SER Measurement	*10
MU196040B-w42	FEC Analysis	*11

- *1: Factory-installed
- *2: x = 0, 1, or 2
- *3: y = 1 or 2
- *4: MU196040B-001 must be installed.

- *5: Hardware option
- *6: This option can be installed together with MU196040B-x23.
- *7: One of MU196040B-x21 and MU196040B-x22 can be installed.
- *8: MU196040B-002 or MU196040B-y12 must be installed.
MU196040B-x21 or MU196040B-x22 must be installed.
- *9: MU196040B-x21 must be installed.
- *10: z = 0, 1, 2, or 3
- *11: w = 0 or 3

1.2.3 Optional accessories

Table 1.2.3-1 shows the optional accessories for the MP1900A modules.
All optional accessories are sold separately.

Table 1.2.3-1 Optional Accessories

Model Name	Product Name	Remarks
34VFK50	Precision Adapter	Conversion connector (V-F K-M)
34VKF50	Precision Adapter	Conversion connector (V-M K-F)
41KC-3	Precision Fixed Attenuator 3 dB	K connector
41KC-6	Precision Fixed Attenuator 6 dB	K connector
41KC-10	Precision Fixed Attenuator 10 dB	K connector
41KC-20	Precision Fixed Attenuator 20 dB	K connector
41V-3	Precision Fixed Attenuator 3 dB	V connector
41V-6	Precision Fixed Attenuator 6 dB	V connector
41V-10	Precision Fixed Attenuator 10 dB	V connector
41V-20	Precision Fixed Attenuator 20 dB	V connector
J1342A	Coaxial Cable 0.8 m	APC3.5 connector
J1359A	Coaxial Adaptor (K-P.K-J, SMA)	
J1439A	Coaxial Cable 0.8 m (K connector)	
J1510A	Pick OFF Tee	K connector
J1624A	Coaxial Cable 0.3 m (SMA connector)	
J1625A	Coaxial Cable 1 m (SMA connector)	
J1632A	Terminator	SMA connector
J1678A	ESD Protection Adapter-K	K connector
J1679A	ESD Protection Adapter-V	V connector
J1728A	Electrical Length Specified Coaxial Cable (0.4 m, K connector)	

Table 1.2.3-1 Optional Accessories (Cont'd)

Model Name	Product Name	Remarks
J1748A	Power Splitter (1.5G-18GHz)	
J1758A	ISI Board	
J1789A	Electrical Length Specified Coaxial Cable (0.4m, V connector)	
J1790A	Electrical Length Specified Coaxial Cable (0.8m, V connector)	
J1792A	Skew match pair semirigid cable (V-K connector, Data Input1)	For connecting to the Data Input1 connector of MU195050A
J1793A	Pick OFF Tee	V connector
J1800A	ISI Board V	V connector
K240C	Precision Power Divider	K connector
V210	Terminator	V connector
V240C	Precision Power Divider	V connector
W3976AE	MU196020A/40A/40B Operation Manual	Printed version, English
Z0306A	Wrist strap	
Z1964A	Torque Wrench (Right Angle)	

1.3 Specifications

1.3.1 Specifications for MU196020A

Table 1.3.1-1 Operating Baud/Bit Rate

Item	Specifications
Operating Baud/Bit Rate	<p>When the Option 001 is installed.</p> <p>PAM4: 2.4 to 32.1 Gbaud</p> <p>NRZ: 2.4 to 32.1 Gbit/s</p> <p>When the Option 002 or y12 is installed.</p> <p>PAM4: 2.4 to 58.2 Gbaud^{*1}</p> <p>NRZ: 2.4 to 58.2 Gbit/s^{*1}</p> <p>When the Option 003, y13, or y23 is installed.</p> <p>PAM4: 2.4 to 64.2 Gbaud^{*1}</p> <p>NRZ: 2.4 to 64.2 Gbit/s^{*1}</p> <p>The setting range of the baud rate (PAM4 output) and bit rate (NRZ output) is common. Only the baud rate is described hereafter.</p>
Setting Range / Step	<p>The setting range of the baud rate is determined by the interlocking module (valid only when installed to the same frame as MU196020A), Frequency in Table 1.3.1-12 “Clock Output”, and the application used.</p> <p>When linking with MU181000A/B^{*2}</p> <p>2.400 000 to 25.000 000 Gbaud, 0.000 002 Gbaud step^{*3, *4, *5}</p> <p>25.000 004 to 32.100 000 Gbaud, 0.000 004 Gbaud step^{*3, *4, *5}</p> <p>25.000 004 to 50.000 000 Gbaud, 0.000 004 Gbaud step^{*4, *5, *6}</p> <p>50.000 008 to 58.200 000 Gbaud, 0.000 008 Gbaud step^{*4, *7}</p> <p>50.000 008 to 64.200 000 Gbaud, 0.000 008 Gbaud step^{*5, *7}</p> <p>When linking with MU181000A/B and MU181500B^{*2}</p> <p>2.400 000 to 3.125 000 Gbaud, 0.000 002 Gbaud step^{*3, *4, *5}</p> <p>3.200 002 to 6.250 000 Gbaud, 0.000 002 Gbaud step^{*3, *4, *5}</p> <p>6.400 002 to 12.500 000 Gbaud, 0.000 002 Gbaud step^{*3, *4, *5}</p> <p>12.800 002 to 25.000 000 Gbaud, 0.000 002 Gbaud step^{*3, *4, *5}</p> <p>25.600 004 to 32.100 000 Gbaud, 0.000 004 Gbaud step^{*3, *4, *5}</p> <p>25.600 004 to 50.000 000 Gbaud, 0.000 004 Gbaud step^{*4, *5, *6}</p> <p>51.200 008 to 58.200 000 Gbaud, 0.000 008 Gbaud step^{*4, *7}</p> <p>51.200 008 to 64.200 000 Gbaud, 0.000 008 Gbaud step^{*5, *7}</p>

*1: When BERT for PCIe1-6 is selected:

PAM4: 2.4 to 32.1 Gbaud

NRZ: 2.4 to 32.1 Gbit/s

*2: Linking is not available when **Unit Sync** is **ON**.

*3: When the Option 001 is installed.

*4: When the Option 002 or y12 is installed.

*5: When the Option 003, y13, or y23 is installed.

*6: When BERT for PCIe1-6 is selected, the upper limit is 32.1 Gbaud.

*7: Cannot be set in BERT for PCIe1-6.

Table 1.3.1-1 Operating Baud/Bit Rate (Cont'd)

Item	Specifications		
When linking with MU181500B and using external clock Clock Output Rate Full Rate	Baud Rate Setting Range	Input Clock Frequency	Relationship Between Baud Rate and Input Clock Frequency
	2.4 to 15.0 Gbaud ^{*3, *4, *5}	2.4 to 15.0 GHz	1/1 Clock Input
	15.0 to 30.0 Gbaud ^{*3, *4, *5}	7.5 to 15.0 GHz	1/2 Clock Input
	25.0 to 32.1 Gbaud ^{*3, *4, *5}	6.25 to 8.025 GHz	1/4 Clock Input
	Baud Rate Setting Range	Input Clock Frequency	Relationship Between Baud Rate and Input Clock Frequency
	2.4 to 30.0 Gbaud ^{*3, *4, *5}	1.2 to 15.0 GHz	1/2 Clock Input
	30.0 to 32.1 Gbaud ^{*3}	7.5 to 8.025 GHz	1/4 Clock Input
Clock Output Rate Half Rate, Quarter Rate	30.0 to 58.2 Gbaud ^{*4, *6}	7.5 to 14.55 GHz	1/4 Clock Input
	30.0 to 60.0 Gbaud ^{*5, *6}	7.5 to 15.0 GHz	1/4 Clock Input
	50.0 to 58.2 Gbaud ^{*4, *7}	6.25 to 7.275 GHz	1/8 Clock Input
	50.0 to 64.2 Gbaud ^{*5, *7}	6.25 to 8.025 GHz	1/8 Clock Input

Table 1.3.1-1 Operating Baud/Bit Rate (Cont'd)

Item	Specifications		
External Clock When the Output Clock Rate is set to Full Rate	Baud Rate Setting Range	Input Clock Frequency	Relationship Between Baud Rate and Input Clock Frequency
	2.4 to 16.05 Gbaud*3, *4, *5	2.4 to 16.05 GHz	1/1 Clock Input
	16.05 to 32.1 Gbaud*3, *4, *5	8.025 to 16.05 GHz	1/2 Clock Input
	25.0 to 32.1 Gbaud*3, *4, *5	6.25 to 8.025 GHz	1/4 Clock Input
	Baud Rate Setting Range	Input Clock Frequency	Relationship Between Baud Rate and Input Clock Frequency
	2.4 to 32.1 Gbaud*3, *4, *5	1.2 to 16.05 GHz	1/2 Clock Input
	25.0 to 32.1 Gbaud*3	6.25 to 8.025 GHz	1/4 Clock Input
When the Output Clock Rate is set to Half Rate, Quarter Rate	25.0 to 50.0 Gbaud*4, *5, *6	6.25 to 12.50 GHz	1/4 Clock Input
	32.1 to 58.2 Gbaud*4, *6	8.025 to 14.55 GHz	1/4 Clock Input
	32.1 to 64.2 Gbaud*5, *6	8.025 to 16.05 GHz	1/4 Clock Input
	50.0 to 58.2 Gbaud*4, *7	6.25 to 7.275 GHz	1/8 Clock Input
	50.0 to 64.2 Gbaud*5, *7	6.25 to 8.025 GHz	1/8 Clock Input
Offset Setting Range/Step	–1000 to +1000 ppm, 1 ppm step This is available only when linking with MU181000A/B. The setting range is, however, –1000 to 0 ppm when the bit rate is set as follows: Clock Output Rate Full Rate 12.500 000 Gbaud, 25.000 000 Gbaud Clock Output Rate Half Rate, Quarter Rate 25.000 000 Gbaud, 50.000 000 Gbaud		

Table 1.3.1-2 Jitter Setting Range

Item	Specifications*1																				
SJ1 Setting Range	When SJ2 switch is the built-in SJ2, the settable Jitter Amplitude is halved.																				
SJ1 Clock Output Rate At Full Rate	<p>30 < Baud rate ≤ 32.1 Gbaud, 15 < Baud rate ≤ 17 Gbaud</p> <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr> </thead> <tbody> <tr> <td>10 to 100k</td><td>0 to 2000</td></tr> <tr> <td>100.1k to 1M</td><td>0 to 200</td></tr> <tr> <td>1.001M to 10M</td><td>0 to 16</td></tr> <tr> <td>10.01M to 150M</td><td>0 to 1</td></tr> </tbody> </table> <p>17 < Baud rate ≤ 30 Gbaud</p> <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr> </thead> <tbody> <tr> <td>10 to 100k</td><td>0 to 2000</td></tr> <tr> <td>100.1k to 1M</td><td>0 to 200</td></tr> <tr> <td>1.001M to 10M</td><td>0 to 16</td></tr> <tr> <td>10.01M to 250M</td><td>0 to 1</td></tr> </tbody> </table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 2000	100.1k to 1M	0 to 200	1.001M to 10M	0 to 16	10.01M to 150M	0 to 1	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 2000	100.1k to 1M	0 to 200	1.001M to 10M	0 to 16	10.01M to 250M	0 to 1
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)																				
10 to 100k	0 to 2000																				
100.1k to 1M	0 to 200																				
1.001M to 10M	0 to 16																				
10.01M to 150M	0 to 1																				
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)																				
10 to 100k	0 to 2000																				
100.1k to 1M	0 to 200																				
1.001M to 10M	0 to 16																				
10.01M to 250M	0 to 1																				

*1: When linking with MU181000A/B and MU181500B

Table 1.3.1-2 Jitter Setting Range (Cont'd)



Item	Specifications*1										
SJ1 Clock Output Rate At Full Rate (Cont'd)	8.5 < Baud rate ≤ 15 Gbaud										
											
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 100k</td><td>0 to 1000</td></tr><tr><td>100.1k to 1M</td><td>0 to 100</td></tr><tr><td>1.001M to 10M</td><td>0 to 8</td></tr><tr><td>10.01M to 250M</td><td>0 to 0.5</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 1000	100.1k to 1M	0 to 100	1.001M to 10M	0 to 8	10.01M to 250M	0 to 0.5
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
10 to 100k	0 to 1000										
100.1k to 1M	0 to 100										
1.001M to 10M	0 to 8										
10.01M to 250M	0 to 0.5										
	4 < Baud rate ≤ 8.5 Gbaud										
											
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 100k</td><td>0 to 1000</td></tr><tr><td>100.1k to 1M</td><td>0 to 100</td></tr><tr><td>1.001M to 10M</td><td>0 to 8</td></tr><tr><td>10.01M to 150M</td><td>0 to 0.5</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 1000	100.1k to 1M	0 to 100	1.001M to 10M	0 to 8	10.01M to 150M	0 to 0.5
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
10 to 100k	0 to 1000										
100.1k to 1M	0 to 100										
1.001M to 10M	0 to 8										
10.01M to 150M	0 to 0.5										

Table 1.3.1-2 Jitter Setting Range (Cont'd)




Item	Specifications*1										
SJ1 Clock Output Rate At Full Rate (Cont'd)	<p>$2.4 \leq \text{Baud rate} \leq 4 \text{ Gbaud}$</p>  <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr> </thead> <tbody> <tr> <td>10 to 100k</td><td>0 to 500</td></tr> <tr> <td>100.1k to 1M</td><td>0 to 50</td></tr> <tr> <td>1.001M to 10M</td><td>0 to 8</td></tr> <tr> <td>10.01M to 100M</td><td>0 to 0.5</td></tr> </tbody> </table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 500	100.1k to 1M	0 to 50	1.001M to 10M	0 to 8	10.01M to 100M	0 to 0.5
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
10 to 100k	0 to 500										
100.1k to 1M	0 to 50										
1.001M to 10M	0 to 8										
10.01M to 100M	0 to 0.5										

Table 1.3.1-2 Jitter Setting Range (Cont'd)

Item	Specifications*1										
SJ1 Clock Output Rate At Half Rate, Quarter Rate	60 < Baud rate ≤ 64.2 Gbaud, 30 < Baud rate ≤ 34 Gbaud, 8 < Baud rate ≤ 17 Gbaud										
											
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 100k</td><td>0 to 2000</td></tr><tr><td>100.1k to 1M</td><td>0 to 200</td></tr><tr><td>1.001M to 10M</td><td>0 to 16</td></tr><tr><td>10.01M to 150M</td><td>0 to 1</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 2000	100.1k to 1M	0 to 200	1.001M to 10M	0 to 16	10.01M to 150M	0 to 1
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
10 to 100k	0 to 2000										
100.1k to 1M	0 to 200										
1.001M to 10M	0 to 16										
10.01M to 150M	0 to 1										
	34 < Baud rate ≤ 60 Gbaud*2, 17 < Baud rate ≤ 30 Gbaud										
											
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 100k</td><td>0 to 2000</td></tr><tr><td>100.1k to 1M</td><td>0 to 200</td></tr><tr><td>1.001M to 10M</td><td>0 to 16</td></tr><tr><td>10.01M to 250M*2</td><td>0 to 1</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 2000	100.1k to 1M	0 to 200	1.001M to 10M	0 to 16	10.01M to 250M*2	0 to 1
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
10 to 100k	0 to 2000										
100.1k to 1M	0 to 200										
1.001M to 10M	0 to 16										
10.01M to 250M*2	0 to 1										

*2: The modulation frequency (Hz) is 10.01M to 150M when both of the following conditions are met:

- Operation Baud Rate is $50 \leq \text{Baud rate} \leq 60$ Gbaud.

- Relationship between Baud Rate and Input Clock Frequency is set to 1/8 Clock Input with Clock Output Rate Half Rate and Quarter Rate in Table 1.3.1-1.

Table 1.3.1-2 Jitter Setting Range (Cont'd)



Item	Specifications*1										
SJ1 Clock Output Rate At Half Rate, Quarter Rate (Cont'd)	2.4 < Baud rate ≤ 8 Gbaud										
											
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 100k</td><td>0 to 2000</td></tr><tr><td>100.1k to 1M</td><td>0 to 200</td></tr><tr><td>1.001M to 10M</td><td>0 to 16</td></tr><tr><td>10.01M to 100M</td><td>0 to 1</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 2000	100.1k to 1M	0 to 200	1.001M to 10M	0 to 16	10.01M to 100M	0 to 1
	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)									
	10 to 100k	0 to 2000									
100.1k to 1M	0 to 200										
1.001M to 10M	0 to 16										
10.01M to 100M	0 to 1										
Baud rate 2.4 Gbaud											
											
<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 100k</td><td>0 to 2000</td></tr><tr><td>100.1k to 1M</td><td>0 to 200</td></tr><tr><td>1.001M to 10M</td><td>0 to 16</td></tr><tr><td>10.01M to 50M</td><td>0 to 1</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 100k	0 to 2000	100.1k to 1M	0 to 200	1.001M to 10M	0 to 16	10.01M to 50M	0 to 1	
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
10 to 100k	0 to 2000										
100.1k to 1M	0 to 200										
1.001M to 10M	0 to 16										
10.01M to 50M	0 to 1										

Table 1.3.1-2 Jitter Setting Range (Cont'd)



Item	Specifications*1								
SJ2 Setting Range SJ2 via MU181000 Clock Output Rate At Full Rate	The SJ2 via MU181000 Clock and the Built-in SJ2 can be set exclusively. 15.000 001 ≤ Baud rate ≤ 32.1 Gbaud								
									
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 50</td></tr><tr><td>1.001M to 10M</td><td>0 to 10</td></tr><tr><td>10.01M to 250M</td><td>0 to 0.4</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 50	1.001M to 10M	0 to 10	10.01M to 250M	0 to 0.4
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)								
10 to 1M	0 to 50								
1.001M to 10M	0 to 10								
10.01M to 250M	0 to 0.4								
	6.400 001 ≤ Baud rate ≤ 15 Gbaud								
									
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 40</td></tr><tr><td>1.001M to 10M</td><td>0 to 6</td></tr><tr><td>10.01M to 250M</td><td>0 to 0.4</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 40	1.001M to 10M	0 to 6	10.01M to 250M	0 to 0.4
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)								
10 to 1M	0 to 40								
1.001M to 10M	0 to 6								
10.01M to 250M	0 to 0.4								

Table 1.3.1-2 Jitter Setting Range (Cont'd)



Item	Specifications*1								
SJ2 via MU181000 Clock Output Rate At Full Rate (Cont'd)	$3.200\ 001 \leq \text{Baud rate} \leq 6.25 \text{ Gbaud}$								
									
	<table><tr><th>Modulation Frequency [Hz]</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 20</td></tr><tr><td>1.001M to 10M</td><td>0 to 3</td></tr><tr><td>10.01M to 150M</td><td>0 to 0.2</td></tr></table>	Modulation Frequency [Hz]	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 20	1.001M to 10M	0 to 3	10.01M to 150M	0 to 0.2
	Modulation Frequency [Hz]	Jitter Amplitude (Ulp-p)							
	10 to 1M	0 to 20							
1.001M to 10M	0 to 3								
10.01M to 150M	0 to 0.2								
	$2.4 \leq \text{Baud rate} \leq 3.125 \text{ Gbaud}$								
									
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 10</td></tr><tr><td>1.001M to 10M</td><td>0 to 1.5</td></tr><tr><td>10.01M to 150M</td><td>0 to 0.1</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 10	1.001M to 10M	0 to 1.5	10.01M to 150M	0 to 0.1
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)								
10 to 1M	0 to 10								
1.001M to 10M	0 to 1.5								
10.01M to 150M	0 to 0.1								

Table 1.3.1-2 Jitter Setting Range (Cont'd)



Item	Specifications*1								
SJ2 via MU181000 Clock Output Rate At Half Rate, Quarter Rate	60.000 001 ≤ Baud rate ≤ 64.2 Gbaud								
									
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 50</td></tr><tr><td>1.001M to 10M</td><td>0 to 10</td></tr><tr><td>10.01M to 250M</td><td>0 to 0.544</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 50	1.001M to 10M	0 to 10	10.01M to 250M	0 to 0.544
	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)							
	10 to 1M	0 to 50							
1.001M to 10M	0 to 10								
10.01M to 250M	0 to 0.544								
30.000 001 ≤ Baud rate ≤ 60.0 Gbaud									
									
<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 50</td></tr><tr><td>1.001M to 10M</td><td>0 to 10</td></tr><tr><td>10.01M to 250M</td><td>0 to 0.548</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 50	1.001M to 10M	0 to 10	10.01M to 250M	0 to 0.548	
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)								
10 to 1M	0 to 50								
1.001M to 10M	0 to 10								
10.01M to 250M	0 to 0.548								

Table 1.3.1-2 Jitter Setting Range (Cont'd)



Item	Specifications*1								
SJ2 via MU181000 Clock Output Rate At Half Rate, Quarter Rate (Cont'd)	$12.800001 \leq \text{Baud rate} \leq 30.0 \text{ Gbaud}$ 								
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 50</td></tr><tr><td>1.001M to 10M</td><td>0 to 10</td></tr><tr><td>10.01M to 250M</td><td>0 to 0.55</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 50	1.001M to 10M	0 to 10	10.01M to 250M	0 to 0.55
	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)							
10 to 1M	0 to 50								
1.001M to 10M	0 to 10								
10.01M to 250M	0 to 0.55								
	$6.400001 \leq \text{Baud rate} \leq 12.5 \text{ Gbaud}$ 								
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 50</td></tr><tr><td>1.001M to 10M</td><td>0 to 10</td></tr><tr><td>10.01M to 150M</td><td>0 to 0.4</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 50	1.001M to 10M	0 to 10	10.01M to 150M	0 to 0.4
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)								
10 to 1M	0 to 50								
1.001M to 10M	0 to 10								
10.01M to 150M	0 to 0.4								

Table 1.3.1-2 Jitter Setting Range (Cont'd)



Item	Specifications*1								
SJ2 via MU181000 Clock Output Rate At Half Rate, Quarter Rate (Cont'd)	$3.600001 \leq \text{Baud rate} \leq 6.25 \text{ Gbaud}$								
									
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 25</td></tr><tr><td>1.001M to 10M</td><td>0 to 5</td></tr><tr><td>10.01M to 150M</td><td>0 to 0.2</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 25	1.001M to 10M	0 to 5	10.01M to 150M	0 to 0.2
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)								
10 to 1M	0 to 25								
1.001M to 10M	0 to 5								
10.01M to 150M	0 to 0.2								
	$3.200001 < \text{Baud rate} \leq 3.6 \text{ Gbaud}$								
									
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>10 to 1M</td><td>0 to 25</td></tr><tr><td>1.001M to 10M</td><td>0 to 5</td></tr><tr><td>10.01M to 100M</td><td>0 to 0.2</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 25	1.001M to 10M	0 to 5	10.01M to 100M	0 to 0.2
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)								
10 to 1M	0 to 25								
1.001M to 10M	0 to 5								
10.01M to 100M	0 to 0.2								

Table 1.3.1-2 Jitter Setting Range (Cont'd)


Item	Specifications*1						
SJ2 via MU181000 Clock Output Rate At Half Rate, Quarter Rate (Cont'd)	<p>$2.4 \leq \text{Baud rate} \leq 3.125 \text{ Gbaud}$</p>  <p style="text-align: center;">Modulation Frequency [Hz]</p> <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr> </thead> <tbody> <tr> <td>10 to 1M</td><td>0 to 12.4</td></tr> <tr> <td>1.001M to 10M</td><td>0 to 2.5</td></tr> </tbody> </table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	10 to 1M	0 to 12.4	1.001M to 10M	0 to 2.5
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)						
10 to 1M	0 to 12.4						
1.001M to 10M	0 to 2.5						

Table 1.3.1-2 Jitter Setting Range (Cont'd)

Item	Specifications*1										
Built-in SJ2 Clock Output Rate At Full Rate	15 < Baud rate ≤ 32.1 Gbaud										
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>33k</td><td>0 to 1000</td></tr><tr><td>87M</td><td>0 to 0.5</td></tr><tr><td>100M</td><td>0 to 0.5</td></tr><tr><td>210M</td><td>0 to 0.2</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	33k	0 to 1000	87M	0 to 0.5	100M	0 to 0.5	210M	0 to 0.2
	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)									
	33k	0 to 1000									
	87M	0 to 0.5									
	100M	0 to 0.5									
	210M	0 to 0.2									
	4 < Baud rate ≤ 15 Gbaud										
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>33k</td><td>0 to 500</td></tr><tr><td>87M</td><td>0 to 0.25</td></tr><tr><td>100M</td><td>0 to 0.25</td></tr><tr><td>210M</td><td>0 to 0.1</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	33k	0 to 500	87M	0 to 0.25	100M	0 to 0.25	210M	0 to 0.1
	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)									
	33k	0 to 500									
	87M	0 to 0.25									
	100M	0 to 0.25									
	210M	0 to 0.1									
	2.4 ≤ Baud rate ≤ 4 Gbaud										
<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>33k</td><td>0 to 500</td></tr><tr><td>87M</td><td>0 to 0.25</td></tr><tr><td>100M</td><td>0 to 0.25</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	33k	0 to 500	87M	0 to 0.25	100M	0 to 0.25			
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
33k	0 to 500										
87M	0 to 0.25										
100M	0 to 0.25										
Built-in SJ2 Clock Output Rate At Half Rate, Quarter Rate	8 < Baud rate ≤ 64.2 Gbaud										
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>33k</td><td>0 to 1000</td></tr><tr><td>87M</td><td>0 to 0.5</td></tr><tr><td>100M</td><td>0 to 0.5</td></tr><tr><td>210M</td><td>0 to 0.2</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	33k	0 to 1000	87M	0 to 0.5	100M	0 to 0.5	210M	0 to 0.2
	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)									
	33k	0 to 1000									
	87M	0 to 0.5									
	100M	0 to 0.5									
	210M	0 to 0.2									
	2.4 < Baud rate ≤ 8 Gbaud										
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>33k</td><td>0 to 1000</td></tr><tr><td>87M</td><td>0 to 0.5</td></tr><tr><td>100M</td><td>0 to 0.5</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	33k	0 to 1000	87M	0 to 0.5	100M	0 to 0.5		
	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)									
	33k	0 to 1000									
	87M	0 to 0.5									
	100M	0 to 0.5									
	Baud rate 2.4 Gbaud										
	<table><tr><th>Modulation Frequency (Hz)</th><th>Jitter Amplitude (Ulp-p)</th></tr><tr><td>33k</td><td>0 to 1000</td></tr></table>	Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)	33k	0 to 1000						
Modulation Frequency (Hz)	Jitter Amplitude (Ulp-p)										
33k	0 to 1000										

Table 1.3.1-3 External Clock Input

Item	Specifications
Number of Inputs	1 (Single-Ended)
Input frequency range	1.2 to 16.05 GHz
Input amplitude	0.3 to 1.0 V _{p-p} (–6.5 to +4.0 dBm)
Termination	50 Ω, AC Coupling
Connector	SMA connector (f.)

Table 1.3.1-4 Aux Input

Item	Specifications
Number of Inputs	1 (Single-Ended)
Variation	Error Injection, Burst, Unit Sync
Minimum Pulse Width	1/256 of data rate
Input level	<ul style="list-style-type: none"> 0/–1 V (H: –0.25 to 0.05 V, L: –1.1 to –0.8 V) 0/–0.5 V (H: –0.05 to 0.05 V, L: –0.55 to –0.45 V) V_{th} 0 V (Input amplitude: 0.5 to 1.0 V_{p-p}) Select one of the above.
Termination	50 Ω, GND
Connector	SMA connector (f.)

Table 1.3.1-5 Aux Output

Item	Specifications
Number of Outputs	2 (Differential output)
Output control	ON/OFF switching
Variation	1/n Clock (n = 8, 12, 16, 20...1020, 1024), Pattern Sync, Burst Out2
Pattern Sync PRBS, PRGM	Position: 1 to {(Least common multiple of Pattern Length' and 256) – 263}, in 8 steps When the pattern length is 1023 bits or less, Pattern Length' is the length as an integer multiple so that it becomes 1024 bits or more.
Burst Out2 Burst Trigger Delay Pulse Width	0 to (Burst Cycle – 256) bits, 8 bits step 16 to (Burst Cycle – 256) bits, 8 bits step
Output level	0/–0.6 V (H: –0.25 to 0.05 V, L: –0.80 to –0.45 V)
Termination	50 Ω, GND
Connector	SMA connector (f.)

Table 1.3.1-6 Gating Output

Item	Specifications
Number of Outputs	1 (Single-Ended)
Output control	ON/OFF switching
Variation	Burst, Repeat
Burst	Burst Output
Burst Trigger Delay	0 to (Burst Cycle – 256) bits, 8 bits step
Enable Pulse Width	16 to (Burst Cycle – 256) bits, 8 bits step
Output Level	0/–1 V (H: –0.25 to 0.05 V, L: –1.25 to –0.8 V)*
Repeat	Timing Signal Output
Timing Signal Cycle	$\text{INT} \left(\frac{\text{Pattern length}'}{256} \right) \times 256$
Timing Signal Delay	0 to {(Least common multiple of Pattern Length' and 256) – 256} The maximum settable number is 68 719 476 480, in 8-bit steps When the pattern length is 1023 bits or less, Pattern Length' is the length as an integer multiple so that it becomes 1024 bits or more.
Timing Signal Pulse Width	256 to {(Least common multiple of Pattern Length' and 256) – 256} The maximum settable number is 68 719 476 480, in 8-bit steps When the pattern length is 1023 bits or less, Pattern Length' is the length as an integer multiple so that it becomes 1024 bits or more.
Output Level	0/–1 V (H: –0.25 to 0.05 V, L: –1.25 to –0.8 V)*
Unit Sync Output	Outputs the timing signal when Unit Sync is set to ON .
Termination	50 Ω, GND
Connector	SMA connector (f.)

*: L: Output Enable, H: Output Disable

Table 1.3.1-7 Generated Pattern

Item	Specifications
PRBS	
Pattern Length	$2^n - 1$ (n = 7, 9, 10, 11, 13, 15, 20, 23, 31)
Mark ratio	1/2 (1/2INV is supported by a logical inversion.)
PRBS generator polynomial	n = 7: $1 + X^6 + X^7$ n = 9: $1 + X^5 + X^9$ n = 10: $1 + X^7 + X^{10}$ n = 11: $1 + X^9 + X^{11}$ n = 13: $1 + X + X^2 + X^{12} + X^{13}$ n = 15: $1 + X^{14} + X^{15}$ n = 20: $1 + X^3 + X^{20}$ n = 23: $1 + X^{18} + X^{23}$ n = 31: $1 + X^{28} + X^{31}$
PRBS Inversion	This is available in PAM4 mode only. Logical inversion of PRBS can be set independently for MSB and LSB.

Table 1.3.1-7 Generated Pattern (Cont'd)

Item	Specifications
Zero-Substitution Additional bit Pattern Length Start position Length of Consecutive Zero Bits	<p>This is available in NRZ mode only.</p> <p>0 bit, 1 bit</p> <p>2^n ($n = 7, 9, 10, 11, 15, 20, 23$)</p> <p>$2^{n-1}$ ($n = 7, 9, 10, 11, 15, 20, 23$)</p> <p>Bit after the longest run of zero bits</p> <p>1 to (Pattern Length – 1) bits</p> <p>If the bit coming after Zero-substitution is “0”, then it is replaced with “1”.</p>
Data Data Length	<p>NRZ: 2 to 268 435 456 bits, 1 bit step</p> <p>PAM4: 2 to 268 435 456 symbols, 1 symbol step</p>
Bit Shift	<p>This is available in PAM4 mode only.</p> <p>Bit shift of MSBs can be controlled in the range of ± 256 bits (in 1-bit steps).</p>
PAM4 Standard Pattern CEI IEEE InfiniBand Fibre Channel RS-FEC PCIe	<p>Standard-compliant PAM4-mode patterns</p> <p>QPRBS13-CEI, QPRBS31-CEI</p> <p>IEEE802.3bs/cd: PRBS13Q, PRBS31Q, SSPRQ, Square Wave</p> <p>IEEE802.3bj: QPRBS13, JP03A, JP03B, Transmitter Linearity</p> <p>PRBS13Q (InfiniBand), PRBS23Q, PRBS31Q (InfiniBand)</p> <p>PRBS31Q (Fibre Channel)</p> <p>When the Option z42 is installed.</p> <p>RS-FEC Scrambled Idle 50G 1Lane,</p> <p>RS-FEC Scrambled Idle 100G 1Lanes,</p> <p>RS-FEC-Int Scrambled Idle 100G 1Lanes,</p> <p>RS-FEC Scrambled Idle 100G 2Lanes,</p> <p>RS-FEC Scrambled Idle 200G 2Lanes,</p> <p>RS-FEC Scrambled Idle 200G 4Lanes,</p> <p>RS-FEC Scrambled Idle 400G 4Lanes,</p> <p>RS-FEC Scrambled Idle 400G 8Lanes</p> <p>CP in 1b/1b Encoding for PCIe6</p> <p>MCP in 1b/1b Encoding for PCIe6</p> <p>Jitter Measurement Pattern in 1b/1b Encoding for PCIe6</p> <p>High Swing Toggle Pattern in 1b/1b Encoding for PCIe6</p> <p>Low Swing Toggle Pattern 1b/1b Encoding for PCIe6</p> <p>Jitter Calibration Pattern for PCIe6</p> <p>Preset Calibration Pattern for PCIe6</p>

Table 1.3.1-7 Generated Pattern (Cont'd)

Item	Specifications
NRZ Standard Pattern	Standard-compliant NRZ-mode pattern
CEI	SSPR
RS-FEC	When the Option z42 is installed. RS-FEC Scrambled Idle 25G 1Lane, RS-FEC Scrambled Idle 50G 2Lanes RS(544,514), RS-FEC Scrambled Idle 100G 4Lanes, RS-FEC Scrambled Idle 100G 4Lanes RS(544,514)
PCIe	CP in 8b/10b Encoding for PCIe1 MCP in 8b/10b Encoding for PCIe1 Jitter Calibration Pattern for PCIe1 Preset Calibration Pattern for PCIe1 CP in 8b/10b Encoding for PCIe2 MCP in 8b/10b Encoding for PCIe2 Jitter Calibration Pattern for PCIe2 Preset Calibration Pattern for PCIe2 CP in 128b/130b Encoding for PCIe3 MCP in 128b/130b Encoding for PCIe3 Jitter Calibration Pattern for PCIe3 Preset Calibration Pattern for PCIe3 CP in 128b/130b Encoding for PCIe4 MCP in 128b/130b Encoding for PCIe4 Jitter Calibration Pattern for PCIe4 Preset Calibration Pattern for PCIe4 CP in 128b/130b Encoding for PCIe5 MCP in 128b/130b Encoding for PCIe5 Jitter Calibration Pattern for PCIe5 Preset Calibration Pattern for PCIe5

Table 1.3.1-8 Pattern Sequence

Item	Specifications
Sequence	Repeat, Burst
Repeat	Continuous Pattern
Burst	This is available only when Coding is NRZ.
Source	Internal, External-Trigger (Aux Input), External-Enable (Aux Input)
Data Sequence	Restart, Consecutive, Continuous
Enable period	Internal: 12 800 to 2 147 483 136 bits, 256 bits step External-Trigger, External-Enable: 12 800 to 2 147 483 648 bits, 256 bits step
Burst Cycle	25 600 to 2 147 483 648 bits, 1 024 bits step

Table 1.3.1-9 Coding

Item	Specifications
Coding	NRZ, PAM4
NRZ	Normal, Invert
PAM4 Gray Coding	ON, OFF
PAM4 Precoding (1/(1 + D) mod 4)*	ON, OFF
Delay Symbol	ON, OFF
SKP	No SKP, SKPx1, SKPx2
Preset	P0, P1, P2, P3, P4, P5, P6, P7, P8, P9, P10
SRIS	ON, OFF
EIEOS	ON

*: $(1/(1+D) \bmod 4)$ is a generator polynomial defined in the IEEE802.3.

Table 1.3.1-10 Error Addition

Item	Specifications
Type	Bit, Error on MSB, Error on LSB, Error on LSB&MSB, RS-FEC Symbol Error*
Bit	This is available only when Coding is NRZ.
Source	Internal, External-Trigger (Rise edge trigger), External-Disable (L: Disable)
Error Variation	Repeat, Single (Cannot be selected when Source is External-Trigger.)
Error Rate	*E-n (* = 1 to 9, n = 3 to 12), Upper limit: 3.0E-3
Error Route	Select 1 to 32, Scan
Bit/Burst	Switching between Bit and Burst
Burst Length	1 to 256, 1 step

*: When the Option z42 is installed.

Table 1.3.1-10 Error Addition (Cont'd)

Item	Specifications
RS-FEC Symbol Error	This is available whether Coding is NRZ or PAM4.* When Coding is PAM4, an error is inserted to make the PAM4 signal change by one level only.
FEC Standard	NRZ: An error is inserted every 10 bits. PAM4: An error is inserted every 10 or 20 PAM4 symbols.
Source	When Coding is NRZ: RS-FEC Scrambled Idle 25G 1Lane, RS-FEC Scrambled Idle 50G 2Lanes RS(544,514), RS-FEC Scrambled Idle 100G 4Lanes, RS-FEC Scrambled Idle 100G 4Lanes RS(544,514)
Error Variation	When Coding is PAM4: RS-FEC Scrambled Idle 50G 1Lane, RS-FEC Scrambled Idle 100G 1Lanes, RS-FEC-Int Scrambled Idle 100G 1Lane, RS-FEC Scrambled Idle 100G 2Lanes, RS-FEC Scrambled Idle 200G 2Lanes, RS-FEC Scrambled Idle 200G 4Lanes, RS-FEC Scrambled Idle 400G 4Lanes, RS-FEC Scrambled Idle 400G 8Lanes
Symbol error per codeword	Internal, External-Trigger (Rise edge trigger), External-Disable (L: Disable)
Total BER for All Lane	Repeat, Single (Cannot be selected when Source is External-Trigger.) 1 to 20 (When Coding is NRZ.) 1 to 20 (When Coding is PAM4.)
BER for One Lane/ SER for One Lane	*E-n (* = 1 to 9, n = 3 to 12), Upper limit: 3.0E-3 The error addition range varies depending on the value of Symbol Error per Codeword. *E-n (* = 1 to 9, n = 3 to 12), Upper limit:9.0E-3 The error addition range varies depending on the value of Symbol Error per Codeword.

Table 1.3.1-10 Error Addition (Cont'd)

Item	Specifications
RS-FEC Symbol Error (Cont'd) Error Addition Method	<p>Type1: Level 0 → Level 1, Level 1 → Level 2, Level 2 → Level 3, Level 3 → Level 2</p> <p>Type2: Level 0 → Level 1, Level 1 → Level 2, Level 2 → Level 1, Level 3 → Level 2</p> <p>Type3: Level 0 → Level 1, Level 1 → Level 0, Level 2 → Level 1, Level 3 → Level 2</p> <p>Type4: Level 0 → Level 1, Level 1 → Level 0 or Level 2, Level 2 → Level 1 or Level 3, Level 3 → Level 2</p> <p>MSB Only: Level 0 → Level 2, Level 1 → Level 3, Level 2 → Level 0, Level 3 → Level 1</p> <p>LSB Only: Level 0 → Level 1, Level 1 → Level 0, Level 2 → Level 3, Level 3 → Level 2</p> <p>MSB or LSB: Level 0 → Level 1 or Level 2, Level 1 → Level 0 or Level 3, Level 2 → Level 0 or Level 3, Level 3 → Level 1 or Level 2</p> <p>MSB and LSB: Level 0 → Level 3, Level 1 → Level 2, Level 2 → Level 1, Level 3 → Level 0</p>

Table 1.3.1-10 Error Addition (Cont'd)

Item	Specifications
Error on MSB	Adds the specified symbol error. This is available only when Coding is PAM4. The set error is added to MSB only.
Source	Internal, External-Trigger (Rise edge trigger), External-Disable (L: Disable)
Error Variation	Repeat, Single (Cannot be selected when Source is External-Trigger.)
Symbol Error Rate	*E-n (* = 1 to 9, n = 3 to 12), Upper limit: 3.0E-3
Symbol/Burst	Switching between Symbol and Burst
Burst Length	1 to 256, 1 step
Error on LSB	Adds the specified symbol error. This is available only when Coding is PAM4. The set error is added to LSB only.
Source	Internal, External-Trigger (Rise edge trigger), External-Disable (L: Disable)
Error Variation	Repeat, Single (Cannot be selected when Source is External-Trigger.)
Symbol Error Rate	*E-n (* = 1 to 9, n = 3 to 12), Upper limit: 3.0E-3
Symbol/Burst	Switching between Symbol and Burst
Burst Length	1 to 256, 1 step

Table 1.3.1-10 Error Addition (Cont'd)

Item	Specifications
Error on LSB&MSB	Adds the specified symbol error. This is available only when Coding is PAM4. An error is inserted to make the PAM4 signal change by one level only.
Source	Internal, External-Trigger (Rise edge trigger), External-Disable (L: Disable)
Error Variation	Repeat, Single (Cannot be selected when Source is External-Trigger.)
Symbol Error Rate	*E-n (* = 1 to 9, n = 3 to 12), Upper limit: 3.0E-3
Symbol/Burst	Switching between Symbol and Burst
Burst Length	1 to 256, 1 step
Error Addition Method	Type1: Level 0 → Level 1, Level 1 → Level 2, Level 2 → Level 3, Level 3 → Level 2 Type2: Level 0 → Level 1, Level 1 → Level 2, Level 2 → Level 1, Level 3 → Level 2 Type3: Level 0 → Level 1, Level 1 → Level 0, Level 2 → Level 1, Level 3 → Level 2 Type4: Level 0 → Level 1, Level 1 → Level 0 or Level 2, Level 2 → Level 1 or Level 3, Level 3 → Level 2 MSB Only: Level 0 → Level 2, Level 1 → Level 3, Level 2 → Level 0, Level 3 → Level 1 LSB Only: Level 0 → Level 1, Level 1 → Level 0, Level 2 → Level 3, Level 3 → Level 2 MSB or LSB: Level 0 → Level 1 or Level 2, Level 1 → Level 0 or Level 3, Level 2 → Level 0 or Level 3, Level 3 → Level 1 or Level 2 MSB and LSB: Level 0 → Level 3, Level 1 → Level 2, Level 2 → Level 1, Level 3 → Level 0

Table 1.3.1-11 Data Output

Item	Specifications*1
Number of Outputs Waveform	2 (Data, XData) Cannot be varied independently NRZ, PAM4
NRZ Eye Amplitude Setting Range Accuracy	NRZ: 70 to 800 mVp-p, 2 mV step (Single-Ended) When using the J1789A: $\pm 35 \text{ mV} \pm 12 \%$ (Single-Ended)*2 When using the J1790A: $\pm 35 \text{ mV} \pm 12 \%$ (Single-Ended)*3, *4, *5
PAM4 Eye Amplitude PAM4 (0/3 Level) Setting Range PAM4 (0/3 Level) Accuracy PAM4 (0/1, 1/2, 2/3 Level) Independently variable PAM4 (0/1, 1/2, 2/3 Level) Setting Range PAM4 (0/1, 1/2, 2/3 Level) Accuracy	PAM4(0/3 Level): 70 to 800 mVp-p, 1 mV step (Single-Ended)*6 When using the J1789A: $\pm 35 \text{ mV} \pm 12 \%$ of Amplitude*2, *7 When using the J1790A: $\pm 35 \text{ mV} \pm 12 \%$ of Amplitude*3, *4, *5, *7 Provided, 20 to 50 %, 1 mV Step (Eye amplitude conversion) (PAM4 Amplitude 0/3 level is assumed to be 100 %.) PAM4(0/1 Level): 23 to 266 mVp-p, 1 mV step (Single-Ended) PAM4(1/2 Level): 24 to 268 mVp-p, 1 mV step (Single-Ended) PAM4(2/3 Level): 23 to 266 mVp-p, 1 mV step (Single-Ended) When using the J1789A: $\pm 35 \text{ mV} \pm 12 \%$ of Amplitude*8 When using the J1790A: $\pm 35 \text{ mV} \pm 12 \%$ of Amplitude*9, *10, *11
Offset Setting Range Accuracy	-2.0–Eye Amplitude/2 to +3.3–Eye Amplitude/2 Vth, 1 mV step (Single-Ended) $\pm 65 \text{ mV} \pm 10 \%$ of offset (Vth) \pm (Eye Amplitude Accuracy / 2) (Except when Emphasis is turned On with the MU196020A-x11 installed.) (For PAM4, when setting each of PAM4 Amplitude (3/2, 2/1 and 1/0) equally to 33 %.)
Cross Point	Typ. 50 % (fixed)
Tr/Tf	When using the J1789A: Typ. 9 ps (20-80 %)*12 Typ. 8.5 ps (20-80 %)*13 When using the J1790A: Typ. 9.5 ps (20-80 %)*12 Typ. 8.8 ps (20-80 %)*13

*1: Unless otherwise specified, these are specified with the conditions of PRBS2³¹–1, Mark ratio 1/2, and Cross Point 50 %.

The values shall be observed by using an optional accessory, J1789A or J1790A, and a 70-GHz bandwidth sampling oscilloscope.

*2: Setting Range $\leq 700 \text{ mVp-p}$

*3: Setting Range $\leq 700 \text{ mVp-p}$

($\leq 32.1 \text{ Gbit/s}$, when the Options 001, 002, y12, 003, y13 and y23 are installed)

- *4: Setting Range ≤ 600 mVp-p
(≤ 58.2 Gbit/s, when the Options 002, y12, 003, y13 and y23 are installed)
- *5: Setting Range ≤ 550 mVp-p
(≤ 64.2 Gbit/s, when the Options 003, y13 and y23 are installed)
- *6: When PAM4 output signal is directly input to the ED, the lower limit for the error-free amplitude depends on the performance of the ED used.

When using MP1862A as ED, the lower limit for the error-free amplitude (reference data) is as follows:
125 mV (0/3 Level, ≤ 32.1 Gbaud, when the Option 001 is installed)
250 mV (0/3 Level, ≤ 58.2 Gbaud, when the Options 002, y12, 003, y13 and y23 are installed)
Pattern: PRBS15, at a constant temperature between 20 and 30 °C
- *7: Single-Ended, PAM4 0/3 Level, and when setting each of PAM4 Amplitude (3/2, 2/1 and 1/0) equally to 33 %
- *8: Setting Range ≤ 234 mVp-p, Single-Ended, at each amplitude level (Upper, Middle, Lower)
- *9: Setting Range ≤ 234 mVp-p, Single-Ended, at each amplitude level (Upper, Middle, Lower)
(≤ 32.1 Gbit/s, when the Options 001, 002, y12, 003, y13 and y23 are installed)
- *10: Setting Range ≤ 200 mVp-p, Single-Ended, at each amplitude level (Upper, Middle, Lower)
(≤ 58.2 Gbit/s, when the Options 002, y12, 003, y13 and y23 are installed)
- *11: Setting Range ≤ 184 mVp-p, Single-Ended, at each amplitude level (Upper, Middle, Lower), when using the J1790A coaxial cable (0.8m)
(≤ 64.2 Gbit/s, when the Options 003, y13 and y23 are installed)
- *12: NRZ, 32.1 Gbit/s, Eye Amplitude 0.5 Vp-p (Single-Ended), only when Coding is NRZ and Emphasis is Off.
- *13: NRZ, 58.2 Gbit/s (when the Options 002 and y12 are installed), 64.2 Gbit/s (when the Options 003, y13 and y23 are installed), Eye Amplitude 0.5 Vp-p (Single-Ended), only when Coding is NRZ and Emphasis is Off.

Table 1.3.1-11 Data Output (Cont'd)

Item	Specifications*1
Half Period Jitter Setting Range Accuracy	–20.0 to +20.0, 0.1 step Typ. ± 0.04 UI*14
Jitter Measurement conditions Peak-to-Peak Jitter Jitter RMS Intrinsic RJ (RMS)	NRZ, Bit rate 32.1 Gbit/s (When the Option 001 is installed), 58.2 Gbit/s (When the Options 002 and y12 are installed), 64.2 Gbit/s (When the Options 003, y13 and y23 are installed) Eye Amplitude 0.5 Vp-p (Single-Ended) At a constant temperature between 20 and 30 °C, measure with a 70-GHz bandwidth sampling oscilloscope with residual jitter of less than 200 fs (RMS). Typ. 6 ps p-p (Count of measured jitters: 30) Typ. 600 fs rms (Count of measured jitters: 30) Typ. 170 fs (Repeating pattern of 1,0)*15
Waveform Distortion (0-peak)	Typ. ± 110 mV*16
PAM4 Level Separation Mismatch Ratio (R_{LM})	0.95 (min.)*17
PAM4 Signal to noise and distortion ratio (SNDR)	33 dB (min.)*18, *19
Electrical TDECQ	0.9 dB*20
Output ON/OFF	ON/OFF switching available
Data / XData Skew	± 1 ps Cable error not included.
Termination	AC, DC switching For DC: GND, –2V, +1.3V, +3.3V, Open (LVDS), 50 Ω
Connector	V connector (f.)

*14: 2.4, 8, 16, 26.5625, 32.1 Gbit/s (When the Option 001 is installed),
2.4, 8, 16, 26.5625, 32.1, 40, 53.125, 58.2 Gbit/s (When the Options 002 and y12 are installed)
2.4, 8, 16, 26.5625, 32.1, 40, 53.125, 58.2, 64.2 Gbit/s (When the Options 003, y13 and y23 are installed), Eye Amplitude 0.5 Vp-p (Single-Ended)

*15: NRZ, Bit rate 58.2 Gbit/s (When the Options 002 and y12 are installed),
64.2 Gbit/s (When the Options 003, y13 and y23 are installed)

*16: NRZ, Bit rate 32.1 Gbit/s (When the Option 001 is installed),
58.2 Gbit/s (When the Options 002 and y12 are installed),
64.2 Gbit/s (When the Options 003, y13 and y23 are installed)
Eye Amplitude 0.5 Vp-p (Single-Ended)

*17: PAM4, 26.5625 Gbaud (When the Option 001 is installed),
53.125 Gbaud (When the Options 002, y12, 003, y13 and y23 are

installed),

1.0 Vp-p (Differential), refer to the IEEE P802.3bs for equation to calculate.

*18: PAM4, 26.5625 Gbaud (When the Option 001 is installed),

53.125 Gbaud (When the Options 002, y12, 003, y13 and y23 are installed),

1.0 Vp-p (Differential), refer to the IEEE P802.3cd for equation to calculate.

*19: 60-GHz bandwidth sampling oscilloscope

*20: 26.5625 Gbaud (When the Option 001 is installed),

53.125 Gbaud (When the Options 002, y12, 003, y13 and y23 are installed),

Using an equalizer, Single, Pattern: SSPRQ

Table 1.3.1-11 Data Output (Cont'd)


Item	Specifications*1
Offset Reference	Vth
Level Guard	Amplitude, Voh and Vol can be set.
External ATT Factor	-40 to 0 dB, 0.1 dB step When the fixed attenuator is connected, the amplitude and offset of the signal output via the fixed attenuator are displayed.
Emphasis Emphasis Tap Cursor Setting Range / Step	When the Option x11 is installed 4 (1post-cursor, 2pre-cursor) 4 Tap parameter values for all eyes (Upper, Middle and Lower) become identical. This means that 4 Tap parameters for Upper, Middle and Lower Eyes cannot be controlled independently. -20 to +20 dB, 0.01 dB step (Post-Cursor: $20\log_{10}V_a/V_b$, Pre-Cursor: $20\log_{10}V_c/V_d$) <div style="text-align: center;">  </div>
Accuracy	Provided that the maximum amplitude is restricted by the setting range of emphasis peak voltage. Typ. ± 1 dB (16 Gbaud, Amplitude 0.5 Vp-p (Single-Ended), De-Emphasis, Pre-Cursor1 = 6 dB, Post Cursor1 = 3.5 dB)
Setting Range of Emphasis Peak Voltage	70 to 800 mVp-p (Single-Ended)
Emphasis ON/OFF	ON/OFF switching


Table 1.3.1-11 Data Output (Cont'd)

Item	Specifications*1
Channel Emulator*21, *22	Normal: Outputs the PPG Data signal whose waveform emulates the connected transmission line with the loaded S parameter. Inverse: Outputs the PPG Data signal whose inverse characteristics emulate the transmission line with the loaded S parameter.
Response	Normal, Inverse
S-Parameter file	S2P file (Extension: “*.s2p”), S4P file (Extension: “*.s4p”) Supports output files from the MS4640B Series Vector Network Analyzer.
Channel Emulator ON/OFF	ON/OFF switching
Gain Adjust	Adjusts the loss to emulate and loss of the loaded S parameter at the specified frequency, when Response is Normal. 0GHz, 1GHz, Nyquist Frequency switching
Adjustable ISI*21	Sets the loss of the channel which generates ISI and outputs the PPG data signal whose waveform emulates the setting.
Loss Channel	This is available for MU196020A in combination with the following. Not Specified: an external loss channel board J1800A×1 Short Channel: one J1800A (optional accessory) J1800A×2 Middle Channel: two J1800As (optional accessory) J1800A×3 Long Channel: three J1800As (optional accessory) J1758A: a J1758A (optional accessory) MU195050A Noise: an MU195050A Noise Module
Frequency	Insertion Loss can be set at Nyquist or 1/2 Nyquist Frequency.
Insertion Loss	Displays the absolute loss that is sum of the loss selected for Loss Channel and the setting value of Tuning Insertion Loss at Nyquist Frequency and 1/2 Nyquist Frequency.
Tuning Insertion Loss	The relative loss from the loss value of Loss Channel can be set. –8.00 to 8.00 dB, 0.01 dB step, Nyquist Frequency –8.00 to 8.00 dB, 0.01 dB step, 1/2 Nyquist Frequency
Insertion Loss Accuracy	±1.0 dB Nominal @Nyquist Frequency 6 dB, Repeating pattern of “1,0” *23, *25, *26 ±1.5 dB Nominal @Nyquist Frequency 6 dB, Repeating pattern of “1,0” *24, *25, *26 ±1.0 dB Nominal @1/2Nyquist Frequency 3 dB, Repeating pattern of “1,1,0,0” *23, *25, *26 ±1.5 dB Nominal @1/2Nyquist Frequency 3 dB, Repeating pattern of “1,1,0,0” *24, *25, *26
Adjustable ISI ON/OFF	ON/OFF switching

*21: When the Option x40 is installed.

*22: It is assumed to use for the purpose of compensating the loss of the transmission line.

The following graph shows typical limits for adjustable insertion loss. However, it does not mean that all the responses emulated from the S-Parameter file are compensated as the graph shows.



*23: Baud Rate 26.6 Gbaud (when Option 001, 002, y12, 003, y13, and y23 installed)

*24: Baud Rate 53.1 Gbaud (when Option 002, y12, Option 003, y13, and y23 installed)

*25: Eye Amplitude 0.5 V_{p-p}, at each spectrum, at a constant temperature between 20 and 30 °C

*26: The frequency characteristics of Insertion Loss Accuracy when setting 6 dB@Nyquist Frequency and 3 dB@1/2 Nyquist Frequency are shown below.




Table 1.3.1-12 Clock Output

Item	Specifications*
Frequency	
Full Rate	Operation Baud Rate = Clock Output Frequency 2.4 to 32.1 GHz (Option 001)
Half Rate	Operation Baud Rate = (Clock Output Frequency) × 2 1.2 to 16.05 GHz (Option 001) 1.2 to 29.1 GHz (When the Options 002 and y12 are installed) 1.2 to 32.1 GHz (When the Options 003, y13 and y23 are installed)
Quarter Rate	Operation Baud Rate = (Clock Output Frequency) × 4 0.6 to 8.025 GHz (Option 001) 0.6 to 14.55 GHz (When the Options 002 and y12 are installed) 0.6 to 16.05 GHz (When the Options 003, y13 and y23 are installed)
Number of Outputs	1
Amplitude	Min. 0.3 Vp-p, Max. 1.0 Vp-p (Output Frequency ≤ 16.05 GHz) Min. 0.4 Vp-p, Max. 1.0 Vp-p (Output Frequency > 16.05 GHz)
Output control	ON, OFF switching
Termination	50 Ω, AC Coupling
Connector	K connector (f.)

*: These values are monitored using an optional accessory (J1439A) at a sampling oscilloscope bandwidth of 70 GHz.

Table 1.3.1-13 Data Delay*1

Item	Specifications
Phase variable range	−1000 to +1000 mUI, 2 mUI step
Accuracy	±50 mUIp-p*2, *3, *4 ±100 mUIp-p*2, *3, *5
mUI – ps switching	Available (internally converted into ps)
Calibration	Available (when jitter modulation is off)
Calibration indicator	This is displayed when one of the following conditions is met: <ul style="list-style-type: none"> 1/1 Clock frequency change by ±250 kHz. Ambient temperature change by ±5°C.

*1: When the Option x30 is installed.

*2: Measured with a sampling oscilloscope with residual jitter of less than 200 fs (RMS), at a constant amplitude setting.

*3: Typical value

*4: Baud rate ≤ 32.1 Gbaud

*5: Baud rate > 32.1 Gbaud

Table 1.3.1-14 Jitter Tolerance

Item	Specifications																					
Jitter tolerance	<p>For NRZ output,</p> <p>Bit rate: 32.1 Gbit/s (Option 001) 58.2 Gbit/s (When the Options 002 and y12 are installed) 64.2 Gbit/s (When the Options 003, y13 and y23 are installed)</p> <p>Pattern: PRBS2³¹−1</p> <p>With MU181500B, SSC with frequency of 33 kHz and deviation of 5300 ppm can be applied simultaneously with RJ with amplitude of 0.3 UI.</p> <p>These specifications are defined assuming the following conditions: Loopback connection to MU196040A (32.1 Gbit/s) or MP1862A + MU183040B (58.2 Gbit/s, 64.2 Gbit/s), at a constant temperature between 20 and 30 °C.</p> <p>When RJ + BUJ is bigger than 0.5 UIp-p or SJ1 + Built-in SJ2 + RJ + BUJ is bigger than the standard value + 0.3 UIp-p, “Overload” is displayed on the MU181500B screen.</p> <p>For details on the maximum modulation jitter that depends on the bit rate, refer to “Table 1.3.1-2 Jitter Setting Range”.</p> <p>32.1 Gbit/s</p> <div><table><thead><tr><th>Modulation frequency [Hz]</th><th>Max. modulation amplitude [Ulp-p]</th><th>Specification [Ulp-p]</th></tr></thead><tbody><tr><td>10</td><td>2 000</td><td>2 000</td></tr><tr><td>7 500</td><td>2 000</td><td>2 000</td></tr><tr><td>100 000</td><td>2 000</td><td>150</td></tr><tr><td>1 000 000</td><td>200</td><td>15</td></tr><tr><td>10 000 000</td><td>16</td><td>1</td></tr><tr><td>250 000 000</td><td>1</td><td>1</td></tr></tbody></table></div>	Modulation frequency [Hz]	Max. modulation amplitude [Ulp-p]	Specification [Ulp-p]	10	2 000	2 000	7 500	2 000	2 000	100 000	2 000	150	1 000 000	200	15	10 000 000	16	1	250 000 000	1	1
Modulation frequency [Hz]	Max. modulation amplitude [Ulp-p]	Specification [Ulp-p]																				
10	2 000	2 000																				
7 500	2 000	2 000																				
100 000	2 000	150																				
1 000 000	200	15																				
10 000 000	16	1																				
250 000 000	1	1																				

Table 1.3.1-14 Jitter Tolerance (Cont'd)






Item	Specifications																					
Jitter tolerance (Cont'd)	<div>58.2 Gbit/s, 64.2 Gbit/s</div> <div></div> <table><tr><th>Modulation frequency [Hz]</th><th>Max. modulation amplitude [UIp-p]</th><th>Specification [UIp-p]</th></tr><tr><td>10</td><td>2 000</td><td>1 000</td></tr><tr><td>7 500</td><td>2 000</td><td>1 000</td></tr><tr><td>100 000</td><td>2 000</td><td>75</td></tr><tr><td>1 000 000</td><td>200</td><td>7.5</td></tr><tr><td>10 000 000</td><td>16</td><td>0.5</td></tr><tr><td>250 000 000</td><td>1</td><td>0.5</td></tr></table>	Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]	10	2 000	1 000	7 500	2 000	1 000	100 000	2 000	75	1 000 000	200	7.5	10 000 000	16	0.5	250 000 000	1	0.5
Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]																				
10	2 000	1 000																				
7 500	2 000	1 000																				
100 000	2 000	75																				
1 000 000	200	7.5																				
10 000 000	16	0.5																				
250 000 000	1	0.5																				

Table 1.3.1-15 Multichannel Operation*1

Item	Specifications
Multi-Module Synchronization	<p>A function to synchronize timing of generating patterns among multiple modules*2, *3, *4, *5, *6</p> <p>Baud Rate ≤ 32.1 Gbaud: Capable of synchronizing bit generation timing with an accuracy of less than 1 UI</p> <p>Baud Rate > 32.1 Gbaud: Capable of synchronizing bit generation timing with an accuracy of less than 5 UI</p>
Inter-Module 2ch Combination	<p>This is available only for NRZ.</p> <p>Generates signals of which the first bit generation timing is synchronized between modules.</p> <p>And,</p> <p>generates signals with the bit-interleaved generation bit patterns between modules.</p> <p>Slot1</p> <p>Data </p> <p>Slot2</p> <p>Data </p>
Inter-Module CH Synchronization	<p>Generates signals of which the first bit generation timing is synchronized between modules.</p> <p>Slot1</p> <p>Data </p> <p>Slot2, 3, 4</p> <p>Data </p>

*1: When the Option x30 and x50 are installed.

*2: The following options must be the same among the modules to be synchronized.

Option 001

Option 002 or y12

Option 003, y13, or y23

*3: Slot 1 to 2: Inter-Module 2ch Combination (only for NRZ)

*4: Slot 1 to 4: Inter-Module CH Synchronization

*5: The modules to be synchronized must be installed successively from Slot 1.

*6: In the range of ± 3 °C from the temperature when performing the Multi Channel Calibration function, the bit generation timing is guaranteed.

Table 1.3.1-15 Multichannel Operation*1 (Cont'd)

Item	Specifications
Output	Only the items to be changed when Multi-Module Synchronization is set are described.
Phase setting range	–64 000 to +64 000 mUI*7
Phase setting resolution	2 mUI*7
Pattern	
Data length	When CH Combination is set: 4 to 536,870,912 bits, 2 bits step When CH Synchronization is set: same as Sync OFF
Unit Sync*8, *9	ON/OFF switching available
Number of Units	Synchronous control available between up to two MP1900As. Synchronous control of up to 8 channels is available with two MP1900As each installed with four MU196020As.
Unit Sync Output*10	To output a timing signal from the Gating Out connector when Unit Sync is touched Provided with an inter-unit synchronization status indicator. The status indicator at Unit Sync turns orange when it requires to be timed to the other.
Unit Sync Input*10	To input a timing signal from the AUX In connector
Bit phase difference between MP1900As	<p>Within ± 1024 UI</p> <p>Timing difference between bit generations that occurs when Unit Sync is touched</p> <p>MP1900A (Primary)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>Slot 1</p><p>Slot 2</p><p>Slot 3</p><p>Slot 4</p> </div> <div style="border-left: 1px dashed black; padding-left: 10px;"> <p>X 1 X 2 X 3 X 4 X</p><p>X 1' X 2' X 3' X 4' X</p><p>X 1'' X 2'' X 3'' X 4'' X</p><p>X 1''' X 2''' X 3''' X 4''' X</p> </div> <div style="margin-left: 10px; text-align: right;"> <p>The pattern generating position is synchronized using the Channel Synchronization function.</p> </div> </div> <p>MP1900A (Secondary)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>Slot 1</p><p>Slot 2</p><p>Slot 3</p><p>Slot 4</p> </div> <div style="border-left: 1px dashed black; padding-left: 10px;"> <p>X 1 X 2 X 3 X 4 X</p><p>X 1' X 2' X 3' X 4' X</p><p>X 1'' X 2'' X 3'' X 4'' X</p><p>X 1''' X 2''' X 3''' X 4''' X</p> </div> <div style="margin-left: 10px; text-align: right;"> <p>The pattern generating position between the MP1900As is synchronized using the Unit Sync function.</p> <p>MP1900A: two units MU196020A: four modules (The 8ch pattern is synchronized.)</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div>→</div> <div>←</div> <div>–1024 UI < difference < +1024 UI</div> </div>

*7: Each channel can be set independently.

*8: Available on MX190000A version 3.02.00 or later.

*9: Available only when using inter-module synchronization.

*10: Available only when **Unit Sync** is ON.

Table 1.3.1-16 General

Item	Specifications
Dimensions	21 mm (H), 234 mm (W), 175 mm (D) Excluding protrusions
Mass	2.5 kg max.
Operating Temperature	15 to 30 °C MP1900A's ambient temperature. MU196020A shall operate when installed.
Storage Temperature	–20 to 60 °C MU196020A installed to MP1900A shall comply with MIL-T-28800E Class 5.

Table 1.3.1-17 Extended Functions

Item	Specifications
PCIe	Supports the following PCIe tests when controlled by the MX183000A. The supported installer versions are:
	<ul style="list-style-type: none"> • MX190000A V4.09.00 or later • MX183000A V4.09.00 or later
Applicable Standards	PCI Express Base Specification Revision 4.0 Version1.0 PCI Express Base Specification Revision 5.0 Version1.0
	Bit rate: PCIe1/2/3/4/5
	Number of lanes: x1
	Subjects of Testing: Root Complex, End Point
Required Options	Option x11
Required Software	MX183000A-PL021: Can support negotiation with the DUT and can put the DUT into Loopback state according to the LTSSM of PCIe1 to PCIe4. State transition of LTSSM can be analyzed as a log.(One MU196020A and one MU195040A are required.) MX183000A-PL025: Can extend the functionality of the PL021 option to PCIe5. When the MX183000A-PL001 is installed in addition to the MX183000A-PL021 and MX183000A-PL025, the MX183000A can control the MU196020A, MU181500B, and MU195040A and support Jitter Tolerance Test.

1.3.2 Specifications for MU196040A

Table 1.3.2-1 Operating Baud Rate

Item	Specifications
Operating Baud Rate	When the Option 001 is installed. PAM4 input: 2.4 to 32.1 Gbaud NRZ input: 2.4 to 32.1 Gbit/s

Table 1.3.2-2 System Clock

Item	Specifications
System Clock	External, Recovered Clock (When the Option 022 is installed) External: Clock input from the Ext Clock Input connector Recovered Clock: Clock recovered from the data input from the Data Input connector

Table 1.3.2-3 Data Input

Item	Specifications
Number of inputs	2 (Data, XData) (Differential)
Input Condition	Single-Ended, Differential 50 Ohm, Differential 100 Ohm When set to Differential 50 Ohm or Differential 100 Ohm: Independent, Tracking, Alternate* ¹ When set to Alternate: Data-XData, XData-Data* ² When set to Single-Ended: Data, XData* ³
Signal Type LSB/MSB Diagnostics	NRZ, PAM4 When set to PAM4, the PAM4 mode can be switched between as follows: Diagnostics Mode OFF: Treats signals as symbols by receiving LSB and MSB while synchronizing them with each other. Diagnostics Mode ON: Asynchronously receives LSB and MSB.
Amplitude	NRZ: The range in which the Auto Adjust function operates. PAM4: The range in which the Auto Search PAM4 Fine function operates. NRZ: 0.05 to 1.0 V _{p-p} * ⁴ PAM4: 0.3 to 1.0 V _{p-p} * ⁵
Threshold	NRZ, PAM4 Middle Eye Threshold: -3.5 to +3.3 V, 1 mV step* ² , * ⁶ PAM4 Upper Eye Threshold: -3.9 to +3.7 V, 1 mV step* ⁷ PAM4 Lower Eye Threshold: -3.9 to +3.7 V, 1 mV step* ⁷

*1: Tracking is available only for NRZ.

*2: The absolute value of the difference between Data and XData
Threshold values shall be 1.5 V or less.

*3: PAM4 Upper Eye and Lower Eye can be set by relative values to
Middle Eye in the range of -0.4 V to +0.4 V.

*4: Single-Ended, Differential

*5: 0/3 Level, PRBS31, Single-Ended, Differential, when connecting
directly to the MU196020A.

*6: Data and XData can be set independently.

*7: Data and XData cannot be set independently, and can be set in the
range of ±0.4 V from Middle Eye Threshold.

Table 1.3.2-3 Data Input (Cont'd)


Item	Specifications
Sensitivity	Single-Ended , Mark Ratio1/2, when connecting directly to the MU196020A with J1789A. When the Option-001 is installed, 34VKF50 shall be included. At a constant temperature between 20 and 30 °C
Eye Amplitude	NRZ, PRBS31 Typ. 32 mVp-p, ≤ 50 mVp-p*8 (26.5625 Gbit/s, 32.1 Gbit/s)
Eye Height	NRZ, PRBS31 Typ. 23 mV*8 (26.5625 Gbit/s, 32.1 Gbit/s) PAM4 0/1 1/2 2/3 Level, PRBS31, Eye Height where BER is 1E-06, when using External Clock Typ. 23 mV, ≤ 50 mV*8 (26.5625 Gbaud, 32.1 Gbaud)
Phase Margin	When connecting directly to the MU196020A with J1789A. When the Option-001 is installed, 34VKF50 shall be included. At a constant temperature between 20 and 30 °C, when using External Clock NRZ, PRBS31, Differential, Mark Ratio 1/2, when inputting 1.0 Vp-p Typ. 25.8 ps*8 (26.5625 Gbit/s) Typ. 18.0 ps*8 (32.1 Gbit/s) PAM4 0/3 Level, Eye Width where BER is 1E-06, PRBS31, Single-Ended, Mark Ratio1/2, when inputting 0.5 Vp-p, Emphasis ON (Best values in the range of 1Pre ≤ 5 dB and 1Post ≤ 5 dB) Typ. 5.3 ps*8 (26.5625 Gbaud) Typ. 4.5 ps*8 (32.1 Gbaud)

*8: When the Option 001 is installed.

Table 1.3.2-3 Data Input (Cont'd)

Item	Specifications
Stressed Margin* ⁹	
Stressed Eye Height	PAM4 0/1 1/2 2/3 Level, QPRBS13-CEI, Eye Height where BER is 1E-06, when using External Clock ≥ 32 mV* ¹⁰
Stressed Eye Width	PAM4 0/1 1/2 2/3 Level, QPRBS13-CEI, Eye Width where BER is 1E-06, when using External Clock ≥ 7.15 ps* ¹⁰
Termination	50 Ω, GND, Variable
Termination Voltage	When set to Variable: -2.5 to +3.5 V, 10 mV step
Connector	K connector (f.) (When the Option 001 is installed)

*9: Differential, Mark Ratio 1/2, when connecting J1758A and MU196020A by using J1789A, 34VKF50 and J1728A.



At a constant temperature between 20 and 30 °C, measure with a 70-GHz bandwidth sampling oscilloscope with residual jitter of less than 200 fs (RMS).

Adjust De-Emphasis (2 Pre Cursors and 1 Post Cursor) of MU196020A so that the product of Eye Height (1E-06) and Eye Width (1E-06) can be maximized in the differential waveform.

Calculate the 4th-order Bessel Filter (Cutoff Frequency 50 GHz) + CTLE (+1 dB Peaking at 14 GHz) and calibrate it to a PAM4 waveform with Eye Amplitude of 0.88 Vp-p (Diff) or less and Eye Linearity RLM 0.85 or more.

*10: 28 Gbaud, when the Option 001 is installed, BER 1E-12

Table 1.3.2-4 Clock Input

Item	Specifications
External Clock Input	Operation Baud Rate = Clock Input Frequency (When the Option 001 is installed)
Number of inputs	1 (Single-Ended)
Frequency range	When the Option 001 is installed: 2.4 to 32.1 GHz
Amplitude	0.3 to 1.0 V _{p-p} (–6.5 to +4.0 dBm) (Input Frequency ≤ 16.05 GHz) 0.4 to 1.0 V _{p-p} (–3.9 to +4.0 dBm) (Input Frequency > 16.05 GHz)
Termination	50 Ω, AC Coupling
Connector	K connector (f.)

Table 1.3.2-5 Aux Input

Item	Specifications
Number of inputs	1 (Single-Ended)
Variation	External Mask, Burst
Minimum pulse width	1/256 of Data rate
Input level	<ul style="list-style-type: none"> 0/–1 V (H: –0.25 to 0.05 V, L: –1.1 to –0.8 V) 0/–0.5 V (H: –0.05 to 0.05 V, L: –0.55 to –0.45 V) V_{th} 0 V (Input amplitude 0.5 to 1.0 V_{p-p}) Select one of the above.
Termination	50 Ω, GND
Connector	SMA connector (f.)

Table 1.3.2-6 Aux Output

Item	Specifications
Number of outputs	2 (Differential)
Variation	1/n Clock (n = 8, 12, 16, 20...1020, 1024), Pattern Sync, Sync Gain, Error Output
Pattern Sync PRBS, PRGM	Position: 1 to {(Least common multiple of Pattern Length' and 128) – 135}, 8 step (When the Option 001 is installed) Pattern Length' shall be the value obtained by multiplying Pattern Length setting until it becomes 1024 or more if it is 1023 or less.
Output level	0/–0.6 V (H: –0.25 to 0.05V, L: –0.80 to –0.45 V)
Termination	50 Ω, GND
Connector	SMA connector (f.)

Table 1.3.2-7 Pattern Detection

Item	Specifications
PRBS Pattern length Mark ratio PRBS generator polynomial PRBS Inversion	$2^n - 1$ ($n = 7, 9, 10, 11, 13, 15, 20, 23, 31$) $1/2, 1/2_{inv}$ $n=7: 1 + X^6 + X^7$ $n=9: 1 + X^5 + X^9$ $n=10: 1 + X^7 + X^{10}$ $n=11: 1 + X^9 + X^{11}$ $n=13: 1 + X + X^2 + X^{12} + X^{13}$ $n=15: 1 + X^{14} + X^{15}$ $n=20: 1 + X^3 + X^{20}$ $n=23: 1 + X^{18} + X^{23}$ $n=31: 1 + X^{28} + X^{31}$ This is available in PAM4 mode only. Logically inverted PRBS can be set independently for MSB and LSB.
Zero-Substitution Additional Bit Pattern length Start position Zero-Length	This is available in NRZ mode only. 0 bit, 1 bit 2^n or $2^n - 1$ ($n = 7, 9, 10, 11, 15, 20, 23$) Substitutes the bit coming after the maximum “0” successive bits. 1 to (Pattern Length – 1) bits If the bit coming after Zero-substitution is “0,” then it is replaced with “1.”
Data Data length	NRZ: 2 to 268 435 456 bits, 1 bit step PAM4: 2 to 268 435 456 symbols, 1 symbol step
Coding NRZ PAM4 Gray Coding PAM4 Precoding $(1/(1 + D) \bmod 4)^*$	NRZ, PAM4 Normal, Invert ON, OFF ON, OFF
PAM4 Standard Pattern CEI IEEE InfiniBand Fibre Channel	Standard-compliant PAM4-mode patterns QPRBS13-CEI, QPRBS31-CEI IEEE802.3bs/cd: PRBS13Q, PRBS31Q, SSPRQ, Square Wave IEEE802.3bj: QPRBS13, JP03A, JP03B, Transmitter Linearity PRBS13Q (InfiniBand), PRBS23Q, PRBS31Q (InfiniBand) PRBS31Q (Fibre Channel)
NRZ Standard Pattern CEI	Standard-compliant NRZ-mode pattern SSPR

*: $(1/(1+D) \bmod 4)$ is a generator polynomial defined in the IEEE802.3.

Table 1.3.2-8 Pattern Sequence

Item	Specifications
Sequence	Repeat, Burst
Repeat	Continuous Pattern
Burst	This is available only when Coding is NRZ.
Source	Internal, External-Enable (Aux Input), External-Trigger (Aux Input)
Delay	Internal: 0 to 2 147 483 640 bits, 8 bits step External-Trigger, External-Enable: 0 to 2 147 483 520 bits, 8 bits step Adjust Method: Auto, Manual
Enable Period	Internal: 12 800 to 2 147 482 624 bits, 256 bits step External-Trigger: 12 800 to 2 147 483 136 bits, 256 bits step
Burst Cycle	25 600 to 2 147 483 648 bits, 1024 bits step

Table 1.3.2-9 Measurement

Item	Specifications
Counter	Error Rate (ER) Total: 0.000 1E–18 to 1.000 0E00 Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 %Error Free Interval: 0.000 0 to 100.000 0 Error Rate (ER) Insertion (INS): 0.000 1E–18 to 1.000 0E00 Error Count (EC) Insertion (INS): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Error Rate (ER) Omission (OMI): 0.000 1E–18 to 1.000 0E00 Error Count (EC) Omission (OMI): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Frequency: 2 400.000 to 58 200.000 MHz Frequency measurement accuracy: $\pm 1 \text{ ppm } \pm 1 \text{ kHz}^*$ Clock Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Sync Loss Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Clock Loss Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Expressions enclosed in parentheses are abbreviations.
	The following are available only for PAM4 (Diagnostics Mode ON) measurement. MSB Error Rate (ER) Total: 0.000 1E–18 to 1.000 0E00 MSB Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 MSB Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 MSB %Error Free Interval: 0.000 0 to 100.000 0 MSB Error Rate (ER) Insertion (INS): 0.000 1E–18 to 1.000 0E00 MSB Error Count (EC) Insertion (INS): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 MSB Error Rate (ER) Omission (OMI): 0.000 1E–18 to 1.000 0E00 MSB Error Count (EC) Omission (OMI): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 LSB Error Rate (ER) Total: 0.000 1E–18 to 1.000 0E00 LSB Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 LSB Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 LSB %Error Free Interval: 0.000 0 to 100.000 0 LSB Error Rate (ER) Insertion (INS): 0.000 1E–18 to 1.000 0E00 LSB Error Count (EC) Insertion (INS): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 LSB Error Rate (ER) Omission (OMI): 0.000 1E–18 to 1.000 0E00 LSB Error Count (EC) Omission (OMI): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Expressions enclosed in parentheses are abbreviations.

*: With a gating system and with MP1900A's reference clock (10 MHz) calibrated

Table 1.3.2-9 Measurement (Cont'd)


Item	Specifications
Counter (Cont'd)	<p>The following are available when the Option x41 SER Measurement is installed.</p> <p>The following are available only for PAM4 (Diagnostics Mode OFF) measurement.</p>  <p>Symbol Error Rate (SER): 0.000 1E-18 to 1.000 0E00 Symbol Error Count (SEC): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Symbol Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Symbol %Error Free Interval: 0.000 0 to 100.000 0</p> <p>Level 0 → 3 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 0 → 2 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 0 → 1 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 0 → 3 ER: 0.000 1E-18 to 1.000 0E00 Level 0 → 2 ER: 0.000 1E-18 to 1.000 0E00 Level 0 → 1 ER: 0.000 1E-18 to 1.000 0E00 Level 0 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 0 ER Total: 0.000 1E-18 to 1.000 0E00</p> <p>Level 1 → 3 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 1 → 2 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 1 → 0 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 1 → 3 ER: 0.000 1E-18 to 1.000 0E00 Level 1 → 2 ER: 0.000 1E-18 to 1.000 0E00 Level 1 → 0 ER: 0.000 1E-18 to 1.000 0E00 Level 1 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17 Level 1 ER Total: 0.000 1E-18 to 1.000 0E00</p>

Table 1.3.2-9 Measurement (Cont'd)

Item	Specifications
Counter (Cont'd)	<p>Level 2 → 3 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 2 → 1 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 2 → 0 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 2 → 3 ER: 0.000 1E-18 to 1.000 0E00</p> <p>Level 2 → 1 ER: 0.000 1E-18 to 1.000 0E00</p> <p>Level 2 → 0 ER: 0.000 1E-18 to 1.000 0E00</p> <p>Level 2 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 2 ER Total: 0.0001E-18 to 1.000 0E00</p> <p>Level 3 → 2 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 3 → 1 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 3 → 0 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 3 → 2 ER: 0.000 1E-18 to 1.000 0E00</p> <p>Level 3 → 1 ER: 0.000 1E-18 to 1.000 0E00</p> <p>Level 3 → 0 ER: 0.000 1E-18 to 1.000 0E00</p> <p>Level 3 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 3 ER Total: 0.000 1E-18 to 1.000 0E00</p> <p>Expressions enclosed in parentheses are abbreviations.</p>
Gating	Time, Clock Count, Error Count
Gating Unit	Time: 1 second to 99 days 23 hours 59 minute 59 seconds
	Clock Count: >E+4 to >E+16
	Error Count: >E+4 to >E+16
Cycle	Single, Repeat, Untimed
Current	On, Off can be set.
	Calculation: Progressive, Immediate
	Interval: 100 ms, 200 ms
Auto Sync	On, Off can be set.
	Synchronization threshold: INT, E-2 to E-8
Sync Control	PRBS: Automatic Synchronization
	Data: Frame On
Frame Length	NRZ: 4 to 64 bits, 4 bits step
	PAM4: 4 to 64 symbols, 4 symbol step
Frame Mask	Available
Frame Position	NRZ: 1 to (Pattern Length – Frame Length +1) bits, 1 bit step
	PAM4: 1 to (Pattern Length – Frame Length +1) symbols, 1 symbol step
Error/Alarm Conditions	
Error Detection	NRZ: Insertion/Omission, Transition/Non Transition
	PAM4: Not available
EI/EFI Interval	1 ms, 10 ms, 100 ms, 1 s

Table 1.3.2-10 Error Analysis

Item	Specifications																		
Block Window Setting resolution	Excludes the specified data pattern from measurement. <table> <tr> <th>Pattern length (bits)</th><th>Step (bits)</th></tr> <tr> <td>2 to 2 097 152</td><td>1</td></tr> <tr> <td>2 097 153 to 4 194 304</td><td>2</td></tr> <tr> <td>4 194 305 to 8 388 608</td><td>4</td></tr> <tr> <td>8 388 609 to 16 777 216</td><td>8</td></tr> <tr> <td>16 777 217 to 33 554 432</td><td>16</td></tr> <tr> <td>33 554 433 to 67 108 864</td><td>32</td></tr> <tr> <td>67 108 865 to 134 217 728</td><td>64</td></tr> <tr> <td>134 217 729 to 268 435 456</td><td>128</td></tr> </table>	Pattern length (bits)	Step (bits)	2 to 2 097 152	1	2 097 153 to 4 194 304	2	4 194 305 to 8 388 608	4	8 388 609 to 16 777 216	8	16 777 217 to 33 554 432	16	33 554 433 to 67 108 864	32	67 108 865 to 134 217 728	64	134 217 729 to 268 435 456	128
Pattern length (bits)	Step (bits)																		
2 to 2 097 152	1																		
2 097 153 to 4 194 304	2																		
4 194 305 to 8 388 608	4																		
8 388 609 to 16 777 216	8																		
16 777 217 to 33 554 432	16																		
33 554 433 to 67 108 864	32																		
67 108 865 to 134 217 728	64																		
134 217 729 to 268 435 456	128																		
Bit Window	Excludes any channels among internal 32 channels from measurement. (Available only in NRZ mode.)																		
External Mask	H: Measurement L: Mask																		

Table 1.3.2-11 Auto Measurement

Item	Specifications
Auto Adjust	NRZ: Vth direction only (Phase direction not supported.)* ¹ PAM4: MSB Vth direction only (Phase direction not supported.)* ¹ , * ²
Auto Search	NRZ: Available* ¹ PAM4 (LSB/MSB Diagnostics OFF/ON): Available* ¹ , * ²

*1: PRBS Pattern, Mark Ratio 1/2

*2: Each of amplitudes shall be equal.

Table 1.3.2-12 Variable Clock Delay

Item	Specifications
Phase variable range	–1000 to +1000 mUI, 2 mUI step
Accuracy	±50 mUIp-p* ¹ , * ²
mUI – ps switching	Available (internally converted into ps)
Calibration	Available (when jitter modulation is off)
Calibration indicator	This indicator is on when Calibration is required due to: <ul style="list-style-type: none"> Change in 1/1Clock frequency by ±250 kHz. Change in the ambient temperature by ±5°C.

*1: Measure using an oscilloscope with residual jitter of less than 200 fs (RMS).

*2: Typical value

Table 1.3.2-13 Jitter Tolerance


Item	Specifications																					
Jitter tolerance	<p>For NRZ output</p> <p>Bit rate: 32.1 Gbit/s</p> <p>Pattern: PRBS2³¹−1</p> <p>With MU181500B, SSC with frequency of 33 kHz and deviation of 5300 ppm can be applied simultaneously with RJ with amplitude of 0.3 UI.</p> <p>These specifications are defined assuming the following conditions:</p> <p>Loopback connection to the MU196020A, at a constant temperature between 20 and 30 °C.</p> <p>When RJ+BUJ is bigger than 0.5 UIp-p or SJ + RJ + BUJ is bigger than the standard value + 0.3 UIp-p, “Overload” is displayed on the MU181500B screen.</p> <div><table><thead><tr><th>Modulation frequency [Hz]</th><th>Max. modulation amplitude [UIp-p]</th><th>Specification [UIp-p]</th></tr></thead><tbody><tr><td>10</td><td>2 000</td><td>2 000</td></tr><tr><td>7 500</td><td>2 000</td><td>2 000</td></tr><tr><td>100 000</td><td>2 000</td><td>150</td></tr><tr><td>1 000 000</td><td>200</td><td>15</td></tr><tr><td>10 000 000</td><td>16</td><td>1</td></tr><tr><td>250 000 000</td><td>1</td><td>1</td></tr></tbody></table></div>	Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]	10	2 000	2 000	7 500	2 000	2 000	100 000	2 000	150	1 000 000	200	15	10 000 000	16	1	250 000 000	1	1
Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]																				
10	2 000	2 000																				
7 500	2 000	2 000																				
100 000	2 000	150																				
1 000 000	200	15																				
10 000 000	16	1																				
250 000 000	1	1																				

Table 1.3.2-14 Clock Recovery



Item	Specifications*1																					
Operating bit rate	NRZ: 25.5 to 32.1 Gbit/s																					
Setting range	PAM4: 25.5 to 32.1 Gbaud																					
Supported standard and baud rate	25.500 000 to 32.100 000 Gbaud, 0.000 001 Gbaud step																					
	For NRZ mode																					
	<table><tr><th>Standard</th><th>Bit Rate [Gbit/s]</th><th>Remarks</th></tr><tr><td>100G ULH</td><td>32.100 000</td><td></td></tr><tr><td>32G FC</td><td>28.050 000</td><td></td></tr><tr><td>CEI-28G</td><td>28.000 000</td><td></td></tr><tr><td>100G OTU4</td><td>27.952 496</td><td></td></tr><tr><td>100GbE(25.78 × 4)</td><td>25.781 250</td><td></td></tr><tr><td>InfiniBand EDR</td><td>25.781 250</td><td></td></tr></table>	Standard	Bit Rate [Gbit/s]	Remarks	100G ULH	32.100 000		32G FC	28.050 000		CEI-28G	28.000 000		100G OTU4	27.952 496		100GbE(25.78 × 4)	25.781 250		InfiniBand EDR	25.781 250	
Standard	Bit Rate [Gbit/s]	Remarks																				
100G ULH	32.100 000																					
32G FC	28.050 000																					
CEI-28G	28.000 000																					
100G OTU4	27.952 496																					
100GbE(25.78 × 4)	25.781 250																					
InfiniBand EDR	25.781 250																					
	For PAM4 mode																					
	<table><tr><th>Standard</th><th>Baud Rate [Gbaud]</th><th>Remarks</th></tr><tr><td>64G FC</td><td>28.900 000</td><td></td></tr><tr><td>CEI-56G</td><td>28.000 000</td><td></td></tr><tr><td>200GbE(26.6 × 4)</td><td>26.562 500</td><td></td></tr><tr><td>InfiniBand HDR</td><td>26.562 500</td><td></td></tr></table>	Standard	Baud Rate [Gbaud]	Remarks	64G FC	28.900 000		CEI-56G	28.000 000		200GbE(26.6 × 4)	26.562 500		InfiniBand HDR	26.562 500							
Standard	Baud Rate [Gbaud]	Remarks																				
64G FC	28.900 000																					
CEI-56G	28.000 000																					
200GbE(26.6 × 4)	26.562 500																					
InfiniBand HDR	26.562 500																					
Operating bit rate tracking	Tracks the operating bit rate of the PPG selected from the PPGs installed in the same MP1900A.																					
Maximum number of consecutive zeros*2	72 bit (Zero Substitution 2 ¹⁵)																					
Lock range*2	±100 ppm																					
Target loop band*3	Baud rate / 1667, Baud rate / 2578, Baud rate / 6640, Jitter Tolerance																					

*1: When the Option x22 is installed, these are specified with the conditions of PRBS Pattern and Mark Ratio 1/2 (in PAM4 mode, MSB Mark Ratio 1/2) unless otherwise specified.

*2: The target loop band is specified by 1/1667, 1/2578, 1/6640.

*3: The SSPRQ pattern supports Baud rate / 6640 only. When set to Jitter Tolerance, Baud rate / 1667 or higher.

Table 1.3.2-14 Clock Recovery (Cont'd)

Item	Specifications																						
Jitter Tolerance Clock Recovery*4,*5	<p>At the bit rate of 28.05 Gbaud, conforming to Jitter Tolerance Mask defined by the “32G FC standard”. The following masks are taken as typical values:</p>  <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Tolerance Mask (UIp-p)</th></tr> </thead> <tbody> <tr> <td>10</td><td>50</td></tr> <tr> <td>10 000</td><td>50</td></tr> <tr> <td>100 000</td><td>10</td></tr> <tr> <td>108 805</td><td>7.5</td></tr> <tr> <td>3 709 271</td><td>0.22</td></tr> <tr> <td>250 000 000</td><td>0.22</td></tr> </tbody> </table> <p>At the bit rate of 25.78125 Gbaud, conforming to Jitter Tolerance Mask defined by the “100GbE (25.78G × 4) standard”. The following masks are taken as typical values:</p>  <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Tolerance Mask (UIp-p)</th></tr> </thead> <tbody> <tr> <td>100 000</td><td>7.5</td></tr> <tr> <td>3 409 256</td><td>0.22</td></tr> <tr> <td>250 000 000</td><td>0.22</td></tr> </tbody> </table>	Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)	10	50	10 000	50	100 000	10	108 805	7.5	3 709 271	0.22	250 000 000	0.22	Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)	100 000	7.5	3 409 256	0.22	250 000 000	0.22
Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)																						
10	50																						
10 000	50																						
100 000	10																						
108 805	7.5																						
3 709 271	0.22																						
250 000 000	0.22																						
Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)																						
100 000	7.5																						
3 409 256	0.22																						
250 000 000	0.22																						

*4: Defined assuming the following conditions:

- Loop-back connection to MU196020A
- NRZ input
- Test Pattern (Length): PRBS²³¹-1
- Data input amplitude: 0.1 Vp-p

*5: Typical value, specified at a constant temperature between 20 and 30 °C.

Table 1.3.2-15 Mechanical Performance

Item	Specifications
Dimensions	21 mm (H), 234 mm (W), 175 mm (D), Excluding protrusions
Mass	2.5 kg max.
Operating temperature	15 to 30 °C MP1900A's ambient temperature. MU196040A shall operate when installed.
Storage temperature	−20 to 60 °C MU196040A installed to MP1900A shall comply with MIL-T-28800E Class 5.

1.3.3 Specifications for MU196040B

Table 1.3.3-1 Operating Baud Rate

Item	Specifications
Operating Baud Rate	<p>When the Option 001 is installed.</p> <p>PAM4 input: 2.4 to 32.1 Gbaud</p> <p>NRZ input: 2.4 to 32.1 Gbit/s</p> <p>When the Option 002 or y12 is installed.</p> <p>PAM4 input: 2.4 to 58.2 Gbaud*</p> <p>NRZ input: 2.4 to 64.2 Gbit/s*</p>

*: When BERT for PCIe1-6 is selected:

PAM4 input: 2.4 to 32.1 Gbaud

NRZ input: 2.4 to 32.1 Gbit/s

Table 1.3.3-2 System Clock

Item	Specifications
System Clock	<p>External, Recovered Clock (When the Option x21, x22, x23, or y24 is installed)</p> <p>External: Clock input from the Ext Clock Input connector</p> <p>For PAM4, select from 2.4 to 32.1 Gbaud, 32.1 to 58.2 Gbaud and Auto.</p> <p>For NRZ, select from 2.4 to 32.1 Gbit/s, 32.1 to 64.2 Gbit/s and Auto.</p> <p>Recovered Clock: Clock recovered from the data input from the Data Input connector</p>

Table 1.3.3-3 Data Input

Item	Specifications
Number of inputs	2 (Data, XData) (Differential)
Input Condition	Single-Ended, Differential 50 Ohm, Differential 100 Ohm When set to Differential 50 Ohm or Differential 100 Ohm: Independent, Tracking, Alternate* ¹ When set to Alternate: Data-XData, XData-Data* ² When set to Single-Ended: Data, XData* ³
Signal Type LSB/MSB Diagnostics	NRZ, PAM4 When set to PAM4, the PAM4 mode can be switched between as follows: Diagnostics Mode OFF: Treats signals as symbols by receiving LSB and MSB while synchronizing them with each other. Diagnostics Mode ON: Asynchronously receives LSB and MSB.
Amplitude	NRZ: The range in which the Auto Adjust function and the Auto Search function operate. 0.05 to 1.0 Vp-p* ⁴ , * ⁵ 0.1 to 1.0 Vp-p* ⁴ , * ⁶ PAM4: The range in which the Auto Search PAM4 Fine function operates. 0.3 to 1.0 Vp-p* ⁷ , * ⁸ 0.4 to 1.0 Vp-p* ⁷ , * ⁹
Threshold	NRZ, PAM4 Middle Eye Threshold: -3.5 to +3.3 V, 1 mV step* ² , * ¹⁰ PAM4 Upper Eye Threshold: -3.9 to +3.7 V, 1 mV step* ¹¹ PAM4 Lower Eye Threshold: -3.9 to +3.7 V, 1 mV step* ¹¹


*1: Tracking is available only for NRZ.

*2: The absolute value of the difference between Data and XData Threshold values shall be 1.5 V or less.

*3: PAM4 Upper Eye and Lower Eye can be set by relative values to Middle Eye in the range of -0.4 V to +0.4 V.


*4: Single-Ended, Differential, Mark Ratio1/2, the Eye Height shall meet the specification.

Example of waveform input to MU196040B when bit rate is 32.1 Gbit/s




*5: Bit rate \leq 32.1 Gbit/s

- *6: Bit rate >32.1 Gbit/s
- *7: 0/3 Level, PRBS31, Mark Ratio1/2, with connected to the MU196020A using an attenuator, with Emphasis adjusted so that the Eye Height meets the specification



Example of waveform input to MU196040B when baud rate is 32.1 Gbaud



- *8: Single-Ended, Differential, Baud rate ≤ 32.1 Gbaud
- *9: Differential, Baud rate >32.1 Gbaud
- *10: Data and XData can be set independently.
- *11: Data and XData cannot be set independently, and can be set in the range of ± 0.4 V from Middle Eye Threshold.

Table 1.3.3-3 Data Input (Cont'd)


Item	Specifications
Sensitivity	Single-Ended, Mark Ratio 1/2, PRBS31, when connecting directly to the MU196020A using J1789A and an attenuator, Emphasis ON, unused connectors on the MU196020A and MU196040B are terminated, At a constant temperature between 20 and 30 °C
Eye Amplitude	NRZ Typ. 25 mVp-p, ≤ 50 mVp-p* ¹² (26.5625 Gbit/s, 32.1 Gbit/s) Typ. 31 mVp-p, ≤ 55 mVp-p* ¹³ (53.125 Gbit/s) Typ. 43 mVp-p, ≤ 60 mVp-p* ¹³ (64.2 Gbit/s)
Eye Height	NRZ Typ. 19 mV* ¹² (26.5625 Gbit/s, 32.1 Gbit/s) Typ. 21 mV* ¹³ (53.125 Gbit/s) Typ. 32 mV* ¹³ (64.2 Gbit/s) PAM4 0/1 1/2 2/3 Level, PRBS31, when using External Clock Typ. 23 mV, ≤ 50 mV* ¹² (26.5625 Gbaud, 32.1 Gbaud) Typ. 36 mV, ≤ 60 mV* ¹³ (53.125 Gbaud) Typ. 49 mV, ≤ 70 mV* ¹³ (58.2 Gbaud) Note that 53.125 Gbaud and 58.2 Gbaud are defined by the Eye Height value that results in a differential waveform having BER of 1E-06 by changing the test pattern to QPRBS13-CEI after setting the test pattern to PRBS31 and setting the amplitude value.
Phase Margin	Differential, Mark Ratio 1/2, PRBS31, when inputting 0.5 Vp-p, when connecting directly to the MU196020A using J1789A and an attenuator. At a constant temperature between 20 and 30 °C, when using External Clock NRZ* ¹⁴ Typ. 25.8 ps* ¹² (26.5625 Gbit/s) Typ. 18.0 ps* ¹² (32.1 Gbit/s) Typ. 10.5 ps* ¹³ (53.125 Gbit/s) Typ. 8.7 ps* ¹³ (64.2 Gbit/s) PAM4 Typ. 5.3 ps* ¹² (26.5625 Gbaud) Typ. 4.5 ps* ¹² (32.1 Gbaud) Typ. 4.1 ps* ¹³ , * ¹⁴ (53.125 Gbaud) Typ. 2.5 ps* ¹³ , * ¹⁴ (58.2 Gbaud)

*12: When the Option 001, 002, or y12 is installed.

*13: When the Option 002 or y12 is installed.


*14: Value including RJ equivalent to BER 1E-12 of input signal

Table 1.3.3-3 Data Input (Cont'd)

Item	Specifications
Stressed Margin Stressed Eye Height	PAM4 0/1 1/2 2/3 Level, QPRBS13-CEI, Eye Height where BER is 1E-06, when using External Clock $\geq 32 \text{ mV}^{*15, *16}$ $\geq 37 \text{ mV}^{*17, *18}$
Stressed Eye Width	PAM4 0/1 1/2 2/3 Level, QPRBS13-CEI, Eye Width where BER is 1E-06, when using External Clock $\geq 7.53 \text{ ps}^{*15, *16}$ $\geq 3.76 \text{ ps}^{*17, *18}$
Termination Termination Voltage	50 Ω , GND, Variable When set to Variable: -2.5 to +3.5 V, 10 mV step
Connector	V connector (f.)
Decision Feedback Equalizer	With a built-in Decision Feedback Equalizer (DFE) ^{*19}
Tap	1
Coefficient	
Setting Range	0 to 30, 1 step
Loss Compensation	Nom. 1.4 dB ^{*20}
Low Frequency Equalizer	With a built-in Low Frequency Equalizer ^{*19}
Gain	
Setting Range	-2.0 to 0 dB, 0.5 dB step
Accuracy	Typ. $\pm 1.0 \text{ dB}$
Ideal Frequency Response	

*15: 26.5625 Gbaud, when installed with the Option 001, 002 or y12 and the Option x11, BER 1E-12

*16: 26.5625 Gbaud, Differential, Mark Ratio 1/2, when J1789A is used to connect J1800A (1 pc) and MU196020A



At a constant temperature between 20 and 30 °C, measure with a 70-GHz bandwidth sampling oscilloscope with residual jitter of less than 200 fs (RMS).


Adjust De-Emphasis (2 Pre Cursors and 1 Post Cursor) of MU196020A so that the product of Eye Height (1E-06) and Eye Width (1E-06) can be maximized in the differential waveform.

Calculate the 4th-order Bessel Filter (Cutoff Frequency 40 GHz) + CTLE (+1 dB Peaking at 14 GHz) and calibrate it to a PAM4 waveform with Eye Amplitude of 0.88 Vp-p (Diff) or less and Eye Linearity R_{LM} 0.85 or more.

Activate the DFE and Low Frequency Equalizer in the MU196040B, and perform adjustment.

*17: 53.125 Gbaud, when the Option 002, y12 and x11 are installed, BER 1E-8 nom.

*18: 53.125 Gbaud, when the Option 002, y12 and x11 are installed, Differential, Mark Ratio 1/2, when connecting a device with 12.0 dB insertion loss and MU196020A.



At a constant temperature between 20 and 30 °C, measure with a 70-GHz bandwidth sampling oscilloscope with residual jitter of less than 200 fs (RMS).

Adjust De-Emphasis (2 Pre Cursors and 1 Post Cursor) of MU196020A so that the product of Eye Height (1E-06) and Eye Width (1E-06) can be maximized in the differential waveform.

Calculate the 4th-order Bessel Filter (Cutoff Frequency 43 GHz) + CTLE (+1 dB Peaking at 28 GHz) and calibrate it to a PAM4 waveform with Eye Amplitude of 0.88 Vp-p (Diff) or less and Eye Linearity R_{LM} 0.85 or more.

Activate the DFE and Low Frequency Equalizer in the MU196040B, and perform adjustment.

*19: When the Option x11 is installed.

*20: 53.125 Gbaud, Calculated from the following three:

- The BER result obtained when DFE is OFF under the condition of *18.
- The BER result obtained when DFE is OFF under the condition of *18 and 1.8 dB additional loss.
- The best BER result obtained when DFE is ON under the condition of *18 and 1.8 dB additional loss.

Table 1.3.3-4 Clock Input

Item	Specifications
External Clock Input	Operation Baud Rate = Clock Input Frequency × 2
Number of inputs	1 (Single-Ended)
Frequency range	1.2 to 32.1 GHz
Amplitude	0.3 to 1.0 V _{p-p} (–6.5 to +4.0 dBm) (Input Frequency ≤ 16.05 GHz) 0.4 to 1.0 V _{p-p} (–3.9 to +4.0 dBm) (Input Frequency > 16.05 GHz)
Termination	50 Ω, AC Coupling
Connector	K connector (f.)

Table 1.3.3-5 Aux Input

Item	Specifications
Number of inputs	1 (Single-Ended)
Variation	External Mask, Burst, Capture External Trigger
Minimum pulse width	1/256 of Data rate
Input level	<ul style="list-style-type: none"> • 0/–1 V (H: –0.25 to 0.05 V, L: –1.1 to –0.8 V) • 0/–0.5 V (H: –0.05 to 0.05 V, L: –0.55 to –0.45 V) • V_{th} 0 V (Input amplitude 0.5 to 1.0 V_{p-p}) Select one of the above.
Termination	50 Ω, GND
Connector	SMA connector (f.)

Table 1.3.3-6 Aux Output

Item	Specifications
Number of outputs	2 (Differential)
Variation	1/n Clock (n = 8, 12, 16, 20...1020, 1024), Pattern Sync, Sync Gain, Error Output, Capture Trigger
Pattern Sync PRBS, PRGM	Position: 1 to {(Least common multiple of Pattern Length' and 256) – 263}, 8 steps (When the Option 001 is installed) Pattern Length' shall be the value obtained by multiplying Pattern Length setting until it becomes 1024 or more if it is 1023 or less.
Output level	0/–0.6 V (H: –0.25 to 0.05V, L: –0.80 to –0.45 V)
Termination	50 Ω, GND
Connector	SMA connector (f.)

Table 1.3.3-7 Pattern Detection

Item	Specifications
PRBS	
Pattern length	$2^n - 1$ ($n = 7, 9, 10, 11, 13, 15, 20, 23, 31$)
Mark ratio	1/2, 1/2inv
PRBS generator polynomial	$n=7: 1 + X^6 + X^7$ $n=9: 1 + X^5 + X^9$ $n=10: 1 + X^7 + X^{10}$ $n=11: 1 + X^9 + X^{11}$ $n=13: 1 + X + X^2 + X^{12} + X^{13}$ $n=15: 1 + X^{14} + X^{15}$ $n=20: 1 + X^3 + X^{20}$ $n=23: 1 + X^{18} + X^{23}$ $n=31: 1 + X^{28} + X^{31}$
PRBS Inversion	<p>This is available in PAM4 mode only.</p> <p>Logically inverted PRBS can be set independently for MSB and LSB.</p>
Zero-Substitution	This is available in NRZ mode only.
Additional Bit	0 bit, 1 bit
Pattern length	2^n or $2^n - 1$ ($n = 7, 9, 10, 11, 15, 20, 23$)
Start position	Substitutes the bit coming after the maximum "0" successive bits.
Zero-Length	1 to (Pattern Length – 1) bits
	If the bit coming after Zero-substitution is "0," then it is replaced with "1."
Data	
Data length	NRZ: 2 to 268 435 456 bits, 1 bit step PAM4: 2 to 268 435 456 symbols, 1 symbol step

Table 1.3.3-7 Pattern Detection (Cont'd)

Item	Specifications
Coding NRZ PAM4 Gray Coding PAM4 Precoding ($1/(1 + D) \bmod 4$)* ¹	NRZ, PAM4 Normal, Invert ON, OFF* ³ ON, OFF* ³
PAM4 Inverse Gray Coder PAM4 Pre Code Remover* ²	ON, OFF* ⁴ ON, OFF* ⁴
Input Signal Decoder Delay Symbol SKP Preset SRIS EIEOS SKP OS Filter	ON, OFF Fixed to OFF when PAM4 Standard Pattern is one of the following specific patterns: PRBS13Q, QPRBS13-CEI, PRBS13Q(InfiniBand), PRBS23Q, PRBS31Q, QPRBS-CEI, PRBS31Q(InfiniBand), PRBS31Q(Fiber Channel), SSPRQ, QPRBS13, JP03A, JP03B, Transmitter Linearity, Square Wave, CP in 1b/1b Encoding for PCIe6, MCP in 1b/1b Encoding for PCIe6 ON, OFF No SKP, SKPx1, SKPx2 P0, P1, P2, P3, P4, P5, P6, P7, P8, P9, P10 ON, OFF ON ON, OFF

*1: ($1/(1+D) \bmod 4$) is a generator polynomial defined in the IEEE802.3.

*2: Uses the generator polynomial ($1+D$) *mod 4* defined in the IEEE802.3.

*3: Available only when Input Signal Decoder is **OFF**. Not available when it is **ON**.

*4: Available only when Input Signal Decoder is **ON**. Not available when it is **OFF**.

Table 1.3.3-7 Pattern Detection (Cont'd)

Item	Specifications
PAM4 Standard Pattern	Standard-compliant PAM4-mode patterns
CEI	QPRBS13-CEI, QPRBS31-CEI
IEEE	IEEE802.3bs/cd: PRBS13Q, PRBS31Q, SSPRQ, Square Wave IEEE802.3bj: QPRBS13, JP03A, JP03B, Transmitter Linearity
InfiniBand	PRBS13Q (InfiniBand), PRBS23Q, PRBS31Q (InfiniBand)
Fibre Channel	PRBS31Q (Fibre Channel)
RS-FEC	RS-FEC Scrambled Idle 50G 1Lane* ⁵ , RS FEC Scrambled Idle 100G 1Lane* ⁵ , RS FEC-Int Scrambled Idle 100G 1Lane* ⁵ , RS FEC Scrambled Idle 100G 2Lanes* ⁵ , RS-FEC Scrambled Idle 200G 2Lanes* ⁵ , RS-FEC Scrambled Idle 200G 4Lanes* ⁵ , RS-FEC Scrambled Idle 400G 4Lanes* ⁵ , RS-FEC Scrambled Idle 400G 8Lanes* ⁵
PCIe	CP in 1b/1b Encoding for PCIe6 MCP in 1b/1b Encoding for PCIe6
NRZ Standard Pattern	Standard-compliant NRZ-mode pattern
CEI	SSPR
RS-FEC	RS-FEC Scrambled Idle 25G 1Lane* ⁵ , RS-FEC Scrambled Idle 50G 2Lanes RS(544,514)* ⁵ , RS-FEC Scrambled Idle 100G 4Lanes* ⁵ , RS-FEC Scrambled Idle 100G 4Lanes RS(544,514)* ⁵
PCIe	CP in 8b/10b Encoding for PCIe1 MCP in 8b/10b Encoding for PCIe1 CP in 8b/10b Encoding for PCIe2 MCP in 8b/10b Encoding for PCIe2 CP in 128b/130b Encoding for PCIe3 MCP in 128b/130b Encoding for PCIe3 CP in 128b/130b Encoding for PCIe4 MCP in 128b/130b Encoding for PCIe4 CP in 128b/130b Encoding for PCIe5 MCP in 128b/130b Encoding for PCIe5

*5: When the Option w42 is installed.

Table 1.3.3-8 Pattern Sequence

Item	Specifications
Sequence	Repeat, Burst
Repeat	Continuous Pattern
Burst	This is available only when Coding is NRZ.
Source	Internal, External-Enable (Aux Input), External-Trigger (Aux Input)
Delay	Internal: 0 to 2 147 483 640 bits, 8 bits step External-Trigger, External-Enable: 0 to 2 147 483 520 bits, 8 bits step Adjust Method: Auto, Manual
Enable Period	Internal: 12 800 to 2 147 482 624 bits, 256 bits step External-Trigger: 12 800 to 2 147 483 136 bits, 256 bits step
Burst Cycle	25 600 to 2 147 483 648 bits, 1024 bits step

Table 1.3.3-9 Measurement

Item	Specifications
Counter	Error Rate (ER) Total: 0.000 1E-18 to 1.000 0E00
	Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	%Error Free Interval: 0.000 0 to 100.000 0
	Error Rate (ER) Insertion (INS): 0.000 1E-18 to 1.000 0E00
	Error Count (EC) Insertion (INS): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Error Rate (ER) Omission (OMI): 0.000 1E-18 to 1.000 0E00
	Error Count (EC) Omission (OMI): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Frequency: 2 400.000 to 58 200.000 MHz
	Frequency measurement accuracy: ± 1 ppm ± 1 kHz*1
	Clock Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Sync Loss Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Clock Loss Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Expressions enclosed in parentheses are abbreviations.

*1: With a gating system and with MP1900A's reference clock (10 MHz) calibrated

Table 1.3.3-9 Measurement (Cont'd)

Item	Specifications
Counter (Cont'd)	MSB Error Rate (ER) Total: 0.000 1E-18 to 1.000 0E00
	MSB Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	MSB Error Interval*2: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	MSB %Error Free Interval*2: 0.000 0 to 100.000 0
	MSB Error Rate (ER) Insertion (INS): 0.000 1E-18 to 1.000 0E00
	MSB Error Count (EC) Insertion (INS): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	MSB Error Rate (ER) Omission (OMI): 0.000 1E-18 to 1.000 0E00
	MSB Error Count (EC) Omission (OMI): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	LSB Error Rate (ER) Total: 0.000 1E-18 to 1.000 0E00
	LSB Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	LSB Error Interval*2: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	LSB %Error Free Interval*2: 0.000 0 to 100.000 0
	LSB Error Rate (ER) Insertion (INS): 0.000 1E-18 to 1.000 0E00
	LSB Error Count (EC) Insertion (INS): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	LSB Error Rate (ER) Omission (OMI): 0.000 1E-18 to 1.000 0E00
	LSB Error Count (EC) Omission (OMI): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	The following are available only for PAM4 (Diagnostics Mode ON) measurement.
	MSB Bit Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	MSB Clock Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	MSB Sync. Loss Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	LSB Bit Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	LSB Clock Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	LSB Sync. Loss Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Expressions enclosed in parentheses are abbreviations.

*2: Can be obtained only with remote commands.

Table 1.3.3-9 Measurement (Cont'd)


Item	Specifications
Counter (Cont'd)	<p>The following are available when the Option z41 SER Measurement is installed.</p> <p>The following are available only for PAM4 (Diagnostics Mode OFF) measurement.</p>  <p>Symbol Error Rate (SER): 0.000 1E-18 to 1.000 0E00</p> <p>Symbol Error Count (SEC): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Symbol Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Symbol %Error Free Interval: 0.000 0 to 100.000 0</p> <p>PAM4 Symbol Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 3 PAM4 Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 2 PAM4 Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 1 PAM4 Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 0 PAM4 Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Details-Result PAM4-Display1</p> <p>Level 0 → 3 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 0 → 2 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 0 → 1 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 0 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 0 ER Total: 0.000 1E-18 to 1.000 0E00</p> <p>Level 1 → 3 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 1 → 2 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 1 → 0 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 1 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Level 1 ER Total: 0.000 1E-18 to 1.000 0E00</p>

Table 1.3.3-9 Measurement (Cont'd)

Item	Specifications
Counter (Cont'd)	Level 2 → 3 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 2 → 1 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 2 → 0 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 2 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 2 ER Total: 0.0001E-18 to 1.000 0E00
	Level 3 → 2 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 3 → 1 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 3 → 0 EC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 3 EC Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 3 ER Total: 0.000 1E-18 to 1.000 0E00
	Details-Result PAM4-Display ^{2*3}
	Transition 1level
	Level 0 → 1 and Level 1 → 0
	SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 1 → 2 and Level 2 → 1
	SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 2 → 3 and Level 3 → 2
	SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Transition 2level
	Level 0 → 2 and Level 2 → 0
	SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Level 1 → 3 and Level 3 → 1
	SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Transition 3level
	Level 0 → 3 and Level 3 → 0
	SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Upper Eye Total SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Middle Eye Total SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Lower Eye Total SEC: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17
	Upper Eye Total SER: 0.000 1E-18 to 1.000 0E00
	Middle Eye Total SER: 0.000 1E-18 to 1.000 0E00
	Lower Eye Total SER: 0.000 1E-18 to 1.000 0E00

*3: Available when Input Signal Decoder is **OFF**.

Table 1.3.3-9 Measurement (Cont'd)

Item	Specifications
Counter (Cont'd)	<p>The following items are available only when the Option w42 FEC Analysis is installed.</p> <p>Uncorrectable Codeword Error Rate (UCWER): 0.000 1E-18 to 1.000 0E00</p> <p>Uncorrectable Codeword Error Count (UCWEC): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Uncorrectable Codeword Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Uncorrectable Codeword %Error Free Interval: 0.000 0 to 100.000 0</p> <p>FEC Symbol Error Rate (ER): 0.000 1E-18 to 1.000 0E00</p> <p>FEC Symbol Error Count (EC): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>FEC Symbol Error Interval: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>FEC Symbol %Error Free Interval: 0.000 0 to 100.000 0</p> <p>Total Codeword Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Details-Result RS-FEC</p> <p>MSB FEC Symbol Error Rate (ER) Total: 0.000 1E-18 to 1.000 0E00</p> <p>MSB FEC Symbol Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>LSB FEC Symbol Error Rate (ER) Total: 0.000 1E-18 to 1.000 0E00</p> <p>LSB FEC Symbol Error Count (EC) Total: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>FEC Symbol Error Count N = 0 to 31 Codeword Rate: 0.000 1E-18 to 1.000 0E00</p> <p>N = 0 to 31 Codeword Count: 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Uncorrectable Codeword Rate (UCWR): 0.000 1E-18 to 1.000 0E00</p> <p>Uncorrectable Codeword Count (UCWC): 0 to 9 999 999, 1.000 0E07 to 9.999 9E17</p> <p>Expressions enclosed in parentheses are abbreviations.</p>
RS-FEC Error Distribution	<p>Available only when the Option w42 FEC Analysis is installed.</p> <p>The number of codewords is displayed in a graph by FEC symbol error count per codeword.</p>

Table 1.3.3-9 Measurement (Cont'd)

Item	Specifications
Input Signal Decoder Indicator	Displays the coding status during PAM4 mode error measurement. Raw Signal: Displays error measurement results of input data without decoding it. Decoded Signal: Displays error measurement results of decoded input data.
Gating	Time, Clock Count, Error Count
Gating Unit	Time: 1 second to 99 days 23 hours 59 minute 59 seconds Clock Count: >E+4 to >E+16 Error Count: >E+4 to >E+16
Cycle	Single, Repeat, Untimed
Current	On, Off can be set. Calculation: Progressive, Immediate Interval: 100 ms, 200 ms
Auto Sync	On, Off can be set. Synchronization threshold: INT, E-2 to E-8
Sync Control	PRBS: Automatic Synchronization Data: Frame On
Frame Length	NRZ: 4 to 64 bits, 4 bits step PAM4: 4 to 64 symbols, 4 symbols step
Frame Mask	Available
Frame Position	NRZ: 1 to (Pattern Length – Frame Length +1) bits, 1 bit step PAM4: 1 to (Pattern Length – Frame Length +1) symbols, 1 symbol step
Error/Alarm Conditions	
Error Detection	NRZ: Insertion/Omission, Transition/Non Transition PAM4: Not available
EI/EFI Interval	1 ms, 10 ms, 100 ms, 1 s

Table 1.3.3-10 Error Analysis

Item	Specifications																												
Bit Mask (Block Window) Setting resolution	Excludes the specified data pattern from measurement.* ¹ The resolution is set depending on the pattern length as follows: <table><tr><th>Pattern length (bits)</th><th>Setting resolution (bits)</th></tr><tr><td>2 to 2 097 152</td><td>1</td></tr><tr><td>2 097 153 to 4 194 304</td><td>2</td></tr><tr><td>4 194 305 to 8 388 608</td><td>4</td></tr><tr><td>8 388 609 to 16 777 216</td><td>8</td></tr><tr><td>16 777 217 to 33 554 432</td><td>16</td></tr><tr><td>33 554 433 to 67 108 864</td><td>32</td></tr><tr><td>67 108 865 to 134 217 728</td><td>64</td></tr><tr><td>134 217 729 to 268 435 456</td><td>128</td></tr></table>	Pattern length (bits)	Setting resolution (bits)	2 to 2 097 152	1	2 097 153 to 4 194 304	2	4 194 305 to 8 388 608	4	8 388 609 to 16 777 216	8	16 777 217 to 33 554 432	16	33 554 433 to 67 108 864	32	67 108 865 to 134 217 728	64	134 217 729 to 268 435 456	128										
Pattern length (bits)	Setting resolution (bits)																												
2 to 2 097 152	1																												
2 097 153 to 4 194 304	2																												
4 194 305 to 8 388 608	4																												
8 388 609 to 16 777 216	8																												
16 777 217 to 33 554 432	16																												
33 554 433 to 67 108 864	32																												
67 108 865 to 134 217 728	64																												
134 217 729 to 268 435 456	128																												
Lane Mask (Bit Window)	Excludes any channels among internal 32 channels from measurement.* ¹ (Available only in NRZ mode.)																												
External Mask	H: Measurement L: Mask																												
Capture Capture Mode	NRZ, PAM4 (Only FEC Symbol Capture is available when LSB/MSB Diagnostics is set to ON.) PAM4 is available when the Option z41 SER Measurement is installed. Sync Mode Capture Performs error judgment. Synchronization is required between input data and pattern setting. Raw Data Capture Does not perform error judgment. Synchronization is not required between input data and pattern setting. FEC Symbol Capture* ² , * ³ Performs FEC Symbol error judgment. Synchronization is required between input data and pattern setting. Judgement is made on whether the number of FEC Symbol errors exceeds the threshold. Refer to the table below for Capture Mode that can be executed according to the Input Signal Decoder setting. <table><tr><th rowspan="3">Capture Mode</th><th colspan="4">Input Signal Decoder</th></tr><tr><th colspan="2">(Diagnostics Mode = OFF)</th><th colspan="2">(Diagnostics Mode = ON)</th></tr><tr><th>OFF</th><th>ON</th><th>OFF</th><th>ON</th></tr><tr><td>Raw Data Capture</td><td>✓</td><td>—</td><td>—</td><td>—</td></tr><tr><td>Sync Mode Capture</td><td>✓</td><td>✓</td><td>—</td><td>—</td></tr><tr><td>FEC Symbol Capture</td><td>✓</td><td>✓</td><td>✓</td><td>✓</td></tr></table>	Capture Mode	Input Signal Decoder				(Diagnostics Mode = OFF)		(Diagnostics Mode = ON)		OFF	ON	OFF	ON	Raw Data Capture	✓	—	—	—	Sync Mode Capture	✓	✓	—	—	FEC Symbol Capture	✓	✓	✓	✓
Capture Mode	Input Signal Decoder																												
	(Diagnostics Mode = OFF)		(Diagnostics Mode = ON)																										
	OFF	ON	OFF	ON																									
Raw Data Capture	✓	—	—	—																									
Sync Mode Capture	✓	✓	—	—																									
FEC Symbol Capture	✓	✓	✓	✓																									

*1: RS-FEC pattern is excluded.

*2: Each FEC Symbol consists of data of 10 or 20 bits.

*3: Occurrence of one or more bit errors in one FEC Symbol is counted as one FEC Symbol error.

Table 1.3.3-10 Error Analysis (Cont'd)

Item	Specifications																																
Capture (Cont'd)																																	
Auto Launch	Select the result screen you want to display automatically when data is captured. <ul style="list-style-type: none">● Capture Data Displays the captured pattern data numerically or by a string (Bin, Hex, Symbol).● Error Mapping Displays the captured error data as a map. This cannot be selected when Capture Mode is Raw Data Capture or FEC Symbol Capture.● Disable Does not automatically display the result screen.																																
Number of Blocks	1, 2, 4, 8, 16, 32, 64, 128																																
Block Length	NRZ: 8 Mbits / n (n=Number of blocks) PAM4: 4 Msymbols / n (n=Number of blocks)																																
Trigger	Error Detect, Match Pattern, Manual Trigger, External Trigger (Rising Edge), Consecutive Error Detect, Intermittent Error Detect Error Detect cannot be selected when Capture Mode is Raw Data Capture. For the relationship between Capture Modes and selectable Triggers, refer to the table below. <table><tr><th>Trigger</th><th>Sync Mode Capture</th><th>Raw Data Capture</th><th>FEC Symbol Capture</th></tr><tr><td>Error Detect</td><td>✓</td><td>—</td><td>—</td></tr><tr><td>Match Pattern</td><td>✓</td><td>✓</td><td>—</td></tr><tr><td>Manual Trigger</td><td>✓</td><td>✓</td><td>✓</td></tr><tr><td>External Trigger</td><td>✓</td><td>✓</td><td>—</td></tr><tr><td>Consecutive Error Detect*4</td><td>—</td><td>—</td><td>✓</td></tr><tr><td>Intermittent Error Detect*5</td><td>—</td><td>—</td><td>✓</td></tr><tr><td>Pattern Sync</td><td>✓</td><td>—</td><td>—</td></tr></table>	Trigger	Sync Mode Capture	Raw Data Capture	FEC Symbol Capture	Error Detect	✓	—	—	Match Pattern	✓	✓	—	Manual Trigger	✓	✓	✓	External Trigger	✓	✓	—	Consecutive Error Detect*4	—	—	✓	Intermittent Error Detect*5	—	—	✓	Pattern Sync	✓	—	—
Trigger	Sync Mode Capture	Raw Data Capture	FEC Symbol Capture																														
Error Detect	✓	—	—																														
Match Pattern	✓	✓	—																														
Manual Trigger	✓	✓	✓																														
External Trigger	✓	✓	—																														
Consecutive Error Detect*4	—	—	✓																														
Intermittent Error Detect*5	—	—	✓																														
Pattern Sync	✓	—	—																														
Trigger Position	After the Trigger, Around the Trigger, Before the Trigger After the Trigger and Before the Trigger cannot be selected when Capture Mode is FEC Symbol Capture.																																
Match Pattern Length	NRZ: 4 to 64 bits, 1 bit step PAM4: 4 to 64 symbols, 1 symbol step																																
Match Pattern Mask	NRZ: 4 to 64 bits, 1 bit step PAM4: 4 to 64 symbols, 1 symbol step																																

*4: Consecutive Error Detect: Starts capturing when the number of consecutive FEC Symbol Errors equals to or exceeds the threshold regardless of codeword.

*5: Intermittent Error Detect: Starts capturing when the number of FEC Symbol Errors that occurred within one codeword exceeds the threshold.

Table 1.3.3-10 Error Analysis (Cont'd)

Item	Specifications
Capture (Cont'd)	
FEC Symbol Capture Setting	
Preset	For NRZ: Variable, RS-FEC 25G 1Lane, RS-FEC 50G 2Lanes RS(544,514), RS-FEC 100G 4Lanes, RS-FEC 100G 4Lanes RS(544,514) For PAM4: Variable, RS-FEC 50G 1Lane, RS-FEC 100G 1Lane, RS-FEC-Int 100G 1Lane, RS-FEC 100G 2Lanes, RS-FEC 200G 2Lanes, RS-FEC 200G 4Lanes, RS-FEC 400G 4Lanes, RS-FEC 400G 8Lanes
Number of FEC Symbols per Lane in a Codeword	68, 132, 136, 272, 528, 544 FEC Symbols, 1 FEC Symbol step
Bit Length in a FEC Symbol	10, 20 bits
FEC Symbol Errors in a Codeword	When Trigger is Consecutive Error Detect: 1 to 32 FEC Symbols, 1 FEC Symbol step When Trigger is Intermittent Error Detect: 1 to 32 FEC Symbols, 1 FEC Symbol step
Comparison	Greater than or equal to, Equal to

Table 1.3.3-10 Error Analysis (Cont'd)

Item	Specifications
Capture (Cont'd) Capture Result Capture Data	Displays captured results by bit or symbol sequence in NRZ or PAM4 mode. When Capture Mode is Sync Mode Capture or FEC Symbol Capture, error bits and symbols are displayed with background color.
Viewer Mode	Sets the view mode of the captured result pattern. NRZ: BIN, HEX PAM4: Symbol, BIN(MSB/LSB) Waveform display can be turned on and off.
Error display	NRZ: Insertion Error, Omission Error When the input signal decoder is OFF : PAM4(Symbol): Lower Eye Error, Middle Eye Error, Upper Eye Error, Middle/Lower Eye Error, Upper/Middle Eye Error, Upper/Middle/Lower Eye Error When the input signal decoder is ON : PAM4(Symbol): MSB, LSB, MSB+LSB PAM4(MSB/LSB): Insertion Error, Omission Error
Error Search	This is available only when Capture Mode is Sync Mode Capture or FEC Symbol Capture. First: First error Pre: Previous error Next: Next error Last: Last error In PAM4 mode only, a search target can be selected from All, Upper Eye, Middle Eye and Lower Eye.
Continuous Error	This is available only when Capture Mode is Sync Mode Capture or FEC Symbol Capture. Searches for continuous error bits/symbols. NRZ: 1 to 256 bits PAM4(Symbol): 1 to 256 symbols PAM4(MSB/LSB) : 1 to 256 bits
Codeword Head Position Jump	This is available only when Capture Mode is Sync Mode Capture or FEC Symbol Capture. Searches for the beginning of a codeword. First: Beginning of the first codeword Pre: Beginning of the previous codeword Next: Beginning of the next codeword Last: Beginning of the last codeword Available only when Capture Mode is FEC Symbol Capture.

Table 1.3.3-10 Error Analysis (Cont'd)

Item	Specifications
Capture (Cont'd)	
File Save	<p>Saves the captured results and pattern to a file.</p> <p>NRZ:</p> <p>BIN/HEX Text: Captured result file (It can be opened in the Capture Data screen.)</p> <p>BIN/HEX Text(export): Pattern file including error information (It can be opened in Pattern Editor.)</p> <p>PAM4:</p> <p>Symbol Text: Captured result file (It can be opened in the Capture Data screen.)</p> <p>Symbol Text(export): Pattern file including error information (It can be opened in Pattern Editor.)</p>
File Open	<p>Redisplays the captured results.</p> <p>NRZ:</p> <p>BIN/HEX Text: Captured result file</p> <p>PAM4:</p> <p>Symbol Text: Captured result file</p>
Error Mapping	<p>Visually maps errors using bits with colored-background in NRZ or PAM4 mode.</p> <p>This is available only when Capture Mode is Sync Mode Capture.</p>
Error display	<p>NRZ: Insertion Error, Omission Error</p> <p>When the input signal decoder is OFF:</p> <p>PAM4: Lower Eye Error, Middle Eye Error, Upper Eye Error, Middle/Lower Eye Error, Upper/Middle Eye Error, Upper/Middle/Lower Eye Error</p> <p>When the input signal decoder is ON:</p> <p>PAM4: MSB, LSB, MSB+LSB</p>
File Open	<p>Remaps the captured results (errors).</p> <p>NRZ:</p> <p>BIN/HEX Text: Captured result file</p> <p>PAM4:</p> <p>Symbol Text: Captured result file</p>

Table 1.3.3-11 Auto Measurement

Item	Specifications
Bath-Tub	NRZ/PAM4: Available*1, *2, *3
Eye Contour	NRZ/PAM4: Available*2, *3, *4, *5
Auto Adjust	NRZ: Vth direction only*6 PAM4: MSB Vth direction only*6, *7
Auto Search	NRZ: Available*6 PAM4 (LSB/MSB Diagnostics OFF/ON): Available*6, *8
Advanced Search	Supports adjustment of PRBS Inv, Logic (MSB, LSB), Gray Coder, Inverse Gray Coder, Eye Threshold (Middle, Upper, Lower), Delay, DFE and LFEQ.*9 NRZ: Available*6 PAM4: Available*6, *8, *10
BER/SER Logging	NRZ: With BER Logging PAM4: With SER Logging

*1: When PAM4 is selected, measurement can be performed by selecting one from Upper, Middle, and Lower Eyes, and SER.

*2: Not available under the following conditions:

- There is a swap between MSB and LSB patterns in RS-FEC Scrambled Idle Pattern. (Swap lamp: On)
- The measured value of MSB/LSB Diff is other than 0.

*3: The Option z41 required to use the function.

*4: When PAM4 is selected, measurement can be performed by selecting one from Upper, Middle, and Lower Eyes.

*5: The PAM4 waveform (simultaneous display of Upper/Middle/Lower Eye) is displayed by optimizing the delay in the phase direction inside the measuring instrument of each of Upper/Middle/Lower eyes.

*6: PRBS Pattern, Mark Ratio 1/2

*7: Each of amplitudes shall be equal.

*8: Each of 0/1, 1/2 and 2/3 levels is equal.

*9: The Option x11 is required for adjustment of DEF and LFEQ.

*10: PRBS Inv, Logic (MSB, LSB), Gray Coder, Inverse Gray Coder, and Eye Threshold (Middle, Upper, Lower) are available only when Modulation Type is PAM4.

Table 1.3.3-12 Variable Clock Delay

Item	Specifications
Phase variable range	−1000 to +1000 mUI, 2 mUI step
Accuracy	$\pm 50 \text{ mUIp-p}^{*1, *2}$ (Baud rate $\leq 32.1 \text{ Gbaud}$) $\pm 100 \text{ mUIp-p}^{*1, *2}$ (Baud rate $> 32.1 \text{ Gbaud}$)
mUI – ps switching	Available (internally converted into ps)
Calibration	Available (when jitter modulation is off)
Calibration indicator	This indicator is on when Calibration is required due to: <ul style="list-style-type: none"> • Change in 1/1Clock frequency by $\pm 250 \text{ kHz}$. • Change in the ambient temperature by $\pm 5 \text{ }^{\circ}\text{C}$.

*1: Measure using an oscilloscope with residual jitter of less than 200 fs (RMS).

*2: Typical value

Table 1.3.3-13 Jitter Tolerance

Item	Specifications																					
For NRZ input	Bit rate: 32.1 Gbit/s, 64.2 Gbit/s* ¹																					
	Pattern: PRBS2 ³¹ −1																					
	32.1 Gbits: With MU181500B, SSC with frequency of 33 kHz and deviation of 5300 ppm can be applied simultaneously with RJ with amplitude of 0.3 UI.																					
	64.2 Gbits: With MU181500B, SSC with frequency of 33 kHz and deviation of 3300 ppm can be applied simultaneously with RJ with amplitude of 0.3 UI.																					
	These specifications are defined assuming the following conditions: Loopback connection to the MU196020A, at a constant temperature between 20 and 30 °C. When RJ+BUJ is bigger than 0.5 UIp-p or SJ + RJ + BUJ is bigger than the standard value + 0.3 UIp-p, “Overload” is displayed on the MU181500B screen.																					
32.1 Gbit/s	<div><table><thead><tr><th>Modulation frequency [Hz]</th><th>Max. modulation amplitude [UIp-p]</th><th>Specification [UIp-p]</th></tr></thead><tbody><tr><td>10</td><td>2 000</td><td>2 000</td></tr><tr><td>7 500</td><td>2 000</td><td>2 000</td></tr><tr><td>100 000</td><td>2 000</td><td>150</td></tr><tr><td>1 000 000</td><td>200</td><td>15</td></tr><tr><td>10 000 000</td><td>16</td><td>1</td></tr><tr><td>150 000 000</td><td>1</td><td>1</td></tr></tbody></table></div>	Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]	10	2 000	2 000	7 500	2 000	2 000	100 000	2 000	150	1 000 000	200	15	10 000 000	16	1	150 000 000	1	1
Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]																				
10	2 000	2 000																				
7 500	2 000	2 000																				
100 000	2 000	150																				
1 000 000	200	15																				
10 000 000	16	1																				
150 000 000	1	1																				

*1: When the Option 002 or y12 is installed.

Table 1.3.3-13 Jitter Tolerance (Cont'd)

1

Overview



Item	Specifications																					
For NRZ input (Cont'd)	<div>64.2 Gbit/s</div> <div><table><thead><tr><th>Modulation frequency [Hz]</th><th>Max. modulation amplitude [Ulp-p]</th><th>Specification [Ulp-p]</th></tr></thead><tbody><tr><td>10</td><td>2 000</td><td>1 000</td></tr><tr><td>7 500</td><td>2 000</td><td>1 000</td></tr><tr><td>100 000</td><td>2 000</td><td>75</td></tr><tr><td>1 000 000</td><td>200</td><td>8</td></tr><tr><td>10 000 000</td><td>16</td><td>0.5</td></tr><tr><td>150 000 000</td><td>1</td><td>0.5</td></tr></tbody></table></div>	Modulation frequency [Hz]	Max. modulation amplitude [Ulp-p]	Specification [Ulp-p]	10	2 000	1 000	7 500	2 000	1 000	100 000	2 000	75	1 000 000	200	8	10 000 000	16	0.5	150 000 000	1	0.5
Modulation frequency [Hz]	Max. modulation amplitude [Ulp-p]	Specification [Ulp-p]																				
10	2 000	1 000																				
7 500	2 000	1 000																				
100 000	2 000	75																				
1 000 000	200	8																				
10 000 000	16	0.5																				
150 000 000	1	0.5																				

Table 1.3.3-13 Jitter Tolerance (Cont'd)

Item	Specifications																					
For PAM4 input	Baud rate: 32.1 Gbaud* ² , 58.2 Gbaud* ¹																					
	Pattern: PRBS31Q																					
	32.1 Gbaud: With MU181500B, SSC with frequency of 33 kHz and deviation of 5300 ppm can be applied simultaneously with RJ with amplitude of 0.3 UI.																					
	58.2 Gbaud: With MU181500B, SSC with frequency of 33 kHz and deviation of 3300 ppm can be applied simultaneously with RJ with amplitude of 0.3 UI.																					
	These specifications are defined assuming the following conditions: Loopback connection to the MU196020A, at a constant temperature between 20 and 30 °C. When RJ+BUJ is bigger than 0.5 UIp-p or SJ + RJ + BUJ is bigger than the standard value + 0.3 UIp-p, “Overload” is displayed on the MU181500B screen.																					
32.1 Gbaud	<div></div> <table><thead><tr><th>Modulation frequency [Hz]</th><th>Max. modulation amplitude [UIp-p]</th><th>Specification [UIp-p]</th></tr></thead><tbody><tr><td>10</td><td>2 000</td><td>2 000</td></tr><tr><td>7 500</td><td>2 000</td><td>2 000</td></tr><tr><td>100 000</td><td>2 000</td><td>150</td></tr><tr><td>1 000 000</td><td>200</td><td>15</td></tr><tr><td>10 000 000</td><td>16</td><td>1</td></tr><tr><td>150 000 000</td><td>1</td><td>1</td></tr></tbody></table>	Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]	10	2 000	2 000	7 500	2 000	2 000	100 000	2 000	150	1 000 000	200	15	10 000 000	16	1	150 000 000	1	1
Modulation frequency [Hz]	Max. modulation amplitude [UIp-p]	Specification [UIp-p]																				
10	2 000	2 000																				
7 500	2 000	2 000																				
100 000	2 000	150																				
1 000 000	200	15																				
10 000 000	16	1																				
150 000 000	1	1																				

*2: When the Option 001 is installed.

Table 1.3.3-13 Jitter Tolerance (Cont'd)


Item	Specifications																					
For PAM4 input (Cont'd)	<div>58.2 Gbaud</div> <div><table><thead><tr><th>Modulation frequency [Hz]</th><th>Max. modulation amplitude [Ulp-p]</th><th>Specification [Ulp-p]</th></tr></thead><tbody><tr><td>10</td><td>2 000</td><td>1 000</td></tr><tr><td>7 500</td><td>2 000</td><td>1 000</td></tr><tr><td>100 000</td><td>2 000</td><td>75</td></tr><tr><td>1 000 000</td><td>200</td><td>8</td></tr><tr><td>10 000 000</td><td>16</td><td>0.5</td></tr><tr><td>150 000 000</td><td>1</td><td>0.5</td></tr></tbody></table></div>	Modulation frequency [Hz]	Max. modulation amplitude [Ulp-p]	Specification [Ulp-p]	10	2 000	1 000	7 500	2 000	1 000	100 000	2 000	75	1 000 000	200	8	10 000 000	16	0.5	150 000 000	1	0.5
Modulation frequency [Hz]	Max. modulation amplitude [Ulp-p]	Specification [Ulp-p]																				
10	2 000	1 000																				
7 500	2 000	1 000																				
100 000	2 000	75																				
1 000 000	200	8																				
10 000 000	16	0.5																				
150 000 000	1	0.5																				

Table 1.3.3-14 Clock Recovery

Item	Specifications* ¹
Operating Baud rate	When the Option x21 is installed. NRZ: 2.4 to 29.0 Gbit/s PAM4: 2.4 to 29.0 Gbaud When the Option x22, or x21 + y24 is installed. NRZ: 2.4 to 32.1 Gbit/s PAM4: 2.4 to 32.1 Gbaud When the Option x23 is installed. NRZ: 51.0 to 58.2 Gbit/s PAM4: 51.0 to 58.2 Gbaud
Setting range* ²	When the Option x21 is installed. NRZ: 2.400 000 to 29.000 000 Gbit/s, 0.000 001 Gbit/s step PAM4: 2.400 000 to 29.000 000 Gbaud, 0.000 001 Gbaud step When the Option x22, or x21 + y24 is installed. NRZ: 2.400 000 to 32.100 000 Gbit/s, 0.000 001 Gbit/s step PAM4: 2.400 000 to 32.100 000 Gbaud, 0.000 001 Gbaud step When the Option x23 is installed. NRZ: 51.000 000 to 58.200 000 Gbit/s, 0.000 001 Gbit/s step* ³ PAM4: 51.000 000 to 58.200 000 Gbaud, 0.000 001 Gbaud step* ³

- *1: When the Option x21, x22, x23, or y24 is installed.
 The Options x22 and x23 can be installed together.
 The Option x23 requires one of the Options x21, x22, 002 and y12.
 The Options x21 and x22 cannot be installed together.
 The Options x21 and x23 can be installed together.
 The Option y24 requires the Option x21.
 These are specified with the conditions of PRBS Pattern and Mark Ratio 1/2 (in PAM4 mode, MSB Mark Ratio 1/2) unless otherwise specified.
- *2: When the ED is tracking the PPG linked with MU181000A/B and MU181500B, it operates in the same ranges of bit rate and baud rate as the PPG if a recovered clock is used as a system clock.
- *3: Except when BERT for PCIe1-6 is selected.

Table 1.3.3-14 Clock Recovery (Cont'd)

Item	Specifications* ¹		
Supported standard and baud rate	For NRZ mode		
	Standard	Bit Rate [Gbit/s]	Remarks
	CEI-56G	56.000 000	* ⁴
	100G ULH	32.100 000	* ⁵
	PCIe5	32.000 000	* ⁵
	32G FC	28.050 000	* ⁶
	CEI-28G	28.000 000	* ⁶
	100G OTU4	27.952 496	* ⁶
	100GAUI-4	26.562 500	* ⁶
	50GAUI-2	26.562 500	* ⁶
	LAUI-2	25.781 250	* ⁶
	25GAUI	25.781 250	* ⁶
	CAUI-4 (100GbE (25.78 × 4))	25.781 250	* ⁶
	InfiniBand EDR	25.781 250	* ⁶
	SAS4	22.500 000	* ⁶
	Thunderbolt2	20.625 000	* ⁶
	DisplayPort UHBR 20	20.000 000	* ⁶
	USB4 Gen3	20.000 000	* ⁶
	PCIe4	16.000 000	* ⁶
	InfiniBand FDR	14.062 500	* ⁶
	16G FC	14.025 000	* ⁶
	DisplayPort UHBR 13.5	13.500 000	* ⁶
	SAS3	12.000 000	* ⁶
	10G FC Over FEC	11.316 800	* ⁶
	10GbE Over FEC	11.095 700	* ⁶
	OTU2	10.709 225	* ⁶
	G975 FEC	10.664 228	* ⁶
	10G FC	10.518 750	* ⁶
	CAUI-10 (10GbE)	10.312 500	* ⁶
	Thunderbolt1	10.312 500	* ⁶
	DisplayPort UHBR 10	10.000 000	* ⁶

*⁴: When the Option x23 is installed.*⁵: When the Option x22, or x21 + y24 is installed.*⁶: When the Option x21, x22, or x21 + y24 is installed.

Table 1.3.3-14 Clock Recovery (Cont'd)

Item	Specifications*1		
Supported standard and baud rate	For NRZ mode		
	Standard	Bit Rate [Gbit/s]	Remarks
	USB4 Gen2	10.000 000	*6
	InfiniBand QDR	10.000 000	*6
	USB3.1 Gen2	10.000 000	*6
	OC-192/STM-64	9.953 280	*6
	8G FC	8.500 000	*6
	DisplayPort HBR3	8.100 000	*6
	PCIe3	8.000 000	*6
	HSBI	6.250 000	*6
	SATA 6Gb/s	6.000 000	*6
	DisplayPort HBR2	5.400 000	*6
	PCIe2	5.000 000	*6
	InfiniBand DDR	5.000 000	*6
	USB3.0	5.000 000	*6
	4G FC	4.250 000	*6
	XAUI	3.125 000	*6
	OTU1	2.666 060	*6
	InfiniBand SDR	2.500 000	*6
	PCIe1	2.500 000	*6
	OC-48/STM-16	2.488 320	*6

Table 1.3.3-14 Clock Recovery (Cont'd)

Item	Specifications*1																																							
Supported standard and baud rate (Cont'd)	<div>For PAM4 mode</div> <table><tr><th>Standard</th><th>Baud Rate [Gbaud]</th><th>Remarks</th></tr><tr><td>CEI 112G</td><td>56.000 000</td><td>*4</td></tr><tr><td>400GAUI-4 (400GbE (53.1 × 4))</td><td>53.125 000</td><td>*4</td></tr><tr><td>200GAUI-2</td><td>53.125 000</td><td>*4</td></tr><tr><td>100GAUI-1</td><td>53.125 000</td><td>*4</td></tr><tr><td>PCIe6</td><td>32.000 000</td><td>*5</td></tr><tr><td>64G FC</td><td>28.900 000</td><td>*6</td></tr><tr><td>CEI 56G</td><td>28.000 000</td><td>*6</td></tr><tr><td>400GAUI-8</td><td>26.562 500</td><td>*6</td></tr><tr><td>200GAUI-4 (200GbE (26.6 × 4))</td><td>26.562 500</td><td>*6</td></tr><tr><td>100GAUI-2</td><td>26.562 500</td><td>*6</td></tr><tr><td>50GAUI-1</td><td>26.562 500</td><td>*6</td></tr><tr><td>InfiniBand HDR</td><td>26.562 500</td><td>*6</td></tr></table>	Standard	Baud Rate [Gbaud]	Remarks	CEI 112G	56.000 000	*4	400GAUI-4 (400GbE (53.1 × 4))	53.125 000	*4	200GAUI-2	53.125 000	*4	100GAUI-1	53.125 000	*4	PCIe6	32.000 000	*5	64G FC	28.900 000	*6	CEI 56G	28.000 000	*6	400GAUI-8	26.562 500	*6	200GAUI-4 (200GbE (26.6 × 4))	26.562 500	*6	100GAUI-2	26.562 500	*6	50GAUI-1	26.562 500	*6	InfiniBand HDR	26.562 500	*6
Standard	Baud Rate [Gbaud]	Remarks																																						
CEI 112G	56.000 000	*4																																						
400GAUI-4 (400GbE (53.1 × 4))	53.125 000	*4																																						
200GAUI-2	53.125 000	*4																																						
100GAUI-1	53.125 000	*4																																						
PCIe6	32.000 000	*5																																						
64G FC	28.900 000	*6																																						
CEI 56G	28.000 000	*6																																						
400GAUI-8	26.562 500	*6																																						
200GAUI-4 (200GbE (26.6 × 4))	26.562 500	*6																																						
100GAUI-2	26.562 500	*6																																						
50GAUI-1	26.562 500	*6																																						
InfiniBand HDR	26.562 500	*6																																						
PPG Operating baud rate tracking	Tracks the operating baud rate of the PPG selected from the PPGs installed in the same MP1900A. It is provided with an indicator that turns on when the PPG's operating baud rate is out of the tracking range.																																							
Maximum number of consecutive zeros	<div>When the Option x21, x22, or x21 + y24 is installed.</div> <div>72 bit</div> <div>Zero Substitution 2¹⁵,</div> <div>Target loop band: 1/1667, 1/2578 at 2.4 to 25.499 999 G,</div> <div>1/1667, 1/2578, 1/6640 at 25.5 to 32.1 G</div> <div>When the Option x23 is installed.</div> <div>72 bit</div> <div>Zero Substitution 2¹⁵,</div> <div>Target loop band: 1/6640, 1/13280 at 51.0 to 58.2G</div>																																							
Lock range	<div>When the Option x21, x22, or x21 + y24 is installed.</div> <div>±200 ppm</div> <div>2.4 to 25.499 999 G, The target loop band is specified by 1/1667, 1/2578.</div> <div>±100 ppm</div> <div>25.5 to 32.1 G, The target loop band is specified by 1/1667, 1/2578, 1/6640.</div> <div>When the Option x23 is installed.</div> <div>±100 ppm</div> <div>51.0 to 58.2 G, The target loop band is specified by 1/6640, 1/13280.</div>																																							



Table 1.3.3-14 Clock Recovery (Cont'd)

Item	Specifications*1
Target loop band	When the Option x21, x22, or x21 + y24 is installed.
	25.5 to 32.1 G*7
	Baud rate / 1667
	Baud rate / 2578
	Baud rate / 6640
	Jitter Tolerance
	2.4 to 25.499 999 G
	Baud rate / 1667
	Baud rate / 2578
	Jitter Tolerance
	Variable
	When Variable is selected, the ranges are as follows:
	Baud rate [Gbaud] Range [MHz] Step [MHz]
	2.400 000 to 5.500 000 3 -
	5.500 001 to 7.500 000 3 to 4 1
	7.500 001 to 9.500 000 3 to 5 1
	9.500 001 to 10.500 000 3 to 6 1
	10.500 001 to 12.500 000 3 to 7 1
	12.500 001 to 14.500 000 3 to 8 1
	14.500 001 to 15.500 000 3 to 9 1
	15.500 001 to 17.500 000 3 to 10 1
	17.500 001 to 19.500 000 3 to 11 1
	19.500 001 to 20.500 000 3 to 12 1
	20.500 001 to 22.500 000 3 to 13 1
	22.500 001 to 24.500 000 3 to 14 1
	24.500 001 to 25.499 999 3 to 15 1
	When the Option x23 is installed.
51.0 to 58.2 G*8	
Baud rate / 6640	
Baud rate / 13280	
Jitter Tolerance	

*7: The SSPRQ pattern supports Baud rate / 6640 only. When set to Jitter Tolerance, Baud rate / 1667 or higher.



*8: The SSPRQ pattern supports Baud rate / 6640 only. When set to Jitter Tolerance, Baud rate / 6640 or higher.

Table 1.3.3-14 Clock Recovery (Cont'd)

Item	Specifications																
Jitter Tolerance NRZ input* ⁹	<p>At the bit rate of 58.0 Gbit/s, conforming to Jitter Tolerance Mask defined by the “CEI 56G Jitter Tolerance Mask”. The following masks are taken as nominal values:</p>  <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Tolerance Mask (Ulp-p)</th></tr> </thead> <tbody> <tr> <td>87 349</td><td>7.5</td></tr> <tr> <td>2 977 820</td><td>0.22</td></tr> <tr> <td>250 000 000</td><td>0.22</td></tr> </tbody> </table> <p>At the bit rate of 28.05 Gbit/s, conforming to Jitter Tolerance Mask defined by the “32G FC Jitter Tolerance Mask”. The following masks are taken as typical values:</p>  <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Tolerance Mask (Ulp-p)</th></tr> </thead> <tbody> <tr> <td>100 000</td><td>8.16</td></tr> <tr> <td>3 709 271</td><td>0.22</td></tr> <tr> <td>250 000 000</td><td>0.22</td></tr> </tbody> </table>	Modulation Frequency (Hz)	Jitter Tolerance Mask (Ulp-p)	87 349	7.5	2 977 820	0.22	250 000 000	0.22	Modulation Frequency (Hz)	Jitter Tolerance Mask (Ulp-p)	100 000	8.16	3 709 271	0.22	250 000 000	0.22
Modulation Frequency (Hz)	Jitter Tolerance Mask (Ulp-p)																
87 349	7.5																
2 977 820	0.22																
250 000 000	0.22																
Modulation Frequency (Hz)	Jitter Tolerance Mask (Ulp-p)																
100 000	8.16																
3 709 271	0.22																
250 000 000	0.22																

*9: Loopback connection to the MU196020A, PRBS $2^{31}-1$, specified at a constant temperature between 20 and 30 °C.

Table 1.3.3-14 Clock Recovery (Cont'd)

Item	Specifications																
Jitter Tolerance (Cont'd) PAM4 input* ¹⁰	<p>At the bit rate of 53.125 Gbaud, conforming to Jitter Tolerance Mask defined by the “CEI-112G-VSR Jitter Tolerance Mask”. The following masks are taken as nominal values:</p>  <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Tolerance Mask (UIp-p)</th></tr> </thead> <tbody> <tr> <td>40 004</td><td>5</td></tr> <tr> <td>4 000 377</td><td>0.05</td></tr> <tr> <td>250 000 000</td><td>0.05</td></tr> </tbody> </table> <p>At the bit rate of 26.5625 Gbaud, conforming to Jitter Tolerance Mask defined by the “IEEE802.3bs Jitter Tolerance Mask”. The following masks are taken as typical values:</p>  <table border="1"> <thead> <tr> <th>Modulation Frequency (Hz)</th><th>Jitter Tolerance Mask (UIp-p)</th></tr> </thead> <tbody> <tr> <td>40 000</td><td>22</td></tr> <tr> <td>4 000 000</td><td>0.22</td></tr> <tr> <td>250 000 000</td><td>0.22</td></tr> </tbody> </table>	Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)	40 004	5	4 000 377	0.05	250 000 000	0.05	Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)	40 000	22	4 000 000	0.22	250 000 000	0.22
Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)																
40 004	5																
4 000 377	0.05																
250 000 000	0.05																
Modulation Frequency (Hz)	Jitter Tolerance Mask (UIp-p)																
40 000	22																
4 000 000	0.22																
250 000 000	0.22																

*10: Loopback connection to the MU196020A, PRBS31Q,
specified at a constant temperature between 20 and 30 °C.

Table 1.3.3-15 Mechanical Performance

Item	Specifications
Dimensions	21 mm (H), 234 mm (W), 175 mm (D), Excluding protrusions
Mass	2.5 kg max.
Operating temperature	15 to 30 °C MP1900A’s ambient temperature. MU196040B shall operate when installed.
Storage temperature	–20 to 60 °C MU196040B installed to MP1900A shall comply with MIL-T-28800E Class 5.

Chapter 2 Before Use

This chapter describes preparations required before using the MP1900A modules.

2.1	Installation to MP1900A	2-2
2.2	How to Operate Application.....	2-2
2.3	Preventing Damage	2-3



Before Use

2.1 Installation to MP1900A

For information on how to install the MP1900A modules to the MP1900A and how to turn on the power, refer to Chapter 3 “Preparation before Use” in the *MP1900A Signal Quality Analyzer-R Operation Manual*.

2.2 How to Operate Application

The modules connected to the MP1900A are controlled by operating the MX190000A Signal Quality Analyzer-R Control Software (hereinafter, referred to as “MX190000A”).

For information on how to start up, shut down, and operate the MX190000A, refer to the *MX190000A Signal Quality Analyzer-R Control Software Operation Manual*.

2.3 Preventing Damage

Always observe the ratings when connecting to the input and output connectors of the MP1900A modules. If an out-of-range signal is input, the MP1900A modules may be damaged.



CAUTION

- When signals are input to the MP1900A modules, avoid excessive voltage beyond the rating. Otherwise, the circuit may be damaged.
- When output is used at the 50 Ω GND terminator, never feed any current or input signals to the output.
- As a countermeasure against static electricity, ground other devices to be connected (including experimental circuits) with ground wires before connecting the I/O connector.
- The outer conductor and core of the coaxial cable may become charged as a capacitor. Use any metal to discharge the outer conductor and core before use.
- Never open the MP1900A modules. If you open it and MP1900A modules have failed or sufficient performance cannot be obtained, we may decline to repair the MP1900A modules.
- The MP1900A modules have many important circuits and parts including hybrid ICs. These parts are extremely sensitive to static electric charges, so never open the case of the MP1900A modules.
- The hybrid ICs used in the MP1900A modules are sealed in airtight containers; never open them. If you open it and the MP1900A modules have failed or sufficient performance cannot be obtained, we may decline to repair the MP1900A.



CAUTION

- To protect the MP1900A modules from electrostatic discharge failure, a conductive sheet should be placed onto the workbench, and the operator should wear an electrostatic discharge wrist strap. Always ground the wrist strap to the workbench antistatic mat or the frame ground of the MP1900A modules.
- When connecting an external device such as a Bias-T to the output connectors of MP1900A modules, if the output signal includes any DC voltage, variations in the output of the DC power supply or load may change the level of the output signal, risking damage to the internal circuits.
 - Do not connect or disconnect any external devices while DC voltage is impressed.
 - Only switch DC power sources ON and OFF when all equipment connections have been completed.

<Recommended procedure>


Measurement Preparation 1:

1. Connect all equipment.
2. Set the DC power supply output to ON.
3. Set the MP1900A modules output to ON and complete measurement.

Measurement Preparation 2

1. Set the equipment output to OFF.
2. Set the DC power supply output to OFF.
3. Disconnect the MP1900A modules, or change the DUT connections.

Since even unforeseen fluctuations in DC voltage and load (open or short circuits at the MP1900A modules output side and changes caused by using a high-frequency probe, etc.,) can damage the DUT and equipment, we recommend connecting a 50-ohm resistance in series with the DC terminal of the Bias-T to prevent risk of damage.

**Figure 2.3-1 Bias-T Connection Example**

Chapter 3 Panel Layout and Connectors

This chapter describes the panel and connectors of the MP1900A modules.

3.1	Panel Layout.....	3-2
3.1.1	MU196020A.....	3-2
3.1.2	MU196040A.....	3-3
3.1.3	MU196040B.....	3-4
3.2	Inter-Module Connection.....	3-5
3.2.1	Measuring errors.....	3-7
3.2.2	Measuring errors with noise added.....	3-8
3.2.3	Adding jitter to output signal	3-10
3.2.4	Synchronizing multiple channels of PPG	3-11

3.1 Panel Layout

3.1.1 MU196020A




Figure 3.1.1-1 Panel Layout (MU196020A-x10)

Table 3.1.1-1 Connectors on Panel

No.	Name	Description
[1]	Data Output, Data Output	Outputs differential Data and $\overline{\text{Data}}$ signals. Various interface signals can be output, depending on the installed option (s). Because of differential output, be sure to terminate the unused connector with the coaxial terminator (V210).
[2]	Gating Out	In case of Repeat: Outputs the timing signals. In case of Burst: Outputs the timing signals for Burst.
[3]	AUX In	Inputs auxiliary signals. Variation: Error Injection, Burst
[4]	AUX Out, AUX Out	Outputs auxiliary signals. Variation: 1/N Clock, Pattern Sync, Burst Output2 Because of differential output, be sure to terminate the unused connector with the coaxial terminator (J1632A).
[5]	Clock Out	Outputs clock signals.
[6]	Ext Clock In	Inputs clock signals from these units: MU181000A 12.5GHz Synthesizer MU181000B 12.5GHz 4 Port Synthesizer MU181500B Jitter Modulation Source External Synthesizer*

*: We recommend using the MG3690C series as an external synthesizer.

For details about the MG3690C series, contact Anritsu or our sales representative.

3.1.2 MU196040A



Figure 3.1.2-1 Panel Layout (MU196040A)

Table 3.1.2-1 Connectors on Panel

No.	Name	Description
[1]	Data Input, Data Input	Input Data, $\overline{\text{Data}}$ data signals. Support both differential and single-ended input signals.
[2]	AUX In	Inputs auxiliary signals. Variation: External Mask, Burst
[3]	AUX Out, AUX Out	Outputs auxiliary signals. Variation: 1/N Clock, Pattern Sync, Sync Gain, Error Output Because of differential output, be sure to connect the coaxial terminator (J1632A) to unused side connector.
[4]	Ext Clock In	Inputs clock signals. Mainly connected to the Clock Out connector of the PAM4 PPG.

3.1.3 MU196040B




Figure 3.1.3-1 Panel Layout (MU196040B)

Table 3.1.3-1 Connectors on Panel

No.	Name	Description
[1]	Data Input, Data Input	Input Data, $\overline{\text{Data}}$ data signals. Support both differential and single-ended input signals. Be sure to terminate the unused connector with the coaxial terminator (V210).
[2]	AUX In	Inputs auxiliary signals. Variation: External Mask, Burst, Capture External Trigger
[3]	AUX Out, AUX Out	Outputs auxiliary signals. Variation: 1/N Clock, Pattern Sync, Sync Gain, Error Output Because of differential output, be sure to connect the coaxial terminator (J1632A) to unused side connector.
[4]	Ext Clock In	Inputs clock signals. Mainly connected to the Clock Out connector of the PAM4 PPG.

3.2 Inter-Module Connection

Avoid static electricity when handling the devices.



WARNING

- When signals are input to this MP1900A modules, avoid excessive voltage beyond the rating. Otherwise, the circuit may be damaged.
- As a countermeasure against static electricity, ground other devices to be connected (including experimental circuits) with ground wires before connecting the I/O connector.
- The outer conductor and core of the coaxial cable may become charged as a capacitor. Use any metal to discharge the outer conductor and core before use.
- The power supply voltage rating for the MP1900A is shown on the rear panel. Be sure to operate the MP1900A within the rated voltage range. The MP1900A may be damaged if a voltage out of the rating range is applied.
- To protect the MP1900A modules from electrostatic discharge failure, a conductive sheet should be placed onto the workbench, and the operator should wear an electrostatic discharge wrist strap. Always ground the wrist strap to the workbench antistatic mat or the frame ground of the MP1900A.
- When removing a cable from a connector on the front panel of the MP1900A modules, be careful not to add excessive stress to the connector.
Addition of excessive stress to a connector may result in characteristic degradation or a failure. Use a torque wrench (recommended torque: 0.9 N-M) when attaching or removing a cable.



CAUTION

The maximum data input level of MU196040A/B is 1.00 Vp-p.

When connecting the Data Output connector of MU195020A/MU183020A directly to the Data Input connector of MU196040A/B to verify operation, make sure that the data output level of MU195020A/MU183020A is 1.00 Vp-p or under.

Avoid inputting the signal exceeding the maximum input level to the Data Input connector of MU196040A/B. Failure to do so can cause damage.

3.2.1 Measuring errors

This section describes a connection example of MU196020A, MU181000B 12.5GHz 4 ports synthesizer (hereafter MU181000B), and MU196040A/B that are installed to an MP1900A.




Figure 3.2.1-1 Inter-Module Connection Example

1. Using a coaxial cable, connect the Clock Output connector of the MU181000B and the Ext Clock Input connector of the MU196020A.
2. Using a coaxial cable, connect the Clock Output connector of the MU196020A and the Ext Clock Input connector of the MU196040A/B.
3. Using a coaxial cable, connect the Data Output connector of the MU196020A and the Data Input connector of the device under test (DUT). Also, using a coaxial cable, connect the $\overline{\text{Data}}$ Output connector of the MU196020A and the $\overline{\text{Data}}$ Input connector of the DUT.
4. Using a coaxial cable, connect the Data Output connector of the DUT and the Data Input connector of the MU196040A/B. Also, using a coaxial cable, connect the $\overline{\text{Data}}$ Output connector of the DUT and the $\overline{\text{Data}}$ Input connector of the MU196040A/B.
5. Launch MX190000A, and touch **Standard BERT for PAM4** in the Application Selector screen.

Configure the module settings including bit rate, pattern and amplitude.

3.2.2 Measuring errors with noise added

This section describes a connection example of MU196020A, MU181000B, MU181500B Jitter Modulation Source (hereafter MU181500B), MU195050A, and MU196040A/B that are installed to an MP1900A. To connect MU196020A and the Data1 connector of MU195050A, use J1792A (optional accessory).




Figure 3.2.2-1 Inter-Module Connection Example

1. Using a coaxial cable, connect the Clock Output connector of the MU181000B and the Ext Clock Input connector of the MU196020A.
2. Using the J1792A skew match pair semirigid cables (V-K connector, Data Input1), connect the Data Output and $\overline{\text{Data}}$ Output connectors of the MU196020A to the Data Input and $\overline{\text{Data}}$ Input connectors of the MU195050A.
3. Using a coaxial cable, connect the Data Output connector of the MU195050A and the Data Input connector of the device under test (DUT). Also, using a coaxial cable, connect the $\overline{\text{Data}}$ Output

connector of the MU195050A and the $\overline{\text{Data}}$ Input connector of the DUT.

4. Using a coaxial cable, connect the Data Output connector of the DUT and the Data Input connector of the MU196040A/B. Also, using a coaxial cable, connect the $\overline{\text{Data}}$ Output connector of the DUT and the $\overline{\text{Data}}$ Input connector of the MU196040A/B.
5. Launch MX190000A, and touch **Standard BERT for PAM4** in the Application Selector screen.
Configure the module settings including bit rate, pattern and amplitude.
6. On the **Output** tab of the MU196020A, set **Ext ATT Factor** to 3.3 dB (typ.) as the loss of the MU195050A.

3.2.3 Adding jitter to output signal

To add jitter to signals output from PAM4 PPG, use MU181000B and MU181500B.

Figure 3.2.3-1 shows a connection example of MU181000B, MU181500B, MU196020A, and MU196040A/B. MU196040A/B-001 supports up to 32.1 Gbit/s and 32.1 Gbaud.




Figure 3.2.3-1 Connection Example When Adding Jitter to Output Signal

1. Using a coaxial cable, connect the Clock Output connector of the MU181000B and the Ext Clock Input connector of the MU181500B.
2. Using a coaxial cable, connect the Jittered Clock Output connector of the MU181500B and the Ext Clock Input connector of the MU196020A.
3. Using a coaxial cable, connect the Clock Output connector of the MU196020A and the Ext Clock Input connector of the MU196040A/B.
4. Using coaxial cables, connect Data Output and $\overline{\text{Data}}$ Output connectors of the MU196020A with Data Input and $\overline{\text{Data}}$ Input connectors of the MU196040A/B (2 connections).
5. Launch MX190000A, and touch **Standard BERT for PAM4** in the Application Selector screen.

Configure the module settings including bit rate, pattern and amplitude.

3.2.4 Synchronizing multiple channels of PPG

To synchronize multiple MU196020As installed to MP1900A, use MU181000A/B or external clock.

The following figure shows a connection example when synchronizing two units of MU196020A using MU181000B.




Figure 3.2.4-1 Connection Example When Synchronizing Two Units of PPGs

1. Connect two Clock Output connectors on MU181000B to the Ext Clock In connector on each MU196020A with two coaxial cables.
2. Start MX190000A and select **Menu** → **Combination Setting** on the menu bar. Set Sync ON/OFF of Inter module Combination to **Channel Synchronization**.

Notes:

- Insert units of MU196020A into slots in order from Slot 1.
- Make sure that the cable phase difference is 10 ps or under.

The following figure shows a connection example when synchronizing four units of MU196020A using MU181000B and MU181500B.




Figure 3.2.4-2 Connection Example When Synchronizing Four Units of PPGs

1. Connect the Clock Output connector of MU181000B and the Ext Clock Input connector of MU181500B with a coaxial cable.
2. Connect one Jittered Clock Output connector on MU181500B to the J1748A Power Splitter (1.5G-18GHz), which is an optional accessory, and the other Jittered Clock Output connector on MU181500B to other J1748A, using two coaxial cables.
3. Connect two J1748As to the Ext Clock In connector on four MU196020As using four coaxial cables.
4. Start MX190000A and select **Menu** → **Combination Setting** on the menu bar. Set Sync ON/OFF of Inter module Combination to **Channel Synchronization**.

Notes:

- Insert units of MU196020A into slots in order from Slot 1.
- Make sure that the cable phase difference is 10 ps or under.

Chapter 4 Usage Examples

This chapter describes usage examples of measurement using the MP1900A modules.

4.1	Evaluating Optical Components in 400GbE Transceiver	4-2
4.2	Evaluating Devices for 400GbE Transceiver.....	4-5

4.1 Evaluating Optical Components in 400GbE Transceiver

This section explains how to evaluate optical components used in a 400GbE optical transceiver by using MU196020A and MU196040A.

The optical components are as follows:

- TOSA (transmitter optical subassembly) consisting of a laser diode, driver amp, EML and other parts
- ROSA (receiver optical subassembly) consisting of a photodiode, TIA (transimpedance amplifier) and other parts

The following is the block diagram of this test that uses MP1900A, MU181000B, MU196020A and MU196040A.

If a DUT has four optical channels (lanes) as shown below, the lanes are evaluated one by one.

If four MU196020As or MU196040As are used, the four lanes can be evaluated at a time. Up to four MU196020As or MU196040As can be installed on an MP1900A. For details on the connections, refer to 3.2.4 “Synchronizing Multiple Channels of PPG”.




Figure 4.1-1 Block Diagram for Optical Component Evaluation

Measurement

1. Connect the MP1900A and DUT to GND.
2. Use a coaxial connector to connect the Clock Output connector of the MU181000B and the Ext. Clock In connector of the MU196020A.
3. Use a coaxial connector to connect the Clock Out connector of the MU196020A and the Ext. Clock In connector of the MU196040A.
4. Use coaxial cables to connect the Data Output connector and $\overline{\text{Data}}$ Output connector of the MU196020A to the Data Input connectors of the DUT (TOSA) (two connections).




Figure 4.1-2 Module Connection Diagram

5. Use coaxial cables to connect the Data Input connector and $\overline{\text{Data}}$ Input connector of the MU196040A to the Data Output connectors of the DUT (ROSA) (two connections).
6. Connect the DUT and the optical attenuator. Minimize the attenuation.


Test method

1. Connect the power cord of the MP1900A.
2. Turn on the MP1900A.
3. Turn **OFF** data output. Match MU196020A data output interface to DUT's input by adjusting the amplitude and offset on the **Output** tab.
4. On the **Pattern** tab of the MU196020A and MP196040A, set the pattern by selecting a test pattern.
5. On the **Output** tab of the MU196020A, set the operation bit rate.
6. Adjust the data input interface of the MU196040A to the output interface of the DUT.
On the **Input** tab of the MU196040A, select a terminal condition at the Input Condition. Since the DUT is connected by the differential interface, select **Differential 100 Ohm**, and then **Tracking**.
7. Turn on the DUT.
Be sure to turn on the MP1900A first, and then the DUT.



CAUTION

The DUT may be damaged if a signal line is connected or disconnected while the output is ON. Be sure to turn off the MP1900A before changing the cable connection.

8. On the **Output** tab of the MU196020A, set Data/XData to **ON**, and then touch the Output button at the top of the screen to turn it from grey to green ().
9. Adjust the threshold voltage of the MU196040A.
Touch the **Auto Search** module function button. Select the module and mode, and start. If the input level is low, manually adjust it.
10. On the **Result** tab of the MU196040A, start the measurement and check the BER measurement result.
11. Check that the DUT is operating normally, and then adjust the attenuation of the optical attenuator to measure the sensitivity of the DUT (ROSA).
12. Change the connection of TOSA and ROSA, and then repeat steps 3 to 11.

4.2 Evaluating Devices for 400GbE Transceiver

In the evaluation of SERDES for 400GbE transceiver, the jitter tolerance of the CDR (Clock Data Recovery) is measured. This test requires the emphasis settings to be configured in order to compensate the frequency characteristics of the transmission channel and devices.

This section provides a test example with the configuration where MU196020A is installed to MP1900A.

If four MU196020As or MU196040As are used, the four lanes can be evaluated at a time. Up to four MU196020As or MU196040As can be installed on an MP1900A. For details on the connections, refer to 3.2.4 “Synchronizing Multiple Channels of PPG”.




Figure 4.2-1 Block Diagram of SERDES Evaluation

Measurement

1. Connect the MP1900A and DUT to GND.
2. Use a coaxial connector to connect the Clock Output connector of the MU181000B and the Ext. Clock Input connector of the MU181500B.
3. Use a coaxial connector to connect the Jittered Clock Output connector of the MU181500B and the Ext. Clock In connector of the MU196020A.
4. Use coaxial cables to connect the Clock Out connector of the MU196020A to the Ext. Clock In connectors of the MU196040A.
5. Use coaxial cables to connect the Data Output connector and $\overline{\text{Data}}$ Output connector of the MU196020A to the Data Input connectors of the DUT (two connections).

6. Use coaxial cables to connect the Data Input connector and $\overline{\text{Data}}$ Input connector of the MU196040A to the Data Output connectors of the DUT (two connections).
7. To input the reference clock to the DUT, connect the Sub-rate Clock Output connector of MU181500B and the Clock Input connector of the DUT with a coaxial cable.





Figure 4.2-2 Module Connection Diagram

Test method

1. Connect the power cord of the MP1900A.
2. Turn on the MP1900A.
3. Set the frequency and amplitude of the jitter to be added by MU181500B.
To input the reference clock to the DUT, set the amplitude and division ratio of the Sub-rate Clock Output.
4. Turn **OFF** data output. Match MU196020A data output interface to DUT's input by adjusting the amplitude and offset on the **Output** tab.
5. On the **Output** tab of the MU196020A, set the operation bit rate to **28 Gbit/s**.
6. On the **Pattern** tab of the MU196020A, select a test pattern.

7. On the **Output** tab of the MU196020A, set Data Output to **ON**, and then touch the Output button on the top of the screen to turn it from grey to green (). The button is a green rectangle with a white arrow pointing right and the word 'Output' in white text.
8. Adjust the threshold voltage of the MU196040A.
Touch the **Auto Search** module function button. Select the module and mode, and start. If the input level is low, manually adjust it.
9. On the **Result** tab of the MU196040A, start the measurement, and check the BER measurement result.
10. On the **Emphasis** tab of the MU196020A, configure the emphasis settings.
11. While checking the BER measurement results of the MU196040A, edit the emphasis settings for the MU196020A so that the BER can be optimal.
12. While checking the BER measurement results of the MU196040A, adjust the frequency and amplitude of the jitter to be added by MU181500B so that the BER can be optimal.

Chapter 5 Performance Test

This chapter describes the performance testing of the MP1900A modules.

5.1	Timing of Performance Tests	5-2
5.2	Devices Required for Performance Tests	5-3
5.3	Performance Test Items	5-5
5.3.1	Operating frequency range.....	5-5
5.3.2	Waveform evaluation test.....	5-7
5.3.3	Input level	5-11
5.3.4	Pattern	5-14
5.3.5	Error detection	5-15

5.1 Timing of Performance Tests

Performance test is conducted to check that the major performance of the MP1900A modules meets the required specifications.

Conduct performance tests at acceptance inspection, operation check after repair, and periodic testing (once every six months).

5.2 Devices Required for Performance Tests

Before starting performance test, warm up the MP1900A and the measuring instruments for at least 30 minutes. Table 5.2-1 shows the required devices for performance test.

Table 5.2-1 Devices Required for Performance Tests

Device Name	Model	Required Performance
Error detector	MP1900A + MU196040A-001 or MP1900A + MU196040B	Operating frequency: 2.4 to 32.1 GHz NRZ Data input sensitivity: 50 mVp-p or less*1 PAM4 Data input sensitivity: 300 mVp-p or less*2
Sampling oscilloscope		Electrical channel: 70 GHz or more band
Signal generator	MP1900A + MU196020A + MU181000A/B or MG3690 series	When using Ext Clock: Operating frequency: 1.2 to 16.05 GHz Output level: 300 to 1000 mVp-p Waveform: Rectangular wave or sine wave
Electrical Length Specified Coaxial Cable (0.4m, V connector)	J1789A	Bandwidth: 65 GHz, For connecting data signals
Electrical Length Specified Coaxial Cable (0.8m, V connector)	J1790A	Bandwidth: 65 GHz, For connecting data signals
Coaxial Cable 0.3 m (SMA connector)	J1624A	Bandwidth: 18 GHz, For connecting clock signals
Coaxial cable 1 m	J1625A	Bandwidth: 18 GHz, For connecting trigger signals
Coaxial Attenuator	J0541E	Attenuation: 6 dB
Precision Fixed Attenuator 20 dB	41V-20	Attenuation: 20 dB
Precision Adaptor	34VFK50	For the Data Input connector of MU196040A-001
Power Meter	ML2437A or ML2438A	
Power Sensor + cable	MA2444D	

*1: PRBS31, 26.5625 Gbit/s, 32.1 Gbit/s, when MU196040A-001 is installed.

*2: PAM4 0/1 1/2 2/3 Level, PRBS31, Eye height where BER is 1E-06, when using External Clock, 26.5625 Gbaud, when MU196040A-001 is installed.

Note:

Before starting the performance test, warm up the device under test and the measuring instruments for at least 30 minutes, and wait until they become sufficiently stabilized unless otherwise specified.

Maximum measurement accuracy is assured under the following

conditions:

- Measurement is performed at room temperature.
- Fluctuations of AC power supply voltage are small.
- Noise, vibration, dust, and humidity are insignificant.

5.3 Performance Test Items

This section describes the following test items.

- Operating frequency range
- Waveform evaluation test
- Input level
- Pattern
- Error detection

5.3.1 Operating frequency range

(1) Specifications

Table 5.3.1-1 Specifications

Option	Specifications
MU196020A-001	2.4 to 32.1 Gbit/s (Gbaud)
MU196020A-002, y12	2.4 to 58.2 Gbit/s (Gbaud)
MU196020A-003, y23	2.4 to 64.2 Gbit/s (Gbaud)
MU196040A or MU196040B-001	2.4 to 32.1 Gbit/s (Gbaud)
MU196040B-002, y12	2.4 to 58.2 Gbaud 2.4 to 64.2 Gbit/s

(2) Device connection





Figure 5.3.1-1 Connection Diagram for Operating Frequency Range Test

When using the MU181000A instead of MU181000B, attach the 6 dB Coaxial Attenuator to the Clock Output connector.

(3) Procedure

1. Mount the MU196020A onto the MP1900A, and turn on the MP1900A with the cables unconnected.
2. Set the modulation mode of MU196020A and MU196040A/B to **NRZ**.



3. On the **Output** tab of the MU196020A, set **Amplitude** to 0.500 V_{p-p}, and **Offset** to 0.000 V and V_{th}.
4. On the **Pattern** tab of the MU196020A, set **Test Pattern** to **PRBS** and **Length** to $2^{31}-1$.
5. Turn off the MP1900A when setting the parameters completely.
6. Connect the measuring instrument cables as shown in Figure 5.3.1-1.
7. Turn on the MP1900A and the measuring instruments, and warm them up.
8. Enable the MP1900A signal output (ON) to output signals from the MU196020A. The signals can be tested in the range of 2.4 to 32.1 Gbit/s (Gbaud).
9. Adjust the phase and threshold voltage of the MU196040A/B to the optimum values.
10. Check that no error is detected by the MU196040A/B.
11. While varying the operating frequency in the following range different by model and option, check that no error has occurred in the range.

MU196040A and MU196040B-001: 2.4 to 32.1 Gbit/s (Gbaud)

MU196040B-002: 2.4 to 64.2 Gbit/s (Gbaud)

MU196040A and MU196040B-001 do not support the test of the operating frequency exceeding 32.1 Gbit/s (Gbaud).

To check the MU196020A's performance at more than 32.1 Gbit/s when using the MU196040A and MU196040B-001, refer to 5.3.2, "Waveform Evaluation Test".

5.3.2 Waveform evaluation test

(1) Specifications

Table 5.3.2-1 Specifications for MU196020A

Item	Conditions	Specification
Amplitude	0.07 to 0.70 Vp-p ^{*1, *2, *3, *4} 0.07 to 0.60 Vp-p ^{*5} 0.07 to 0.55 Vp-p ^{*6}	±35 mV ±12 % of amplitude
Offset (Vth)	$-2.0 - \frac{\text{Amp}}{2}$ to $+3.3 - \frac{\text{Amp}}{2}$ V	±65 mV ±10 % of offset (Vth) ±(Eye Amplitude Accuracy / 2) ^{*7, *8}
Cross point ^{*11}	Amplitude: 0.50 Vp-p	Fixed at 50 %
Tr/Tf ^{*11}	Amplitude: 0.50 Vp-p	9.0 ps (20 to 80 %) ^{*1, *7, *9} 8.5 ps (20 to 80 %) ^{*2, *3, *7, *9} 9.5 ps (20 to 80 %) ^{*4, *7, *9} 8.8 ps (20 to 80 %) ^{*5, *6, *7, *9}
Jitter ^{*10, *11, *12}	Amplitude: 0.50 Vp-p	6.0 ps p-p ^{*1, *2, *3, *4, *5, *6, *9} 600 fs rms ^{*1, *2, *3, *4, *5, *6, *9}

*1: When using the J1789A cable with MU196020A-001, at 32.1 Gbit/s

*2: When using the J1789A cable with MU196020A-002, at 58.2 Gbit/s

*3: When using the J1789A cable with MU196020A-003, at 64.2 Gbit/s

*4: When using the J1790A cable with MU196020A-001, at 32.1 Gbit/s

*5: When using the J1790A cable with MU196020A-002, at 58.2 Gbit/s

*6: When using the J1790A cable with MU196020A-003, at 64.2 Gbit/s

*7: Except when **Emphasis** is turned **On** with the MU196020A-x11 installed.

*8: For PAM4, when setting each of PAM4 Amplitude (3/2, 2/1 and 1/0) equally to 33 %.

*9: Typical value

*10: The jitter specification value is defined assuming that the oscilloscope with residual jitter less than 200 fs (RMS) is used.

*11: NRZ

*12: Count of measured jitters: 30, at a constant temperature between 20 and 30 °C

(2) Device connection




Figure 5.3.2-1 Connection Diagram for Waveform Test

When using the MU181000A instead of MU181000B, attach the 6 dB Coaxial Attenuator to the Clock Output connector.

For waveform test, use a sampling oscilloscope that has a 70 GHz band and that has a residual jitter of less than 200 fs (RMS).

(3) Procedure

1. Mount the MU196020A onto the MP1900A, and turn on the MP1900A with the cables unconnected.
2. Set the modulation mode of the MU196020A to **NRZ**.
3. On the **Output** tab of the MU196020A, set as follows:

Bit Rate

MU196020A-001 32.100 000

MU196020A-002 58.200 000

MU196020A-003 64.200 000

Ext ATT Factor	0.000
Amplitude	0.070
Offset	AC OFF, 0.000, Vth
Half Period Jitter	0
Delay	0

In the **Cable for Data Output** box, select the model name of the cable used for connection to the sampling oscilloscope.

4. On the **Output** tab of the MU196020A, set the Data output amplitude, offset, and cross point to be tested.
5. On the **Pattern** tab of the MU196020A, set the test pattern.
Since the specification parameters are evaluated by the eye pattern observation, set the test pattern to PRBS, 2³¹–1.
6. Select a trigger signal to input to the sampling oscilloscope. Select 1/N Clock in the AUX Output dropdown list on the **Misc1** tab of the MU196020A, and set the division ratio according to the sampling oscilloscope used.
7. Turn off the MP1900A when setting the parameters completely.
8. Connect the measuring instrument cables as shown in Figure 5.3.2-1. Be sure to connect the V210 terminators (standard accessories) to the Output connectors to which cables are not connected.
9. Turn on the MP1900A and the measuring instruments, and warm them up.
10. Enable the MP1900A signal output (ON) and output signals.
11. Measure the amplitude with the sampling oscilloscope, and record it.
12. On the **Output** tab of the MU196020A, set the value for **Amplitude**.

When using MU19020A-002 and J1790A cable:	0.600
When using MU19020A-003 and J1790A cable:	0.550
Other than those above:	0.700
13. Measure the amplitude with the sampling oscilloscope, and record it.
14. On the **Output** tab of the MU196020A, set the value for **Offset**.

When using MU19020A-002 and J1790A cable:	–2.300
When using MU19020A-003 and J1790A cable:	–2.275
Other than those above:	–2.350
15. Measure the middle level of the eye with the sampling oscilloscope, and record it.

16. On the **Output** tab of the MU196020A, set **Amplitude** to 0.070 and **Offset** to 3.265.
17. Measure the middle level of the eye with the sampling oscilloscope, and record it.
18. On the **Output** tab of the MU190020A, set **Amplitude** to 0.500 and **Offset** to 0.000.
19. Measure the cross point, Tr/Tf and jitter with the sampling oscilloscope, and record them.
20. Set the modulation mode of the MU196020A to **PAM4**.
21. On the **Output** tab of the MU196020A, set **Total Amplitude** to 0.070 and touch **Even**.
22. Measure the amplitude with the sampling oscilloscope, and record it.
23. On the **Output** tab of the MU196020A, set the value for **Total Amplitude**.

When using MU19020A-002 and J1790A cable:	0.600
When using MU19020A-003 and J1790A cable:	0.550
Other than those above:	0.700
24. Measure the amplitude with the sampling oscilloscope, and record it.
25. On the **Output** tab of the MU196020A, set the value for **Offset**.

When using MU19020A-002 and J1790A cable:	-2.300
When using MU19020A-003 and J1790A cable:	-2.275
Other than those above:	-2.350
26. Measure the middle level of Level 2/1 with the sampling oscilloscope, and record it.
27. On the **Output** tab of the MU196020A, set **Total Amplitude** to 0.070 and **Offset** to 3.265.
28. Measure the middle level of Level 2/1 with the sampling oscilloscope, and record it.
29. Use a coaxial cable to connect the $\overline{\text{Data}}$ Output connector of the MU196020A and the Input connector of the sampling oscilloscope. Be sure to connect the V210 terminators (standard accessories) to the Output connectors to which cables are not connected. Repeat the procedure from steps 3 to 28.

6. Touch **Auto Search**. In the **Mode** list, select **Fine**, and then touch **Start**. Check that the threshold voltage and phase are adjusted to optimum values and that no error occurs.
7. Set the modulation mode of MU196020A and MU196040A/B to **PAM4**.
8. Configure the settings for the MU196020A and MU196040A/B as shown in items 1 to 4 of Table 5.3.3-3.

To perform a test at more than 32.1 Gbaud when using the MU196040B, configure the settings as shown in items 1, 3, 5 and 6 of Table 5.3.3-3. Also, on the **Input** tab of the MU196040B, in the **Input Condition** box, select **Differential**.

9. Disconnect the cable from the Data Input connector, but leave the $\overline{\text{Data}}$ Input connector connected. Be sure to connect the V210 terminator (standard accessory) to the Output connector of MU196020A to which a cable is not connected.
10. On the **Input** tab of the MU196040A/B, set **Single-Ended** and **XData** for **Input Condition**. Repeat steps 4 to 8 to make sure that no errors have occurred.

Table 5.3.3-2 NRZ Input Level Test Settings (MU196040A/B)

MU196020A				MU196040A/B	
No.	Termination	Amplitude [Vp-p]	Offset (Vth) [V]	Termination	Threshold Voltage [V] ^{*3}
1	GND	0.7	-2.35	GND	-2.350
2		0.05 ^{*1}	-0.225 ^{*1}		-0.225
3		0.7	+2.95		+2.950
4		0.05 ^{*2}	+0.305 ^{*2}		+0.305
5		0.1	-2.05		-2.650
6		0.1	+3.25		+3.250

*1: To output a signal with an amplitude of 0.05 Vp-p and an offset of -0.225 V, connect the Precision Fixed Attenuator 20 dB (optional accessory: 41V-20) and the Precision Adaptor (optional accessory: 34VFK50) respectively to the Data Output and $\overline{\text{Data}}$ Output connectors of the MU196020A. And, set the MU196020A as follows:

Amplitude: 0.5 Vp-p
Offset: -2.25 V

*2: To output a signal with an amplitude of 0.05 Vp-p and an offset of +0.305 V, connect the Precision Fixed Attenuator 20 dB (optional accessory: 41V-20) and the Precision Adaptor (optional accessory: 34VFK50) respectively to the Data Output and $\overline{\text{Data}}$ Output connectors of the MU196020A. And, set the MU196020A as follows:

Amplitude: 0.5 V_{p-p}

Offset: +3.05 V

*3: In the **Mode** list, select **Fine (NRZ)**, and then start Auto Search to adjust the threshold voltage and phase to optimum values.

Table 5.3.3-3 PAM4 Input Level Test Settings (MU196040A/B)

MU196020A				MU196040A/B	
No.	Termination	Amplitude [V _{p-p}]	Offset (V _{th}) [V]	Termination	Threshold Voltage [V]*
1	GND	0.7	−2.35	GND	Upper: −2.350 + 0.233 (−2.117) Middle: −2.350 Lower: −2.350 − 0.233 (−2.583)
2		0.3	−2.15		Upper: −2.150 + 0.100 (−2.050) Middle: −2.150 Lower: −2.150 − 0.100 (−2.250)
3		0.7	+2.95		Upper: +2.950 + 0.233 (+3.183) Middle: +2.950 Lower: +2.950 − 0.233 (+2.717)
4		0.3	+3.15		Upper: +3.150 + 0.100 (+3.250) Middle: +3.150 Lower: +3.150 − 0.100 (+3.050)
5		0.4	−2.20		Upper: −2.20 + 0.133 (−2.067) Middle: −2.200 Lower: −2.200 − 0.133 (−2.333)
6		0.4	+3.10		Upper: +3.100 + 0.133 (+3.333) Middle: +3.100 Lower: +3.100 − 0.133 (+2.967)

*: In the **Mode** list, select **Fine (PAM4)**, and then start Auto Search to adjust the threshold voltage and phase to optimum values.

Note:

When changing the termination condition, configure the settings of the MU196020A and the MU196040A/B in the following order. The MU196020A and the MU196040A/B may be damaged if the settings are configured in an incorrect order or the termination condition is not set correctly.

- (1) Set the output of the MU196020A to OFF.
- (2) Set the termination condition for the MU196040A/B to GND.
- (3) Change the termination condition for the MU196020A.
- (4) Set the termination condition for the MU196040A/B to that for the MU196020A.

5.3.4 Pattern

(1) Specifications

- PRBS pattern (NRZ, PAM4)
- Zero Substitution pattern (NRZ)
- SSPRQ pattern (PAM4)

(2) Connection

Refer to Figure 5.3.3-1 for the device connection.

(3) Procedure

1. Configure the settings in the same manner as shown in steps 1 to 5 in Section 5.3.1.
2. Connect the measuring instrument cables as shown in Figure 5.3.3-1.
3. Turn on the MP1900A and the measuring instruments, and warm them up.
4. Set the modulation mode of MU196020A and MU196040A/B to **NRZ**.
5. Set the output of the MU196020A to ON and touch **Start** of the MU196040A/B. Adjust the phase as required, and check that no error occurs.
6. On the **Pattern** tab of both of the MU196040A/B and the MU196020A, switch the PRBS pattern length to the following values in order, and check that no error occurs.
 2^7-1 , 2^9-1 , $2^{10}-1$, $2^{11}-1$, $2^{13}-1$, $2^{15}-1$, $2^{20}-1$, $2^{23}-1$, $2^{31}-1$.
7. Set the PRBS pattern length of both MU196040A/B and MU196020A to $2^{31}-1$. Then, check that no error occurs for the following four modulation type and logic combinations:

Table 5.3.4-1 Modulation Type and Logic Settings

	Modulation Type	Logic	Logic MSB	Logic LSB
1	NRZ	POS	—	—
2	NRZ	NEG	—	—
3	PAM4	—	POS	POS
4	PAM4	—	NEG	NEG

8. Set the modulation mode of MU196020A and MU196040A/B to **NRZ**.
9. For both the MU196040A/B and the MU196020A, set the test pattern to Zero Substitution, then, switch the Length to the following values in order, and check that no error occurs.
 2^7 , 2^9 , 2^{10} , 2^{11} , 2^{15} , 2^{20} , 2^{23} , 2^7-1 , 2^9-1 , $2^{10}-1$, $2^{11}-1$, $2^{15}-1$, $2^{20}-1$, $2^{23}-1$.

10. Set the modulation mode of MU196020A and MU196040A/B to **PAM4**.
11. Change the test patterns of both MU196040A/B and MU196020A to SSPRQ, and check that no error occurs.

5.3.5 Error detection

(1) Specifications

Error rate:	0.0000×10^{-16} to 1.0000
Error count:	0 to 1×10^{16}
Error free interval (EFI):	0.0000 to 100.0000 %
Error interval (EI):	0 to 1×10^{16}
Clock frequency:	

MU196040A-001 2.4 to 32.1 GHz,

MU196040B-001 2.4 to 32.1 GHz,

MU196040B-002 2.4 to 64.2 GHz,

Accuracy $\pm(10 \text{ ppm} + 1 \text{ kHz})$

(2) Connection

Refer to Figure 5.3.3-1 for the device connection.

(3) Procedure

1. Configure the settings in the same manner as shown in steps 1 to 5 in Section 5.3.1.
2. Connect the measuring instrument cables as shown in Figure 5.3.3-1.
3. Turn on the MP1900A and the measuring instruments, and warm them up.
4. Set the frequency of the MU181000B to 10 GHz.
5. Set the modulation mode of MU196020A and MU196040A/B to **NRZ**.
6. Check that MU196020A is set to NRZ 20 Gbit/s, turn **ON** the Output, and then touch **Start** of the MU196040A/B. Adjust the phase as required, and check that no error occurs.
7. Turn On error insertion of the MU196020A, and make sure that the ER measurement results on the **Result** tab of the MU196040A/B match the values set on the **Error Addition** tab on the MU196020A.
8. Set "Single" for error insertion of the MU196020A (set Variation to **Single** on the MU196020A **Error Addition** tab).
9. In the Gating field of the **Measurement** tab of the MU196040A/B, set **Cycle** to **Single**, and set the measurement time to 10 seconds.

10. Touch the **Start** button of the MU196040A/B. While the measurement is running for 10 seconds, touch **Single** once on the **Error Addition** tab of the MU196020A.

When the measurement has finished, check that the measurement results are as follows.

Error rate (ER):	5.0000E-12
Error count (EC):	1.0000E-00
Error free interval (%EFI):	99.9900 %
Error interval (EI):	1

Chapter 6 Maintenance

This chapter describes maintenance of the MP1900A modules.

- 6.1 Daily Maintenance6-2
- 6.2 Cautions on Storage6-2
- 6.3 Transportation.....6-3
- 6.4 Calibration6-3



6.1 Daily Maintenance

- Wipe off any external stains with a cloth dampened with diluted mild detergent.
- Vacuum away any accumulated dust or dirt with a vacuum cleaner.
- Tighten any loose parts fixed with screws, using the specified tools.

6.2 Cautions on Storage

Wipe off any dust, soil, or stain on the MP1900A modules prior to storage. Install the supplied Opens or Terminators to the connectors on the panel.

Avoid storing the MP1900A modules in any of the following locations:

- In direct sunlight for extended periods
- Outdoors
- In excessively dusty locations
- Where condensation may occur
- In liquids, such as water, oil, or organic solvents, and medical fluids, or places where these liquids may adhere
- In salty air or in place chemically active gases (sulfur dioxide, hydrogen sulfide, chlorine, ammonia, nitrogen dioxide, or hydrogen chloride etc.) are present
- Where toppling over may occur
- In the presence of lubricating oil mists
- In places at an altitude of more than 2,000 m
- In the presence of frequent vibration or mechanical shock, such as in cars, ships, or airplanes
- Under the following temperature and humidity conditions:
Temperature range of $\leq -20\text{ }^{\circ}\text{C}$ or $\geq 60\text{ }^{\circ}\text{C}$
Humidity range of $\geq 85\%$

Recommended storage conditions

In addition to the abovementioned storage cautions, the following environment conditions are recommended for long-term storage.

- Temperature range of 5 to 30 °C
- Humidity range of 40 to 75 %
- Slight daily fluctuation in temperature and humidity

6.3 Transportation

Use the original packing materials, if possible, when packing the MP1900A modules for transport. If you do not have the original packing materials, pack the MP1900A modules according to the following procedure. When handling the MP1900A modules, always wear clean gloves, and handle it gently so as not to damage it.

<Procedure>

1. Use a dry cloth to wipe off any stain or dust on the exterior of the MP1900A module.
2. Check for loose or missing screws.
3. Provide protection for structural protrusions and parts that can easily be deformed, and wrap the MP1900A module with a sheet of polyethylene. Finally, cover with moisture-proof paper.
4. Place the wrapped MP1900A module into a cardboard box, and tape the flaps with adhesive tape. Furthermore, store it in a wooden box as required by the transportation distance or method.
5. During transportation, place it under an environment that meets the conditions described in 6.2 “Cautions on Storage”.

6.4 Calibration

Regular maintenance such as periodic inspections and calibration is essential for the Signal Quality Analyzer-R series for long-term stable performance. Regular inspection and calibration are recommended for using the Signal Quality Analyzer Series in its prime condition at all times. The recommended calibration cycle after delivery of the Signal Quality Analyzer Series is twelve months.

If you require support after delivery, contact an Anritsu Service and Sales office. Contact information can be found on the last page of the printed version of this manual, and is available in a separate file on the PDF version.

We may not provide calibration or repair if any of the following cases apply.

- Seven or more years have elapsed after production and parts for the instrument are difficult to obtain, or it is determined that reliability cannot be maintained after calibration/repair due to significant wear.
- Circuit changes, repair, or modifications are done without our approval.
- It is determined that the repair cost would be higher than the price of a new item

Chapter 7 Troubleshooting

This chapter describes how to determine if a failure has occurred when a problem occurs during the MP1900A module operation.

7.1	Problems That Occur When Replacing Modules.....	7-2
7.2	Problems That Occur During Output Waveform Observation	7-3
7.3	Problems That Occur During Error Rate Measurement.....	7-4
7.4	Synchronization Failures	7-5




7.1 Problems That Occur When Replacing Modules

Table 7.1-1 Remedies for Problems That Occur When Replacing MP1900A Modules

Symptom	Check Item	Remedy
Module recognition failed.	Is the module(s) installed properly?	Reinstall the module according to 3.3 “Installing and Removing Modules” in the <i>MP1900A Signal Quality Analyzer-R Operation Manual</i> .
	Are the appropriate modules installed?	Confirm the MP1900A software version and the supported modules by visiting the MP1900A Series Signal Quality Analyzers-R product information page in the Anritsu web site (https://www.anritsu.com). If the appropriate modulus are not recognized, it may have failed. Contact an Anritsu Service and Sales office. Contact information can be found on the last page of the printed version of this manual, and is available in a separate file on the PDF version.

7.2 Problems That Occur During Output Waveform Observation

Table 7.2-1 Remedies for Problems That Occur During Waveform Observation

Symptom	Check Item	Remedy
Output waveform cannot be monitored normally.	Is the Data or Clock on the Output tab set to ON ?	<p>On the Output tab, set Data or Clock to be output to ON.</p>  <p>When Output is OFF, turn it ON by touching the list box.</p>
	Is Output ON ()?	<p>On the top left corner of the screen, touch  to turn ON.</p>
	Is the operating clock supplied normally?	<p>When using the internal clock, check the bit rate setting.</p> <p>When the clock is supplied externally, check the connection interface. Refer to 3.1 “Panel Layout” for the interface.</p>
	Is the trigger clock set correctly?	<p>It is recommended to use the signal output from the AUX Output connector as the trigger clock. Check the AUX Output connector settings and interface with the sampling oscilloscope which measures the waveforms.</p>
	Is the electrical interface cable loose?	Tighten the connector.
	Do the cables used have good high-frequency characteristics?	<p>Use the cables and connectors that support 65 GHz or higher frequency band. If the bit rate is 32.1 Gbit/s (Gbaud) or less, use the cables and connectors that support 40 GHz or higher frequency band.</p>

7.3 Problems That Occur During Error Rate Measurement

Table 7.3-1 Remedies for Problems That Occur During Error Rate Measurement

Symptom	Check Item	Remedy
An error occurs.	Is the connection interface with the DUT correct?	Check that the data rate, level, offset and termination conditions match those of the DUT.
	Are the logical patterns correctly set on the MU196020A and the error detector (ED)?	Check if the patterns generated by the MU196020A are set such that they can be received by the DUT, and if the set patterns generated by the DUT and detected by the ED are the same. If the DUT outputs the patterns from the MU196020A as they are, connect the MU196020A and ED directly to check if an error is detected. Prevent the bit rate (baud rate) from exceeding 32.1 Gbit/s (Gbaud) when using MU196040A or MU196040B-001.
	Is the error addition function set to off?	On the Error Addition tab, check that the Error Addition switch is set to OFF .
	Is the electrical interface cable loose?	Tighten the connector.
	Do the cables used have good high-frequency characteristics?	Use the cables and connectors that support 65 GHz or higher frequency band. If the bit rate is 32.1 Gbit/s (Gbaud) or less, use the cables and connectors that support 40 GHz or higher frequency band.
	Are sufficient phase margin and threshold margin are secured?	Adjust the phase and offset to between the MU196020A and the DUT and between the DUT and ED, respectively so that they can be optimal.

7.4 Synchronization Failures

Table 7.4-1 Remedies for Synchronization Failures

Item	Check Item	Remedy
Input conditions	Do the quality, status and length of the connection cables comply with the specifications?	Replace the cables with appropriate ones in the following cases: <ul style="list-style-type: none"> • Frequency characteristics are not sufficient. • Loss is large. • Cables and connectors are damaged. • Connectors are contaminated.
	Is the cable connection correct and secure?	Confirm the destination and check if the connector is tightened securely.
	Are the single and differential (50/100 Ω) inputs set correctly?	Set the correct value.
	Is the input level correct?	Check the level by using an oscilloscope, etc.
	Are the input bit rate and clock frequency set correctly?	Set the bit rate and clock frequency correctly. Note: Use the frequency counter to check the current clock frequency.
	Is the frequency set near the bit rate when using clock recovery?	Set the frequency near the bit rate to be used.
	Has the clock loss display disappeared?	Check the data and clock signals to be input or clock recovery settings.
Termination conditions	Was the termination potential adjusted?	Set the termination potential correctly. Note: Incorrect setting may result in unit failure.
Clock setting conditions	Do the clock settings for PAM4 PPG and PAM4 ED match?	<p>PAM4 PPG: On the Misc2 tab, check the settings for Output Clock Rate and Operation Baud Rate (when Clock Source is External).</p> <p>On the Output tab, check the setting for Baud Rate.</p> <p>PAM4 ED: On the Input tab, check the setting for Operation Baud Rate in the Clock area (when Selection is set to External Clock).</p> <p>On the Result tab, check the Clock Count or Frequency value.</p> <p>Note: Without properly configured clock settings, expected measurement results cannot be obtained.</p>

Table 7.4-1 Remedies for Synchronization Failures (Cont'd)

Item	Check Item	Remedy
PAM4 symbol synchronization conditions	Has symbol synchronization been established between PAM4 MSB and LSB?	<p>In Diagnostics Mode, check that MSB/LSB Diff is 0. If it is 0, symbol synchronization has been established.</p> <p>If, on the Result tab of the PAM4 ED, either or both of Upper Eye Threshold and Lower Eye Threshold are set to a voltage within the range of Middle Eye Height, “-----” may be displayed in MSB/LSB Diff.</p> <p>Note: MSB/LSB Diff must be 0 when performing symbol measurement.</p>
PAM4 Auto Search conditions	Has the Auto Search function failed?	<p>In Diagnostics Mode, check that MSB/LSB Diff is within ± 48. Make sure the input level is sufficient.</p> <p>Note: MSB/LSB Diff must be within ± 48 when performing Auto Search.</p>
PAM4 pattern conditions	Is the pattern of PAM4 MSB and LSB different?	<p>In Diagnostics Mode, check that symbol synchronization can be established between MSB and LSB. As necessary, change the logic polarity and coding condition settings for MSB or LSB.</p>

Appendix A Pseudo-Random Pattern

A.1	Pseudo-Random Pattern.....	A-2
A.2	Zero-Substitution Pattern	A-3










A.1 Pseudo-Random Pattern

Table A.1-1 shows the principle of pseudo-random pattern generation. A pseudo-random pattern is expressed in an N-th degree generating polynomial, with one cycle of $2^n - 1$. For a PRBS pattern with a cycle of $2^n - 1$, a pattern of successive “1s” for the number N is generated once in a cycle.


For the output level of the PRBS pattern, “1” indicates the low level and “0” indicates the high level when Logic is set to POS (positive).

The mark ratios of the PRBS pattern are generated as shown in the block diagrams of Table A.1-1.

Table A.1-1 Principle of Pseudo-Random Pattern Generation

Cycle	Generating Polynomial	Pattern Generation Block Diagram
$2^7 - 1$	$1 + X^6 + X^7$	
$2^9 - 1$	$1 + X^5 + X^9$	
$2^{10} - 1$	$1 + X^7 + X^{10}$	
$2^{11} - 1$	$1 + X^9 + X^{11}$	
$2^{13} - 1$	$1 + X + X^2 + X^{12} + X^{13}$	
$2^{15} - 1$	$1 + X^{14} + X^{15}$	
$2^{20} - 1$	$1 + X^3 + X^{20}$	
$2^{23} - 1$	$1 + X^{18} + X^{23}$	
$2^{31} - 1$	$1 + X^{28} + X^{31}$	

 : Shift register (N=1, 2, 3....)

 : Exclusive OR

A.2 Zero-Substitution Pattern

A string of successive “0s” for the number of set bits is made by substituting “0” for the pattern that follows the longest bit string of successive 0s in a PRBS pattern. In this event, if the bit immediately after the bit substituted to “0” is also “0”, it is inverted to “1”.

Example: For a PRBS pattern with a cycle of 2^7 , the largest number of successive 0s is 6 bits ($7 - 1$), and zero substitution starts from the following position:




Figure A.2-1 Zero-Substitution Pattern

Appendix B List of Default Settings

Appendix B lists the factory default settings for MU196020A, MU196040A, and MU196040B.

To initialize all settings, select **Menu** → **Initialize**.

B.1	MU196020A.....	B-2
	B.1.1 PAM4.....	B-2
	B.1.2 NRZ.....	B-8
B.2	MU196040A.....	B-13
	B.2.1 PAM4.....	B-13
	B.2.2 NRZ.....	B-18
B.3	MU196040B.....	B-23
	B.3.1 PAM4.....	B-23
	B.3.2 NRZ.....	B-30

B.1 MU196020A

B.1.1 PAM4

Table B.1.1-1 Output Tab

Main Item	Secondary Item	Tertiary Item	Default
Baud Rate			Variable
	Baud Rate		12.500 000 Gbaud
Output	Data		ON
	Clock		ON
Level Guard			OFF
	Level Guard Setup	Total Amplitude	0.800 V
		Offset Max(Voh)	3.300 V
		Offset Min(Vol)	−2.800 V
(PAM4 pattern settings)		Offset switching	AC OFF
		Total Amplitude	0.500 Vp-p
		Upper Eye Ratio	33.400 %
		Level2 Voltage	0.083 V
		Offset	0.000 V
		Level1 Voltage	−0.083 V
		Lower Eye Ratio	33.400 %
		External ATT Factor	0.000 dB
Half Period Jitter			0
Cable for Data Output			J1789A 0.4m Cable (Recommend)
Delay			0 mUI
		Calibration	—
	Jitter Input		OFF
	Relative		0 mUI

Table B.1.1-2 Emphasis Tab

Main Item	Secondary Item	Tertiary Item	Default
Manual Setting	Emphasis		Off
	Standard/Preset		USER
			De-Emphasis
			Preset0
Graph	Total Amplitude		0.500 Vp-p
	Upper Eye		33.400 %
	Lower Eye		33.400 %
	Pre	Cursor2	0.000 dB
		Cursor1	0.000 dB
	Post	Cursor1	0.000 dB
	Coefficient	C-2	0.000 000
		C-1	0.000 000
		C0	1.000 000
		C1	0.000 000
Channel Emulator	Channel Emulator Function		OFF
	Response		Normal
	Graph Mode		Freq. Domain
	Gain Adjust		1 GHz
ISI	ISI Function		OFF
	Standard/Interface		User
	Loss Channel		Not Specified
	Graph Mode		Freq. Domain
	Multi Point Mode		1point
	Tuning NF Insertion Loss		4.0 dB
	Tuning 1/2 NF Insertion Loss		2.0 dB

Table B.1.1-3 Pattern Tab

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	PRBS	Length	2 ¹⁵ –1
		PRBS Inv MSB	ON
		PRBS Inv LSB	ON
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0
	Data	Length	4 bits
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0
	Data Editor	Data Length	4 bits
		Format	Hex(Byte)
		Edit Mode	Overwrite
		Cursor Addr	0x00000000
	PRBS23Q, PRBS31Q, PRBS31Q (Infiniband), PRBS31Q (Fibre Channel)	PRBS Inv MSB	ON
		PRBS Inv LSB	ON
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0

Table B.1.1-3 Pattern Tab (Cont'd)

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	PRBS13Q, QPRBS13-CEI, QPRBS31-CEI, PRBS13Q (Infiniband)	PRBS Inv MSB	OFF
		PRBS Inv LSB	OFF
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0
	QPRBS13	Seed	Lane 0
		Gray Coder	ON
		Pre Coder	ON
		Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0
	SSPRQ, JP03A, JP03B, Square Wave, Transmitter Linearity	Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0
	RS-FEC Scrambled Idle 50G 1Lane, RS-FEC Scrambled Idle 100G 1Lanes, RS-FEC-Int Scrambled Idle 100G 1Lanes	Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0
	RS-FEC Scrambled Idle 100G 2Lanes, RS-FEC Scrambled Idle 200G 2Lanes, RS-FEC Scrambled Idle 200G 4Lanes, RS-FEC Scrambled Idle 400G 4Lanes, RS-FEC Scrambled Idle 400G 8Lanes	Lane	0
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Bit Shift	0

Table B.1.1-3 Pattern Tab (Cont'd)

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	CP in 1b/1b Encoding for PCIe6	Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Seed	Lane 0
	MCP in 1b/1b Encoding for PCIe6	Gray Coder	ON
		Pre Coder	ON
		Logic MSB	POS
		Logic LSB	POS
		Seed	Lane 0
		SRIS	OFF
		SKP	SKPx1
		EIEOS	ON
	Jitter Mesurement Pattern in 1b/1b Encoding for PCIe6	Logic MSB	POS
		Logic LSB	POS
	High Swing Toggle Pattern in 1b/1b Encoding for PCIe6		
	Low Swing Toggle Pattern 1b/1b Encoding for PCIe6		
	Jitter Calibration Pattern for PCIe6		
	Preset Calibration Pattern for PCIe6		

Table B.1.1-4 Error Addition Tab

Main Item	Secondary Item	Tertiary Item	Default
Error Addition			OFF
	Error Addition Mode		Bit Error on MSB
	Bit Error on MSB	Symbol/Burst	Symbol
		Source	Internal
		Variation	Repeat
		Rate	1E-3
		Burst Length	1 Symbols

Table B.1.1-5 Misc1 Tab

Main Item	Secondary Item	Tertiary Item	Default
Pattern Sequence			Repeat
	Gating Output		ON
	Repeat	Pulse Width	256 symbols
		Delay	0 symbols
AUX Input			Error Injection
	Vth		0V
AUX Output			1/N Clock
	1/N Clock	(Divide ratio)	1/64 Clock
	Pattern Sync	Position	1 symbols

Table B.1.1-6 Misc2 Tab

Main Item	Secondary Item	Tertiary Item	Default
Clock Setting	Clock Source		Unit1:Slot4:MU181500B* ¹
	Baud Rate		Variable* ¹
		Baud Rate	12.500 000 GBaud* ¹
		Offset* ¹	0 ppm
	Output Clock Rate		Halfrate
	Reference Clock* ¹		Internal
	Operation Bit Rate* ²		2.40 – 32.10 GBaud

*1: When the MX190000A is started as Standard BERT for PAM4.

*2: When the MX190000A is started as Expert BERT.

B.1.2 NRZ

Table B.1.2-1 Output Tab

Main Item	Secondary Item	Tertiary Item	Default
Bitrate			Variable
	Bitrate		12.500 000 Gbit/s
Output	Data		ON
	Clock		ON
Level Guard			OFF
	Level Guard Setup	Amplitude	0.800 V
		Offset Max(Voh)	3.300 V
		Offset Min(Vol)	−2.800 V
(NRZ pattern settings)		Amplitude	0.500 Vp-p
		Offset switching	AC OFF
		Offset	0.000 V
		Offset Position	Vth
		External ATT Factor	0.000 dB
Half Period Jitter			0
Cable for Data Output			J1789A 0.4m Cable (Recommend)
Delay			0 mUI
		Calibration	–
	Jitter Input		OFF
	Relative		0 mUI

Table B.1.2-2 Emphasis Tab

Main Item	Secondary Item	Tertiary Item	Default
Manual Setting	Emphasis Function Standard/Preset		Off
			USER
			De-Emphasis
			Preset0
Graph	Amplitude		0.500 Vp-p
	Pre	Cursor2	0.000 dB
		Cursor1	0.000 dB
	Post	Cursor1	0.000 dB
	Coefficient	C-2	0.000 000
		C-1	0.000 000
		C0	1.000 000
		C1	0.000 000
Channel Emulator	Channel Emulator Function		OFF
	Response		Normal
	Graph Mode		Freq. Domain
	Gain Adjust		1 GHz
ISI	ISI Function		OFF
	Standard/Interface		User
	Loss Channel		Not Specified
	Graph Mode		Freq. Domain
	Multi Point Mode		1point
	Tuning NF Insertion Loss		4.0 dB
	Tuning 1/2 NF Insertion Loss		2.0 dB

Table B.1.2-3 Pattern Tab

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	PRBS	Length	2 ¹⁵ –1
		Mark Ratio	1/2
		Logic	POS
	Zero Substitution	Length	2 ¹⁵
		Zero Substitution Length	1 bits
		Additional Bit	1
		Logic	POS
	Data	Length	2
		Logic	POS
	Data Editor	Data Length	2
		Format	Hex(Byte)
		Edit Mode	Overwrite
		Cursor Addr	0x00000000
	SSPR	Logic	POS
	RS-FEC Scrambled Idle 25G 1Lane	Logic	POS
	RS-FEC Scrambled Idle 50G 2Lanes, RS-FEC Scrambled Idle 100G 4Lanes, RS-FEC Scrambled Idle 100G 4Lanes RS(544,514)	Lane	0
		Logic	POS
	CP in 8b/10b Encoding for PCIe1 CP in 8b/10b Encoding for PCIe2	Seed	Lane 0
		Delay Symbol	OFF
		SKP	SKPx1
	MCP in 8b/10b Encoding for PCIe1 MCP in 8b/10b Encoding for PCIe2	Seed	Lane 0
		Delay Symbol	OFF
		SKP	No SKP
	CP in 128b/130b Encoding for PCIe3 CP in 128b/130b Encoding for PCIe4 CP in 128b/130b Encoding for PCIe5	Preset	P0
		SKP	No SKP

Table B.1.2-4 Pattern Tab (Cont'd)

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	MCP in 128b/130b Encoding for PCIe3	SRIS	OFF
		SKP	SKPx1
		EIEOS	ON
	MCP in 128b/130b Encoding for PCIe4	SRIS	OFF
		SKP	SKPx1
		EIEOS	ON
		Pre Coder	ON
	Jitter Calibration Pattern for PCIe1 Preset Calibration Pattern for PCIe1 Jitter Calibration Pattern for PCIe2 Preset Calibration Pattern for PCIe2 Jitter Calibration Pattern for PCIe3 Preset Calibration Pattern for PCIe3 Jitter Calibration Pattern for PCIe4 Preset Calibration Pattern for PCIe4 Jitter Calibration Pattern for PCIe5 Preset Calibration Pattern for PCIe5	Logic	POS

Table B.1.2-5 Error Addition Tab

Main Item	Secondary Item	Tertiary Item	Default
Error Addition			OFF
	Error Addition Mode		Bit Error
	Bit Error	Bit/Burst	Bit
		Source	Internal
		Variation	Repeat
		Route	Select
		Rate	1E-3
		Burst Length	1 bits

Table B.1.2-6 Misc1 Tab

Main Item	Secondary Item	Tertiary Item	Default	
Pattern Sequence			Repeat	
	Gating Output		ON	
	Repeat	Pulse Width	256 bits	
		Delay	0 bits	
	Burst	Source	Internal	
		Data Sequence	Restart	
		Enable Period	128 000 bits	
		Burst Cycle	128 000 000 bits	
		Delay	0 bits	
		Pulse Width	128 000 bits	
AUX Input		Error Injection		
		Vth	0V	
AUX Output		1/N Clock		
		1/N Clock	(Divide ratio)	1/64 Clock
		Pattern Sync	Position	1 bits

Table B.1.2-7 Misc2 Tab

Main Item	Secondary Item	Tertiary Item	Default
Clock Setting	Clock Source		Unit1:Slot4:MU181500B* ¹
	Bit Rate	Variable* ¹	
		Baud Rate	12.500 000 Gbit/s* ¹
		Offset* ¹	0 ppm
	Output Clock Rate		Halfrate
	Reference Clock* ¹		Internal
	Operation Bit Rate* ²		2.40 – 32.10 Gbit/s

*1: When the MX190000A is started as Standard BERT for PAM4.

*2: When the MX190000A is started as Expert BERT.

B.2 MU196040A

B.2.1 PAM4

Table B.2.1-1 Result Tab

Main Item	Secondary Item	Tertiary Item	Default
Switch of setting items	Setting display format		Gating
	Input	Upper Eye Threshold	0.095 V
		Middle Eye Threshold	0.000 V
		Lower Eye Threshold	−0.095 V
		UL Threshold	ON
		Delay	0 mUI
	Gating	Cycle	Repeat
		Unit	Time
		Time	0 day 00:00:01
		Current	ON
		Calculation	Progressive
	Interval		100 ms
	Condition	EI/EFI Interval	100 ms
		Bit Mask (Block Window)	OFF
	Auto Sync	Auto Sync	ON
		Threshold	INT
	Sync Control	Frame Length	64 symbols
Frame Position		1 symbols	
Time display format			Date&Time
Error/Alarm display	Details		OFF
	Zoom		OFF

Table B.2.1-2 Measurement Tab

Main Item	Secondary Item	Tertiary Item	Default
Gating	Cycle		Repeat
	Unit		Time
		Time	0 day 00:00:01
		Clock Count	>E+10
		Error Count	>E+10
	Current		ON
		Calculation	Progressive
		Interval	100 ms
Auto Sync	Auto Sync		ON
	Threshold		INT
Sync Control	Frame Length		64 symbols
	Frame Position		1 symbols
	Mask		All 00
Error/Alarm Condition	EI/EFI Interval		100 ms

Table B.2.1-3 Pattern Tab

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	PRBS		All List
		Length	2 ¹⁵ −1
		PRBS Inv MSB	ON
		PRBS Inv LSB	ON
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
	Data	Length	4
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
	Data Editor	Data Length	4
		Format	Hex(Byte)
		Edit Mode	Overwrite
		Cursor Addr	0x00000000

Table B.1.2-3 Pattern Tab (Cont'd)

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	PRBS23Q, PRBS31Q, PRBS31Q (Infiniband), PRBS31Q (Fibre Channel)	PRBS Inv MSB	ON
		PRBS Inv LSB	ON
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
	PRBS13Q, QPRBS13-CEI, QPRBS31-CEI, PRBS13Q (Infiniband)	PRBS Inv MSB	OFF
		PRBS Inv LSB	OFF
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
	QPRBS13	Seed	Lane 0
		Gray Coder	ON
		Pre Coder	ON
		Logic MSB	POS
		Logic LSB	POS
	SSPRQ, JP03A, JP03B, Square Wave, Transmitter Linearity	Logic MSB	POS
		Logic LSB	POS
Mask	Bit Mask (Block Window)		OFF
	External Mask		OFF

Table B.2.1-4 Input Tab

Main Item	Secondary Item	Tertiary Item	Default
Data	Input Condition		Single-Ended
		Single-Ended	Data
		Differential 50Ohm	Independent
		Differential 100Ohm	Independent
	Termination		GND
	Data	Upper Eye Threshold	0.165 V
		Middle Eye Threshold	0.000 V
		Lower Eye Threshold	−0.165 V
	XData	Upper Eye Threshold	0.165 V
		Middle Eye Threshold	0.000 V
		Lower Eye Threshold	−0.165 V
	UL Threshold		ON
		Differential Selection	Data-XData
		Threshold	0.000 V
Clock	Selection		External Clock
	Operation Baud Rate		2.40 – 16.05 GBaud
	Input Clock Freq.		2.40 – 16.05 GHz (1/1 Clock)
	Delay		0 mUI
		Relative	0 mUI
		Jitter Input	OFF
Measurement Restart	Data Threshold		OFF
	Clock Delay		OFF

Table B.2.1-5 Capture Tab

Main Item	Secondary Item	Tertiary Item	Default
Acquisition			Bit Pattern
Condition	Number of Block		128
	Condition	Trigger	
	Trigger		Match Pattern
		Position	Top
	Match Pattern Length		4 bits
	Format		HEX
	Math Pattern		0
	Mask Pattern		0

Table B.2.1-6 Misc1 Tab

Main Item	Secondary Item	Tertiary Item	Default
Pattern Sequence			Repeat
	Source		External - Enable
AUX Input			External Mask
		Vth	0V
AUX Output			1/N Clock
	1/N Clock	(Divide ratio)	1/64 Clock
	Pattern Sync	Position	1 symbols

B.2.2 NRZ

Table B.2.2-1 Result Tab

Main Item	Secondary Item	Tertiary Item	Default
Switch of setting items	Setting display format		Gating
	Input	Data Threshold	0.000 V
		XData Threshold	—
		Differential Selection	Data-XData
		Threshold	—
		Delay	0 mUI
	Gating	Cycle	Repeat
		Unit	Time
		Time	0 day 00:00:01
		Current	ON
		Calculation	Progressive
		Interval	100 ms
	Condition	Error Detection	Insertion/Omission
		EI/EFI Interval	100 ms
		Bit Mask (Block Window)	OFF
		Lane Mask (Bit Window)	OFF
	Auto Sync	Auto Sync	ON
		Threshold	INT
	Sync Control	Frame Length	64 bits
		Frame Position	1 bit
Result display format			Error/Alarm
Time display format			Date&Time
Error/Alarm display	Zoom		OFF
	All Channel		OFF

Table B.2.2-2 Measurement Tab

Main Item	Secondary Item	Tertiary Item	Default
Gating	Cycle		Repeat
	Unit		Time
		Time	0 day 00:00:01
		Clock Count	>E+10
		Error Count	>E+10
	Current		ON
		Calculation	Progressive
		Interval	100 ms
Auto Sync	Auto Sync		ON
	Threshold		INT
Sync Control	Frame Length		64 bits
	Frame Position		1 bit
	Mask		All 00
Error/Alarm Condition	Error Detection		Insertion/Omission
	EI/EFI Interval		100 ms

Table B.2.2-3 Pattern Tab

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern			All List
	PRBS	Length	2 ¹⁵ –1
		Mark Ratio	1/2
		Logic	POS
	Zero Substitution	Length	2 ¹⁵
		Zero Substitution Length	1 bits
		Additional Bit	1
		Logic	POS
	Data	Length	2
		Logic	POS
	Data Editor	Data Length	2
		Format	Hex(Byte)
		Edit Mode	Overwrite
		Cursor Addr	0x00000000
	SSPR	Logic	POS
Mask	Bit Mask (Block Window)		OFF
	Lane Mask (Bit Window)		OFF
	External Mask		OFF

Table B.2.2-4 Input Tab

Main Item	Secondary Item	Tertiary Item	Default
Data	Input Condition		Single-Ended
		Single-Ended	Data
		Differential 50Ohm	Independent
		Differential 100Ohm	Independent
	Data Threshold		0.000 V
	Termination		GND
		Variable	0.000 V
	XData Threshold		0.000 V
	Differential Selection		Data-XData
Clock	Threshold		0.000 V
	Selection		External Clock
	Operation Bitrate		2.40 – 16.05 GBit/s
	Input Clock Freq.		2.40 – 16.05 GHz (1/1 Clock)
	Delay		0 mUI
		Relative	0 mUI
Measurement Restart	Jitter Input		OFF
	Data Threshold		OFF
	Clock Delay		OFF

Table B.2.2-5 Capture Tab

Main Item	Secondary Item	Tertiary Item	Default
Acquisition			Bit Pattern
Condition			
	Number of Block		128
	Condition	Trigger	
	Trigger		Match Pattern
		Position	Top
	Match Pattern Length		4 bits
	Format		HEX
	Match Pattern		0
	Mask Pattern		0

Table B.2.2-6 Misc1 Tab

Main Item	Secondary Item	Tertiary Item	Default
Pattern Sequence	Burst		Repeat
		Source	External - Enable
		Delay	0 bits
		Enable Period	128 000 bits
		Burst Cycle	128 000 000 bits
		Auto/Manual	Manual
AUX Input			External Mask
			Vth
			0V
AUX Output			1/N Clock
	1/N Clock	(Divide ratio)	1/64 Clock
	Pattern Sync	Position	1 bits

B.3 MU196040B

B.3.1 PAM4

Table B.3.1-1 Result Tab

Main Item	Secondary Item	Tertiary Item	Default
Switch of setting items	Setting display format		Gating
	Input	Upper Eye Threshold	0.095 V
		Middle Eye Threshold	0.000 V
		Lower Eye Threshold	−0.095 V
		U/L Threshold Sync	ON
		Low Frequency Equalizer	OFF
			0.000 dB
		DFE	OFF
			0
	Delay	0 mUI	
	Gating	Cycle	Repeat
		Unit	Time
		Time	0 day 00:00:01
		Current	ON
		Calculation	Progressive
		Interval	100 ms
	Condition	EI/EFI Interval	100 ms
		Bit Mask (Block Window)	OFF
	Auto Sync	Auto Sync	ON
		Threshold	INT
	Sync Control	Frame Length	64 symbols
		Frame Position	1 symbol
	RS-FEC Symbol	Preset	Variable
		Measurement Condition	Intermittent Error Detect
		Codeword Length	544
		FEC Symbol Length	10
		FEC Symbol Error Threshold	16
Time display format			Date&Time
Error/Alarm display	Details		OFF
	Zoom		OFF

Table B.3.1-2 Measurement Tab

Main Item	Secondary Item	Tertiary Item	Default
Gating	Cycle		Repeat
	Unit		Time
		Time	0 day 00:00:01
		Clock Count	>E+10
		Error Count	>E+10
	Current		ON
		Calculation	Progressive
		Interval	100 ms
Auto Sync	Auto Sync		ON
	Threshold		INT
Sync Control	Frame Length		64 symbols
	Frame Position		1 symbol
	Mask		00 00 00 00 00 00 00 00
Error/Alarm Condition	EI/EFI Interval		100 ms
Measurement Restart	Data Threshold		OFF
	Clock Delay		OFF

Table B.3.1-3 Pattern Tab

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	PRBS		All List
		Length	2 ¹⁵ −1
		PRBS Inv MSB	ON
		PRBS Inv LSB	ON
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Input Signal Decoder	OFF
	Data	Length	4
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Input Signal Decoder	OFF

Table B.3.1-3 Pattern Tab (Cont'd)

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern (Cont'd)	Data Editor	Data Length	4
		Format	Hex(Byte)
		Edit Mode	Overwrite
		Cursor Addr	0x00000000
	PRBS23Q, PRBS31Q, PRBS31Q (Infiniband), PRBS31Q (Fibre Channel)	PRBS Inv MSB	ON
		PRBS Inv LSB	ON
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Input Signal Decoder	OFF
	PRBS13Q, QPRBS13-CEI, QPRBS31-CEI, PRBS13Q (Infiniband)	PRBS Inv MSB	OFF
		PRBS Inv LSB	OFF
		Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Input Signal Decoder	OFF
	QPRBS13	Seed	Lane 0
		Gray Coder	ON
		Pre Coder	ON
		Logic MSB	POS
		Logic LSB	POS
	SSPRQ, JP03A, JP03B, Square Wave, Transmitter Linearity	Logic MSB	POS
		Logic LSB	POS
		Input Signal Decoder	OFF

Table B.3.1-3 Pattern Tab (Cont'd)

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern (Cont'd)	RS-FEC Scrambled Idle 50G 1Lane, RS-FEC Scrambled Idle 100G 1Lanes, RS-FEC-Int Scrambled Idle 100G 1Lanes	Gray Coder	OFF
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Input Signal Decoder	ON
		Inverse Gray Coder	ON
		Pre-Code Remover	OFF
	RS-FEC Scrambled Idle 100G 2Lanes, RS-FEC Scrambled Idle 200G 2Lanes, RS-FEC Scrambled Idle 200G 4Lanes, RS-FEC Scrambled Idle 400G 4Lanes, RS-FEC Scrambled Idle 400G 8Lanes	Lane	0
		Gray Coder	OFF
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Input Signal Decoder	ON
		Inverse Gray Coder	ON
		Pre-Code Remover	OFF
	CP in 1b/1b Encoding for PCIe6	Gray Coder	ON
		Pre Coder	OFF
		Logic MSB	POS
		Logic LSB	POS
		Seed	Lane 0
		SKP OS Filtering	ON
	MCP in 1b/1b Encoding for PCIe6	Gray Coder	ON
		Pre Coder	ON
		Logic MSB	POS
		Logic LSB	POS
		Seed	Lane 0
		SRIS	OFF
		SKP	SKPx1
		EIEOS	ON
		SKP OS Filtering	ON
Mask	Bit Mask (Block Window)	OFF	
	External Mask	OFF	

Table B.3.1-4 Input Tab

Main Item	Secondary Item	Tertiary Item	Default
Data	Input Condition		Single-Ended
		Single-Ended	Data
		Differential 50Ohm	Independent
		Differential 100Ohm	Independent
	Termination		GND
	Data	Upper Eye Threshold	0.095 V
		Middle Eye Threshold	0.000 V
		Lower Eye Threshold	-0.095 V
	XData	Upper Eye Threshold	0.095 V
		Middle Eye Threshold	0.000 V
		Lower Eye Threshold	-0.095 V
	UL Threshold		ON
		Differential Selection	Data-XData
		Threshold	0.000 V
Equalizer	Low Frequency Equalizer		OFF
		Data	0.000 dB
	Decision Feedback Equalizer		OFF
		Data	0
Clock	Selection		External Clock
	Operation Baud Rate		2.40 – 32.10 Gaud* ¹ Auto* ²
	Input Clock Freq.		1.20 – 16.05 GHz (1/2 Clock)* ¹ 1.20 – 32.1 GHz (1/2 Clock)* ²
	Delay		0 mUI
		Relative	0 mUI
		Jitter Input	OFF

*1: When MU196040B-001 is installed.

*2: When MU196040B-002 or MU196040B-y12 is installed.

Table B.3.1-5 Capture Tab

Main Item	Secondary Item	Tertiary Item	Default
Capture Mode	Capture Mode		Sync Mode Capture
		State	-----
Capture Result Display	Auto Launch		Capture Data
Condition			
	Number of Blocks		128
	Capture Area		After the Trigger
	Trigger		Match Pattern
	Match Pattern Length		4 symbol
	Notation		Symbol(PAM4)
	Match Pattern		00 00
	Mask		00 00

Table B.3.1-6 Misc1 Tab

Main Item	Secondary Item	Tertiary Item	Default
Pattern Sequence			Repeat
	Source		External-Enable
AUX Input			External Mask
	Vth		0V
AUX Output			1/N Clock
	1/N Clock	(Divide ratio)	1/64 Clock
	Pattern Sync	Position	1 symbols

Table B.3.1-7 Logging Tab

Main Item	Secondary Item	Tertiary Item	Default
BER/SER Logging	Logging		OFF
	Cycle		00:00:05
	ER (Symbol)		OFF
	ER (Bit)		OFF
	ER (MSB)		OFF
	ER (LSB)		OFF
	EC (Symbol)		OFF
	EC (Bit)		OFF
	EC (MSB)		OFF
	EC (LSB)		OFF
	Clock Loss		OFF
	Sync Loss		OFF

B.3.2 NRZ

Table B.3.2-1 Result Tab

Main Item	Secondary Item	Tertiary Item	Default
Switch of setting items	Setting display format		Gating
	Input	Data Threshold	0.000 V
		XData Threshold	—
		Differential Selection	Data-XData
		Threshold	—
		Delay	0 mUI
		LFE	OFF
			0.000 dB
		DFE	OFF
			0
	Gating	Cycle	Repeat
		Unit	Time
		Time	0 day 00:00:01
		Current	ON
		Calculation	Progressive
		Interval	100 ms
	Condition	Error Detection	Insertion/Omission
		EI/EFI Interval	100 ms
		Bit Mask (Block Window)	OFF
		Lane Mask (Bit Window)	OFF
	Auto Sync	Auto Sync	ON
		Threshold	INT
	Sync Control	Frame Length	64 bits
		Frame Position	1 bit
	RS-FEC Symbol	Preset	Variable
		Measurement Condition	Intermittent Error Detect
		Codeword Length	528
		FEC Symbol Length	10
		FEC Symbol Error Threshold	8
	Result display format		
Time display format			Date&Time
Error/Alarm display	Zoom		OFF
	Show in Window		OFF

Table B.3.2-2 Measurement Tab

Main Item	Secondary Item	Tertiary Item	Default
Gating	Cycle		Repeat
	Unit		Time
		Time	0 day 00:00:01
		Clock Count	>E+10
		Error Count	>E+10
	Current		ON
		Calculation	Progressive
		Interval	100 ms
Auto Sync	Auto Sync		ON
	Threshold		INT
Sync Control	Frame Length		64 bits
	Frame Position		1 bit
	Mask		All 00
Error/Alarm Condition	Error Detection		Insertion/Omission
	EI/EFI Interval		100 ms
Measurement Restart	Data Threshold		OFF
	Clock Delay		OFF

Table B.3.2-3 Pattern Tab

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	PRBS	Length	2 ¹⁵ –1
		Mark Ratio	1/2
		Logic	POS
	Zero Substitution	Length	2 ¹⁵
		Zero Substitution Length	1 bits
		Additional Bit	1
		Logic	POS
	Data	Length	2
		Logic	POS
	Data Editor	Data Length	2
		Format	Hex(Byte)
		Edit Mode	Overwrite
		Cursor Addr	0x00000000
	SSPR	Logic	POS
	RS-FEC Scrambled Idle 25G 1Lane	Logic	POS
	RS-FEC Scrambled Idle 50G 2Lanes RS(544,514), RS-FEC Scrambled Idle 100G 4Lanes, RS-FEC Scrambled Idle 100G 4Lanes RS(544,514)	Lane	0
		Logic	POS
	CP in 8b/10b Encoding for PCIe1 CP in 8b/10b Encoding for PCIe2	Seed	Lane 0
		Delay Symbol	OFF
		SKP	SKPx1
		SKP OS Filtering	ON
	MCP in 8b/10b Encoding for PCIe1 MCP in 8b/10b Encoding for PCIe2	Seed	Lane 0
		Delay Symbol	OFF
		SKP	No SKP
		SKP OS Filtering	ON

Table B.3.2-3 Pattern Tab (Cont'd)

Main Item	Secondary Item	Tertiary Item	Default
Test Pattern	CP in 128b/130b Encoding for PCIe3	Preset	P0
		SKP	No SKP
		SKP OS Filtering	OFF
	CP in 128b/130b Encoding for PCIe4		
	MCP in 128b/130b Encoding for PCIe3	SRIS	OFF
		SKP	SKPx1
		EIEOS	ON
		SKP OS Filtering	ON
	MCP in 128b/130b Encoding for PCIe5	SRIS	OFF
		SKP	SKPx1
		EIEOS	ON
		Pre Coder	ON
		SKP OS Filtering	ON
Mask	Bit Mask (Block Window)		OFF
	Lane Mask (Bit Window)		OFF
	External Mask		OFF

Table B.3.2-4 Input Tab

Main Item	Secondary Item	Tertiary Item	Default
Data	Input Condition		Single-Ended
		Single-Ended	Data
		Differential 50Ohm	Independent
		Differential 100Ohm	Independent
	Data Threshold		0.000 V
	Termination		GND
		Variable	0.000 V
	XData Threshold		0.000 V
	Differential Selection		Data-XData
	Threshold		0.000 V
Equalizer	Low Frequency Equalizer		OFF
		Data	0.000 dB
	Decision Feedback Equalizer		OFF
		Data	0
Clock	Selection		External Clock
	Operation Bitrate		2.40 – 32.10 Gbit/s* ¹ Auto* ²
	Input Clock Freq.		1.20–16.05 GHz (1/2 Clock)* ¹ 1.20–32.1 GHz (1/2 Clock)* ²
	Delay		0 mUI
		Relative	0 mUI
		Jitter Input	OFF

*1: When MU196040B-001 is installed.

*2: When MU196040B-002 or MU196040B-y12 is installed.

Table B.3.2-5 Capture Tab

Main Item	Secondary Item	Tertiary Item	Default
Capture Mode	Capture Mode		Sync Mode Capture
		State	-----
Capture Result Display	Auto Launch		Capture Data
Condition			
	Number of Blocks		128
	Capture Area		After The Trigger
	Trigger		Match Pattern
	Match Pattern Length		4 bit
	Notation		Bin
	Match Pattern		0000
	Mask		0000

Table B.3.2-6 Misc1 Tab

Main Item	Secondary Item	Tertiary Item	Default
Pattern Sequence	Burst		Repeat
		Source	External - Enable
		Delay	0 bits
		Enable Period	128 000 bits
		Burst Cycle	12 800 000 bits
		Auto/Manual	Manual
AUX Input			External Mask
		Vth	0V
AUX Output			1/N Clock
	1/N Clock	(Divide ratio)	1/64 Clock
	Pattern Sync	Position	1 bits

Table B.3.2-7 Logging Tab

Main Item	Secondary Item	Tertiary Item	Default
BER/SER Logging	Logging		OFF
	Cycle		00:00:05
	ER (Total)		OFF
	ER (INS)		OFF
	ER (OMI)		OFF
	EC (Total)		OFF
	EC (INS)		OFF
	EC (OMI)		OFF
	Clock Loss		OFF
	Sync Loss		OFF

Appendix C Performance Test Record Sheet

C.1 Performance Test Result Sheet

Document number:

Test Location:

Date:

Test person in charge:

Product name:

Serial number:

Software version:

Option:

Power voltage:

V

Power frequency:

Hz

Ambient temperature

°C

Relative humidity

%

Instruments used:

Model name

Serial number

Model name

Serial number

Model name

Serial number

Model name

Serial number

Remarks

C.2 MU196020A

C.2.1 MU196020A-001

Table C.2.1-1 Operating Frequency Range

Specification	Results	
	Data	$\overline{\text{Data}}$
No errors occur within the range from 2.4 to 32.1 Gbit/s.*		
No errors occur within the range from 2.4 to 32.1 Gbaud.*		

*: Pattern PRBS, $2^{31}-1$

Table C.2.1-2 MU196020A-001 Waveform Evaluation Test- Amplitude (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (Vp-p)	Upper Limit (Vp-p)	Data	$\overline{\text{Data}}$
32.1 Gbit/s	0.70	0.581	0.819		
	0.07	0.027	0.113		

Table C.2.1-3 MU196020A-001 Waveform Evaluation Test- 0/3 Level Amplitude (PAM4)

Settings		Specification		Results	
Baud rate	Amplitude (Vp-p)	Lower Limit (Vp-p)	Upper Limit (Vp-p)	Data	$\overline{\text{Data}}$
32.1 Gbaud	0.70	0.581	0.819		
	0.07	0.027	0.113		

Table C.2.1-4 MU196020A-001 Waveform Evaluation Test- Offset (NRZ)

Settings		Specification		Results	
Bit rate	Offset (Vth)	Lower Limit (V)	Upper Limit (V)	Data	$\overline{\text{Data}}$
32.1 Gbit/s	3.265	2.817	3.713		
	-2.35	-2.590	-2.111		

Table C.2.1-5 MU196020A-001 Waveform Evaluation Test- Offset (PAM4)

Settings		Specification		Results	
Baud rate	Offset (Vth)	Lower Limit (V)	Upper Limit (V)	Data	$\overline{\text{Data}}$
32.1 Gbaud	3.265	2.817	3.713		
	-2.35	-2.590	-2.111		

Table C.2.1-6 MU196020A-001 Waveform Evaluation Test-Cross point (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (%)	Upper Limit (%)	Data	$\overline{\text{Data}}$
32.1 Gbit/s	0.50	40	60		

Table C.2.1-7 MU196020A-001 Waveform Evaluation Test- Tr/Tf (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (ps)	Upper Limit (ps)	Data	$\overline{\text{Data}}$
32.1 Gbit/s	0.50	—	9.0* ¹		
		—	9.5* ²		

*1: When J1789A cables are used.

*2: When J1790A cables are used.

Table C.2.1-8 MU196020A-001 Waveform Evaluation Test- Jitter (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (ps)	Upper Limit (ps p-p)	Data	$\overline{\text{Data}}$
32.1 Gbit/s	0.50	—	6.0		

C.2.2 MU196020A-002

Table C.2.2-1 Operating Frequency Range

Specification	Results	
	Data	Data
No errors occur within the range from 2.4 to 32.1 Gbit/s.*		
No errors occur within the range from 2.4 to 32.1 Gbaud.*		

*: Pattern PRBS, $2^{31}-1$

Table C.2.2-2 MU196020A-002 Waveform Evaluation Test- Amplitude (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (Vp-p)	Upper Limit (Vp-p)	Data	Data
58.2 Gbit/s	0.70* ¹	0.581	0.819		
	0.60* ²	0.493	0.707		
	0.07	0.027	0.113		

*1: When J1789A cables are used.

*2: When J1790A cables are used.

Table C.2.2-3 MU196020A-002 Waveform Evaluation Test-0/3 Level Amplitude (PAM4)

Settings		Specification		Results	
Baud rate	Amplitude (Vp-p)	Lower Limit (Vp-p)	Upper Limit (Vp-p)	Data	Data
58.2 Gbaud	0.70* ¹	0.581	0.819		
	0.60* ²	0.493	0.707		
	0.07	0.027	0.113		

*1: When J1789A cables are used.

*2: When J1790A cables are used.

Table C.2.2-4 MU196020A-002 Waveform Evaluation Test- Offset (NRZ)

Settings		Specification		Results	
Bit rate	Offset (Vth)	Lower Limit (V)	Upper Limit (V)	Data	Data
58.2 Gbit/s	3.265	2.817	3.713		
	-2.30* ¹	-2.489	-2.112		
	-2.35* ²	-2.590	-2.111		

*1: When J1790A cables are used, Amplitude 0.60 Vp-p

*2: When J1789A cables are used, Amplitude 0.70 Vp-p

Table C.2.2-5 MU196020A-002 Waveform Evaluation Test- Offset (PAM4)

Settings		Specification		Results	
Baud rate	Offset (Vth)	Lower Limit (V)	Upper Limit (V)	Data	$\overline{\text{Data}}$
58.2 Gbaud	3.265	2.817	3.713		
	-2.30* ¹	-2.489	-2.112		
	-2.35* ²	-2.590	-2.111		

*1: When J1790A cables are used, Amplitude 0.60 Vp-p

*2: When J1789A cables are used, Amplitude 0.70 Vp-p

Table C.2.2-6 MU196020A-002 Waveform Evaluation Test- Cross point (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (%)	Upper Limit (%)	Data	$\overline{\text{Data}}$
58.2 Gbit/s	0.50	40	60		

Table C.2.2-7 MU196020A-002 Waveform Evaluation Test- Tr/Tf (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (ps)	Upper Limit (ps)	Data	$\overline{\text{Data}}$
58.2 Gbit/s	0.50	—	8.5* ¹		
		—	8.8* ²		

*1: When J1789A cables are used.

*2: When J1790A cables are used.

Table C.2.2-8 MU196020A-002 Waveform Evaluation Test- Jitter (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (ps)	Upper Limit (ps p-p)	Data	$\overline{\text{Data}}$
58.2 Gbit/s	0.50	—	6.0		

C.2.3 MU196020A-003

Table C.2.3-1 Operating Frequency Range

Specification	Results	
	Data	Data
No errors occur within the range from 2.4 to 32.1 Gbit/s.*		
No errors occur within the range from 2.4 to 32.1 Gbaud.*		

*: Pattern PRBS, $2^{31}-1$

Table C.2.3-2 MU196020A-003 Waveform Evaluation Test- Amplitude (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (Vp-p)	Upper Limit (Vp-p)	Data	Data
64.2 Gbit/s	0.70* ¹	0.581	0.819		
	0.55* ²	0.405	0.595		
	0.07	0.027	0.113		

*1: When J1789A cables are used.

*2: When J1790A cables are used.

Table C.2.3-3 MU196020A-003 Waveform Evaluation Test-0/3 Level Amplitude (PAM4)

Settings		Specification		Results	
Baud rate	Amplitude (Vp-p)	Lower Limit (Vp-p)	Upper Limit (Vp-p)	Data	Data
64.2 Gbaud	0.70* ¹	0.581	0.819		
	0.55* ²	0.405	0.595		
	0.07	0.027	0.113		

*1: When J1789A cables are used.

*2: When J1790A cables are used.

Table C.2.3-4 MU196020A-003 Waveform Evaluation Test- Offset (NRZ)

Settings		Specification		Results	
Bit rate	Offset (Vth)	Lower Limit (V)	Upper Limit (V)	Data	Data
64.2 Gbit/s	3.265	2.817	3.713		
	-2.275* ¹	-2.438	-2.112		
	-2.35* ²	-2.590	-2.111		

*1: When J1790A cables are used, Amplitude 0.55 Vp-p

*2: When J1789A cables are used, Amplitude 0.70 Vp-p

Table C.2.3-5 MU196020A-003 Waveform Evaluation Test- Offset (PAM4)

Settings		Specification		Results	
Baud rate	Offset (Vth)	Lower Limit (V)	Upper Limit (V)	Data	$\overline{\text{Data}}$
64.2 Gbaud	3.265	2.817	3.713		
	-2.275* ¹	-2.438	-2.112		
	-2.35* ²	-2.590	-2.111		

*1: When J1790A cables are used, Amplitude 0.55 Vp-p

*2: When J1789A cables are used, Amplitude 0.70 Vp-p

Table C.2.3-6 MU196020A-003 Waveform Evaluation Test - Cross point (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (%)	Upper Limit (%)	Data	$\overline{\text{Data}}$
64.2 Gbit/s	0.50	40	60		

Table C.2.3-7 MU196020A-003 Waveform Evaluation Test - Tr/Tf (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (ps)	Upper Limit (ps)	Data	$\overline{\text{Data}}$
64.2 Gbit/s	0.50	—	8.5* ¹		
		—	8.8* ²		

*1: When J1789A cables are used.

*2: When J1790A cables are used.

Table C.2.3-8 MU196020A-003 Waveform Evaluation Test- Jitter (NRZ)

Settings		Specification		Results	
Bit rate	Amplitude (Vp-p)	Lower Limit (ps)	Upper Limit (ps p-p)	Data	$\overline{\text{Data}}$
64.2 Gbit/s	0.50	—	6.0		

C.3 MU196040A

Table C.3-1 Input Level Range (NRZ)

Settings					Specification	Results	
MU196020A			MU196040A			Data	$\overline{\text{Data}}$
Termination	Amplitude (Vp-p)	Offset (Vth) (V)	Termination	Threshold Voltage (V)			
GND	0.7	−2.35	GND	−2.350	No errors occur.		
	0.05	−0.225		−0.225			
	0.7	+2.95		+2.950			
	0.05	+0.305		+0.305			

Table C.3-2 Input Level Range (PAM4)

Settings					Specification	Results	
MU196020A			MU196040A			Data	$\overline{\text{Data}}$
Termination	Amplitude (Vp-p)	Offset (Vth) (V)	Termination	Threshold Voltage (V)			
GND	0.7	−2.35	GND	Upper: −2.117 Middle: −2.350 Lower: −2.583	No errors occur.		
	0.3	−2.15		Upper: −2.050 Middle: −2.150 Lower: −2.250			
	0.7	+2.95		Upper: 3.183 Middle: 2.950 Lower: 2.717			
	0.3	+3.15		Upper: 3.250 Middle: 3.150 Lower: 3.050			

Table C.3-3 Test Pattern (PRBS-NRZ)

Settings				Specification	Results	
MU196020A		MU196040A			Data	$\overline{\text{Data}}$
Length	Logic	Length	Logic			
2^7-1	POS	2^7-1	POS	No errors occur.		
2^9-1	POS	2^9-1	POS			
2^11-1	POS	2^11-1	POS			
2^13-1	POS	2^13-1	POS			
2^15-1	POS	2^15-1	POS			
2^20-1	POS	2^20-1	POS			
2^23-1	POS	2^23-1	POS			
2^31-1	POS	2^31-1	POS			
2^31-1	NEG	2^31-1	NEG			

Table C.3-4 Test Pattern (PRBS-PAM4)

Settings						Specification	Results	
MU196020A			MU196040A				Data	$\overline{\text{Data}}$
Length	Logic MSB	Logic LSB	Length	Logic MSB	Logic LSB			
2 ⁷ −1	POS	POS	2 ⁷ −1	POS	POS	No errors occur.		
2 ⁹ −1	POS	POS	2 ⁹ −1	POS	POS			
2 ¹¹ −1	POS	POS	2 ¹¹ −1	POS	POS			
2 ¹⁵ −1	POS	POS	2 ¹⁵ −1	POS	POS			
2 ²⁰ −1	POS	POS	2 ²⁰ −1	POS	POS			
2 ²³ −1	POS	POS	2 ²³ −1	POS	POS			
2 ³¹ −1	POS	POS	2 ³¹ −1	POS	POS			
2 ³¹ −1	NEG	NEG	2 ³¹ −1	NEG	NEG			

Table C.3-5 Test Pattern (Zero Substitution-NRZ)

Settings				Specification	Results	
MU196020A		MU196040A			Data	$\overline{\text{Data}}$
Length	Logic	Length	Logic			
2^7	POS	2^7	POS	No errors occur.		
2^9	POS	2^9	POS			
2^10	POS	2^10	POS			
2^11	POS	2^11	POS			
2^15	POS	2^15	POS			
2^20	POS	2^20	POS			
2^23	POS	2^23	POS			
2^7-1	POS	2^7-1	POS			
2^9-1	POS	2^9-1	POS			
2^10-1	POS	2^10-1	POS			
2^11-1	POS	2^11-1	POS			
2^15-1	POS	2^15-1	POS			
2^20-1	POS	2^20-1	POS			
2^23-1	POS	2^23-1	POS			

Table C.3-6 Test Pattern (SSPRQ-PAM4)

Settings				Specification	Results	
MU196020A		MU196040A			Data	$\overline{\text{Data}}$
Pattern	Logic	Pattern	Logic			
SSPRQ	POS	SSPRQ	POS	No errors occur.		

Table C.3-7 Error Detection

Item	Specification	Results	
		Data	$\overline{\text{Data}}$
Error rate (ER)	5.0000E-12		
Error count (EC)	1.0000E-00		
Error free interval (%EFI)	99.9900%		
Error interval (EI)	1		

C.4 MU196040B

Table C.4-1 Input Level Range (NRZ \leq 32.1 Gbit/s)

Settings					Specification	Results	
MU196020A			MU196040B			Data	Data
Termination	Amplitude (Vp-p)	Offset (Vth) (V)	Termination	Threshold Voltage (V)			
GND	0.7	−2.35	GND	−2.350	No errors occur.		
	0.05	−0.225		−0.225			
	0.7	+2.95		+2.950			
	0.05	+0.305		+0.305			

Table C.4-2 Input Level Range (NRZ $>$ 32.1 Gbit/s)

Settings					Specification	Results	
MU196020A			MU196040B			Data	Data
Termination	Amplitude (Vp-p)	Offset (Vth) (V)	Termination	Threshold Voltage (V)			
GND	0.7	−2.35	GND	−2.350	No errors occur.		
	0.1	−2.05		−2.050			
	0.7	+2.95		+2.950			
	0.1	+3.25		+3.250			

Table C.4-3 Input Level Range (PAM4 \leq 32.1 Gbaud)

Settings					Specification	Results	
MU196020A			MU196040B			Data	Data
Termination	Amplitude (Vp-p)	Offset (Vth) (V)	Termination	Threshold Voltage (V)			
GND	0.7	−2.35	GND	Upper: −2.117 Middle: −2.350 Lower: −2.583	No errors occur.		
	0.3	−2.15		Upper: −2.050 Middle: −2.150 Lower: −2.250			
	0.7	+2.95		Upper: 3.183 Middle: 2.950 Lower: 2.717			
	0.3	+3.15		Upper: 3.250 Middle: 3.150 Lower: 3.050			

Table C.4-4 Input Level Range (PAM4 >32.1 Gbaud)

Settings					Specification	Results	
MU196020A			MU196040B			Data	Data
Termination	Amplitude (Vp-p)	Offset (Vth) (V)	Termination	Threshold Voltage (V)			
GND	0.7	−2.35	GND	Upper: −2.117 Middle: −2.350 Lower: −2.583	No errors occur.		
	0.4	−2.20		Upper: −2.067 Middle: −2.200 Lower: −2.333			
	0.7	+2.95		Upper: 3.183 Middle: 2.950 Lower: 2.717			
	0.4	+3.10		Upper: 3.233 Middle: 3.100 Lower: 2.967			

Table C.4-5 Test Pattern (PRBS-NRZ)

Settings				Specification	Results	
MU196020A		MU196040B			Data	$\overline{\text{Data}}$
Length	Logic	Length	Logic			
2^7-1	POS	2^7-1	POS	No errors occur.		
2^9-1	POS	2^9-1	POS			
2^11-1	POS	2^11-1	POS			
2^13-1	POS	2^13-1	POS			
2^15-1	POS	2^15-1	POS			
2^20-1	POS	2^20-1	POS			
2^23-1	POS	2^23-1	POS			
2^31-1	POS	2^31-1	POS			
2^31-1	NEG	2^31-1	NEG			

Table C.4-6 Test Pattern (PRBS-PAM4)

Settings						Specification	Results	
MU196020A			MU196040B				Data	$\overline{\text{Data}}$
Length	Logic MSB	Logic LSB	Length	Logic MSB	Logic LSB			
2 ⁷ −1	POS	POS	2 ⁷ −1	POS	POS	No errors occur.		
2 ⁹ −1	POS	POS	2 ⁹ −1	POS	POS			
2 ¹¹ −1	POS	POS	2 ¹¹ −1	POS	POS			
2 ¹⁵ −1	POS	POS	2 ¹⁵ −1	POS	POS			
2 ²⁰ −1	POS	POS	2 ²⁰ −1	POS	POS			
2 ²³ −1	POS	POS	2 ²³ −1	POS	POS			
2 ³¹ −1	POS	POS	2 ³¹ −1	POS	POS			
2 ³¹ −1	NEG	NEG	2 ³¹ −1	NEG	NEG			

Table C.4-7 Test Pattern (Zero Substitution -NRZ)

Settings				Specification	Results	
MU196020A		MU196040B			Data	$\overline{\text{Data}}$
Length	Logic	Length	Logic			
2^7	POS	2^7	POS	No errors occur.		
2^9	POS	2^9	POS			
2^10	POS	2^10	POS			
2^11	POS	2^11	POS			
2^15	POS	2^15	POS			
2^20	POS	2^20	POS			
2^23	POS	2^23	POS			
2^7-1	POS	2^7-1	POS			
2^9-1	POS	2^9-1	POS			
2^10-1	POS	2^10-1	POS			
2^11-1	POS	2^11-1	POS			
2^15-1	POS	2^15-1	POS			
2^20-1	POS	2^20-1	POS			
2^23-1	POS	2^23-1	POS			

Table C.4-8 Test Pattern (SSPRQ-PAM4)

Settings				Specification	Results	
MU196020A		MU196040B			Data	$\overline{\text{Data}}$
Pattern	Logic	Pattern	Logic			
SSPRQ	POS	SSPRQ	POS	No errors occur.		

Table C.4-9 Error Detection

Item	Specification	Results	
		Data	$\overline{\text{Data}}$
Error rate (ER)	5.0000E-12		
Error count (EC)	1.0000E-00		
Error free interval (%EFI)	99.9900%		
Error interval (EI)	1		

References are to page numbers.

A

AUX In.....3-2, 3-3, 3-4
AUX Out.....3-2, 3-3, 3-4

B

Bias-T 2-5

C

Calibration..... 6-3
CAUTION..... ii
CDR 4-5
CE markingix
Clock Out..... 3-2

D

DANGER..... ii
Data Input..... 3-3, 3-4
Data Output 3-2

E

Ext Clock In.....3-2, 3-3, 3-4

G

Gating Out..... 3-2

O

Option name format 1-5
Optional Accessories..... 1-7

P

Performance Test 5-1
Preventing Damage..... 2-3
Procedure.....5-6, 5-8, 5-11, 5-14, 5-15

R

RCM markingx
ROSA..... 4-2

S

SERDES 4-5
Standard Configuration 1-4
Storage..... 6-2

T

TIA..... 4-2
TOSA 4-2
Transportation..... 6-3

W

WARNING..... ii
Warranty iii

