


3GPP Protocol Analyzer

MX848086A



Introduction

Users of MD8480 W-CDMA Signaling Tester can now analyze their trace logs instantly and fully decoded. The MX848086A 3GPP Protocol Analyzer is an additional tool for the MD8480, providing fast and accurate analysis of the messages between a UE and the MD8480 system simulator. This tool provides a real advantage for development teams involved in 3GPP UE advancement where the number of scenarios needed is growing rapidly.

The tool is intuitive to use and provides the ideal graphical environment to allow study of the complex protocol messages that pass to and from the UE under test; particularly the RRC and NAS messages.

Tool Overview

The MX848086A has been designed to support the iterative process that cycles between Design, Test Analysis, Test Execution and Results Analysis. It is one tool in the family of Anritsu products that

has shaped the way 3rd Generation UEs have developed.


A test log from the MD8480 can be examined completely without the need to cut and paste elements into a separate tool.

Decodes complex NAS and RRC messages.


A new challenge for W-CDMA protocol development is decoding RRC messages as these use ASN.1 Packed Encoding Rules (PER). PER adds a level of complexity over the TLV encoding used by GSM as information elements are not aligned to byte or nibble boundaries so even a hexadecimal display of the message is difficult to interpret. Further complexity is added by the extensive use of "optional" and "choice" elements throughout the RRC message specification. The result is that decoding the RRC messages manually is impractical.

The tool provides:

- Analysis to Information element level of protocol exchanges between MD8480 and UE
- Decodes RRC & NAS messages to format recognised by 3GPP
- Support for GSM / GPRS / WCDMA UEs
- Based on Globally recognised PTS and VST protocol development system
- 3GPP Standard compliant development tool



Typical cycle for scenario development and analysis



MD8480 customers that utilize the MX848000A to create “C” based test scenarios currently can only view “hex-dump” format data. It is not really practical to manually decode RRC/NAS messages, and cut/paste of hex strings into available automated tools is very laborious.

It is desirable to have a tool that automatically displays logs as MSCs with RRC and NAS messages fully decoded.

The MX848086A 3GPP Protocol Analyzer provides analysis of the data logged during execution of MX848000 scenarios to a detail that makes it easy to debug and understand the messages between the MD8480A and the UE under test. The user is provided with a HTML based display that provides “Links” from all the message interchanges and decodes each message in an easily read format. This

means that finding mismatches in the configurations or signaling is relatively straightforward.



RRC & NAS messages can be decoded to information element level and can be correlated with the 3GPP specifications (see diagram below).

The MX848086A runs on the same PC as the MX848000A Test scenarios, allowing immediate analysis of the scenario. It can also be run on a separate PC if required. This allows more efficient use of the MD8480 hardware.

Complex messages including broadcast information, establishment, reconfiguration and release of bearers and RRC connection mobility functions can be decoded in a format that is easily compared with the relevant 3GPP specification.

Messages can be decoded down to information elements

This diagram shows how any RRC or NAS message from a trace log can be decoded to information element detail



The image shows two windows side-by-side. On the left is a Microsoft Word document titled '25331-3a0.doc (Read-Only) - Microsoft Word'. It displays the 3GPP specification for '10.2.40 RRC-CONNECTION-SETUP'. The document includes a table with columns for 'Information-Element/Group-name', 'Needs', 'Multi', 'Type-and-reference', and 'Semantics-descript'. The table lists various information elements such as 'UE-Information-Elements', 'RRC-transaction-identifiers', 'Activation-time', 'New-U-RNTI', 'New-C-RNTI', 'RRC-State-Indicators', 'UTRAN-DRX-cycle-length-coefficient', 'Capability-update-requirements', and 'RB-Information-Elements'. On the right is a 'Show Message Details - Microsoft Internet Explorer' window. It displays the decoded details of an 'RLC_UM_DATA_REQ: rrcConnectionSetup' message. The message is from 'momo' to 'RLC @ 00:00:10.920'. It shows the message structure, including 'DL-CCCH-Message', 'integrityCheckInfo', and 'rrcConnectionSetup_r3'. The 'rrcConnectionSetup_r3' element is expanded to show 'initialUE-Identity' (imsi), 'rrc-TransactionIdentifier' (1), 'activationTime' (Omitted), 'new-U-RNTI' (srcr_identity: 000000000000000001, s_rnti: 00000000000000000001), 'new_c_rnti' (000000000000000001), 'rrc-StateIndicator' (cell_DCH_RRC_StateIndicator [enum=0]), 'utran-DRX-CycleLengthCoeff' (5), 'capabilityUpdateRequirement', and 'srb-InformationSetupList'.

The decoded messages are easily compared with 3GPP documents as shown in the image above.

Ordering Information

Please specify model number and name and quantity when ordering.

Model / Order No.	Name
MX848086A	3GPP Protocol Analyzer
MX848086A-05	3GPP MAR 02 Support
MX848086A-08	3GPP DEC 02 Support
MX848086A-09	3GPP MAR 03 Support
Z0682	Software Update to latest version
<i>For support of any other 3GPP Releases please contact Anritsu</i>	

The recommended minimum specification is a 300MHz Pentium 2 PC with 128MBytes of RAM.



Specifications are subject to change without notice.

ANRITSU CORPORATION

5-1-1, Onna, Atsugi-shi,
Kanagawa 243-8555, Japan
Phone: +81-3-3446-1111
Telex: J34372
Fax: +81-3-3442-0235

Overseas Subsidiaries

• U.S.A.

ANRITSU COMPANY
1155 E. Collins Blvd. Richardson,
TX 75081, U.S.A.
Phone: +1-800-ANRITSU
Fax: +1-972-671-1877

• Canada

ANRITSU Instruments Ltd.
4-205 Matheson Blvd. East, Mississauga
Ontario, L4Z 3E3, Canada
Phone: +1-905-890-7799
Fax: +1-905-890-2290

• Brazil

ANRITSU ELECTRONICA LTDA.
Praia de Botafogo 440, Sala 2401
CEP 22250-040, Rio de Janeiro, RJ, Brasil
Phone: +55-21-527-6922
Fax: +55-21-537-1456

• U.K.

ANRITSU LTD.
200 Capability Green, Luton, Bedfordshire
LU1 3LU, United Kingdom
Phone: +44-1582-433200
Fax: +44-1582-731303

• Germany

ANRITSU GmbH
Grafenberger Allee 54-56, D-40237
Düsseldorf 1, Germany
Phone: +49-211-968550
Fax: +49-211-9685555

• France

ANRITSU SA
9, Avenue du Québec, ZA de Courtaboeuf
91951 Les Ulis Cedex, France
Phone: +33-1-60-92-15-50
Fax: +33-1-64-46-10-65

• Italy

ANRITSU SpA
Via Elio Vittorini, 129, 00144 Roma, Italy
Phone: +39-6-509-9711
Fax: +39-6-502-2425
Fax: +968-791697

• Sweden

ANRITSU AB
Botvid Center 145 84 Stockholm, Sweden
Phone: +46-853470700
Fax: +46-853470730
Fax: +91-11-685-2275

• Singapore

ANRITSU PTE LTD.
6, New Industrial Rd., #06-01/02, Hoe
Huat
Industrial Building, Singapore 536199
Phone: +65-282-2400
Fax: +65-282-2533

• P.R China (Hong Kong)

ANRITSU COMPANY LTD.
Suite 812, 8/F, Chinachem Golden Plaza,
77 Mody Road
Tsimshatsui East, Kowloon, Hong Kong,
China
Phone: +852-2301-4980
Fax: +852-2301-3545

• Korea

ANRITSU CORPORATION Limited
8th Fl, Hyujuk-Bldg, 832-41, Yeoksam-
Dong,
Kangnam-Ku, Seoul, 135-080, Korea
Phone: +82-2-553-6603
Fax: +82-2-553-6604 / 5

• India

Anritsu Corporation India Liaison Office
Unit No.S-3, Second Floor, Esteem Red
Cross Bhavan,
No.26, Race Course Road, Bangalore 560
001 India. Phone: +91-80-32944707